REMS Ax-Press 30

Cordless axial press

Compact, handy electric tool for producing compression sleeve joints with crimping sleeve. For trade and industry. For the building site and the workshop. Li-Ion 22 V Technology.

Axial compression	Ø 12 – 32 mm

REMS Ax-Press 30 Li-Ion – up to Ø 32 mm.
Ultra light, ultra small, ultra handy, ultra fast.
Li-Ion 22 V Technology for 50 % more pressings[1)]

Compression heads for all common systems

Complete assortment of REMS compression heads for all common compression sleeve systems with crimping sleeve. High-grade compression heads in forged and specially hardened steel. The REMS compression heads are system-specific and correspond to the respective compression sleeve system. Thus perfect system-conformity, safe jointing.

Design

Compact, handy, light. Drive unit with battery only 4.4 kg. Can be used anywhere, free hand, over head, in confined spaces. Optimum weight distribution for one-hand operation. Drive unit with inserted compression heads can be put down on the battery ready to pick up. Ergonomically designed housing with soft grip. Integrated LED work light for illuminating the work place. Compression heads and expander heads quickly interchangeable, without tools. Secure spring lock seating of compression heads. Electronic charging status check with flat battery protection and charging status indicator with 2-coloured LED.

Drive

High pressing force for perfect pressing in seconds, e.g. Ø 26 mm in only 5 s. Powerful electro-hydraulic drive, eccentric reciprocating pump with robust planetary gear. Powerful electro-hydraulic drive with powerful battery motor 21.6 V, 380 W output, robust planetary gear, eccentric reciprocating pump and compact high power hydraulic system.Safety tip switch.

Li-Ion 22 V Technology

Highly resistant Li-Ion 21.6 V batteries with 1.5 or 2.5 Ah capacity for long service life. Powerful and light. Li-Ion 21.6 V batteries for 50 % more pressings[1)] than Li-Ion 14.4 V batteries. Graduated charging state display with coloured LEDs. Total discharge and overload protection with single cell monitoring. Temperature monitoring during the charging process. Operating temperature range – 10 to + 60 °C. No memory effect for maximum battery power. Rapid charger for short charging times.

e.g.
Brasstech,
General Fittings,
Georg Fischer pfci

German Quality Product

Tested by electrosuisse

Supply format

REMS Ax-Press 30 Basic-Pack. Cordless axial press for producing compression sleeve joints with crimping sleeve Ø 12 – 32 mm. Electro-hydraulic drive with powerful battery motor 21.6 V, 380 W, robust planetary gear, eccentric reciprocating pump and compact high power hydraulic system, safety tip switch. Integrated LED work light. Battery Li-Ion 21.6 V, 1.5 Ah, rapid charger Li-Ion 230 V, 50 – 60 Hz, 70 W. In sturdy steel case.

	Art.-No.	
	573018	

Accessories

Description	Art.-No.	
REMS Ax-Press 30 Li-Ion drive unit, without battery	573006	
Battery Li-Ion 21.6 V, 1.5 Ah	571570	
Battery Li-Ion 21.6 V, 2.5 Ah	571571	
Rapid charger Li-Ion 230 V, 50 – 60 Hz, 70 W	571575	
Steel case with insert	573282	

REMS compression heads

Compression sleeve system	Compression head	Art.-No.	
Brasstech Raptor/ Metalpex/ Raptor 2/ MULTItermoSAN	ME 14 (pack of 2) ME 16 (pack of 2) ME 20 (pack of 2) ME 26 (pack of 2) ME 32 (pack of 2)	573100 573102 573106 573108 573110	
General Fittings Serie 5400	ME 14 (pack of 2) ME 16 (pack of 2) ME 20 (pack of 2) ME 26 (pack of 2) ME 32 (pack of 2)	573100 573102 573106 573108 573110	
Georg Fischer pfci ALUPEX-EXPRESS/ Alupex Gas System	ME 14 (pack of 2) ME 16 (pack of 2) ME 20 (pack of 2) ME 26 (pack of 2) ME 32 (pack of 2)	573100 573102 573106 573108 573110	