

for all common pressfitting systems

**Select REMS pressing tongs/
REMS pressing rings yourself!**

Find the desired press fitting system in the table below and choose the size of pressing tongs/pressing rings that you require. Please note that pressfitting systems for gas installation may only be pressed with the pressing tongs/pressing rings which are highlighted in yellow in the table.

Highly durable pressing tongs/pressing rings made of tenacious, specially hardened special steel. Pressing contours of REMS pressing tongs/pressing rings are system-specific and correspond with the respective pressfitting system. Thus perfect system-conformity, safe press jointing. Pressing jaws of pressing tongs/pressing rings manufactured on CNC production centres ensure high-precision machining of pressing contour. Low production tolerances as a result.

Driven by REMS radial presses 32 kN and suitable radial presses of other makes with 32 kN thrust force or, if the system requires, by REMS Akku-Press XL 45 kN 22V ACC with 45 kN thrust force, see the table below. Adapter tongs (page 238) required for driving REMS (PR) pressing rings. All pressing tongs marked with * have an optional connection for manual drive through the radial press REMS Eco-Press. All pressing rings S (PR-2B) marked with ** can also be driven with the manual radial press REMS Eco-Press (page 185) using the adapter tong Z8.

Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

REMS pressing tongs (PZ-2B)

REMS pressing tongs (PZ-2B) with 2 swivellable monoblock pressing jaws. Most sold standard version. REMS ACz, Fz, RFz, RFz, VMPz pressing tongs with teeth prevent formation of burr on the pressfitting (Patent EP 2 027 971).

REMS pressing tongs (PZ-4G)

REMS pressing tongs (PZ-4G) with two pivoted, parallel aligned pressing segments for linear pressing of midsize dimensions.

REMS pressing tongs (PZ-S)

REMS pressing tongs (S) with one fixed and two pivoted pressing segments, for midsize dimensions. REMS VMPz pressing tongs with teeth prevent formation of burr on the pressfitting.

REMS pressing rings (PR-3S)

REMS pressing ring (PR-3S) with 3 pressing segments, 2 swivel guided, for large dimension complex pressings. Ideal pressing through radially controlled movement of pressing segments. Adapter tongs required, see page 238.

REMS pressing rings (PR-3B)

REMS pressing rings (PR-3B) with 3 pressing segments for high quality, large dimension pressings Optimum pressing by radially controlled movement of the pressing segments. Adapter tongs required, see page 238. REMS VAUFz, VFz, VMPz, VUSFz pressing rings with teeth prevent formation of burr on the pressfitting.

REMS pressing ring (PR-2B)

REMS pressing ring (PR-2B) with 2 pressing jaws, for secure engagement of the pressing jaws in tight spaces, for midsize dimensions. Adapter tongs required for driving the REMS (PR-2B) pressing rings, see page 238.

REMS pressing ring S (PR-2B)

REMS pressing ring S (PR-2B), continuously swivellable, with 2 pressing jaws, for secure engagement of the pressing jaws in places of difficult access. Adapter tongs required for driving the REMS S (PR-2B) pressing rings, see page 238.

Traceability according to EN 1775:2007

REMS pressing tongs/pressing rings with pressing contour F, M, V, SA, B, RN and UP have worked a specific marking into the pressing contour which leaves a lasting impression on the pressed fitting after the pressing process. This enables the user to check again whether the most suitable pressing tongs or the suitable pressing ring have been used to make the pressfit connection even after the pressing process.

With this traceability REMS fulfils the recommendations of the European standard EN 1775:2007 for the installation of pressfitting systems for gas.

Confirmation of suitability

See page 239.

Hold-Harmless and Indemnification Agreement

See page 240.




Two connections for REMS Eco-Press manual radial press and REMS 32 kN radial presses.

German Quality Product



REMS pressing tongs (PZ-2B)



REMS pressing tongs (PZ-4G)



REMS pressing tongs (PZ-S)



REMS pressing rings (PR-3S)



REMS pressing rings (PR-3B)



REMS pressing rings (PR-2B)




REMS pressing ring S (PR-2B), continuously swivellable



REMS pressing tongs
REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes



Pressing tongs with teeth prevent formation of burr on the pressfitting. Patent EP 2 027 971

Example REMS pressing tongs M: "M" imprint on pressed fitting for traceability according to EN 1775:2007

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
A				
Aalberts integrated piping systems	U 14*		570760	341,00
VSH MultiPress	U 16*		570765	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
	U 32		570785	400,00
	U 40		570790	488,00
	TH 14*		570455	365,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 25*		570495	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	TH 14 S (PR-2B)**	Z8	574778 R	244,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 25 S (PR-2B)**	Z8	574792 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
Aalberts integrated piping systems	U 16 ²⁾		570765	341,00
VSH MultiPress Gas ²⁾	U 20 ²⁾		570775	341,00
	U 25 ²⁾		570780	341,00
	TH 16 ²⁾		570460	365,00
	TH 20 ²⁾		570470	365,00
	TH 16 S (PR-2B) ²⁾	Z8	574782 R	244,00
	TH 20 S (PR-2B) ²⁾	Z8	574788 R	244,00
Aalberts integrated piping systems	V 12		570107	303,00
VSH SudoPress Carbon	V 15		570115	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	XP 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579108 R	2 280,00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00
	V 12 S (PR-2B)	Z8	574748 R	244,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
	V 35 S (PR-2B)	Z8	574762 R	268,00
Aalberts integrated piping systems	V 12		570107	303,00
VSH SudoPress Copper	V 14		570112	303,00
	VG 14		570132	303,00
	V 15		570115	303,00
	V 16		570117	303,00
	VG 16		570137	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	V 12 S (PR-2B)	Z8	574748 R	244,00
	V 14 S (PR-2B)	Z8	574800 R	244,00
	VG 14 S (PR-2B)	Z8	574750 R	244,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	VG 16 S (PR-2B)	Z8	574754 R	244,00
	V 16 S (PR-2B)	Z8	574802 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
	V 35 S (PR-2B)	Z8	574762 R	268,00
Aalberts integrated piping systems	V 12		570107	303,00
VSH SudoPress Copper Gas	V 14		570112	303,00
	VG 14		570132	303,00
	V 15		570115	303,00
	V 16		570117	303,00
	VG 16		570137	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	V 12 S (PR-2B)	Z8	574748 R	244,00
	V 14 S (PR-2B)	Z8	574800 R	244,00
	VG 14 S (PR-2B)	Z8	574750 R	244,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	VG 16 S (PR-2B)	Z8	574754 R	244,00
	V 16 S (PR-2B)	Z8	574802 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
	V 35 S (PR-2B)	Z8	574762 R	268,00

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
Aalberts integrated piping systems	V 15		570115	303,00
VSH SuoPress	V 18		570125	303,00
Stainless	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
	V 35 S (PR-2B)	Z8	574762 R	268,00
Aalberts integrated piping systems	M 12		570100	303,00
VSH XPress Carbon	M 15		570110	303,00
	M 18 ¹⁾		570120	303,00
	M 22		570130	303,00
	M 28 ¹⁾		570140	303,00
	M 35		570150	303,00
	M 42 (PZ-46)		570160	980,00
	M 54 (PZ-46)		570170	980,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	XP 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579108 R	2 280,00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00
	M 12 S (PR-2B)	Z8	574736 R	244,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
Aalberts integrated piping systems	M 12		570100	303,00
VSH XPress Copper	M 15		570110	303,00
	M 18 ¹⁾		570120	303,00
	M 22		570130	303,00
	M 28 ¹⁾		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	XP 64,0 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579100 R	2 070,00
	XP 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579108 R	2 280,00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	XP 108,0 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579109 R	2 660,00
	M 12 S (PR-2B)	Z8	574736 R	244,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
Aalberts integrated piping systems	M 15		570110	303,00
VSH XPress Copper Gas	M 18 ¹⁾		570120	303,00
	M 22		570130	303,00
	M 28 ¹⁾		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
Aalberts integrated piping systems	M 15		570110	303,00
VSH XPress Stainless	M 18 ¹⁾		570120	303,00
	M 22		570130	303,00
	M 28 ¹⁾		570140	303,00
	M 35		570150	303,00
	M 42 (PZ-46)		570160	980,00
	M 54 (PZ-46)		570170	980,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
Aalberts integrated piping systems	M 15		570110	303,00
VSH XPress Stainless Gas	M 18 ¹⁾		570120	303,00
	M 22		570130	303,00
	M 28 ¹⁾		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.	System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.
AC-FIX PRESS (Global Piping Systems)	H 12*		570300	329,00	AHLSELL A-press elförzinkad V	V 12		570107	303,00
	H 16*		570320	329,00		V 15		570115	303,00
	H 20*		570350	329,00		V 18		570125	303,00
	H 25*		570360	329,00		V 22		570135	303,00
	H 32		570380	329,00		V 28		570145	303,00
	RFz 12*		571320	380,00		V 35		570155	303,00
	RFz 16*		571325	380,00		V 42		570165	710,00
	RFz 20*		571330	380,00		V 54		570175	730,00
	RFz 25		571335	380,00		V 12 S (PR-2B)	Z8	574748 R	244,00
	RFz 32		571340	380,00		V 15 S (PR-2B)	Z8	574752 R	244,00
	U 16*		570765	341,00		V 18 S (PR-2B)	Z8	574756 R	244,00
	U 20*		570775	341,00		V 22 S (PR-2B)	Z8	574758 R	244,00
	U 25*		570780	341,00		V 28 S (PR-2B)	Z8	574760 R	244,00
	U 32		570785	400,00		V 35 S (PR-2B)	Z8	574762 R	268,00
	VX 16*		571635	421,00		AHLSELL	M 12	570100	303,00
	VX 20*		571640	421,00		A-press koppar M	M 15	570110	303,00
	AC-FIX PRESS DUO (Global Piping Systems)	RFz 16*		571325		380,00	M 18	570120	303,00
		RFz 20*		571330		380,00	M 22	570130	303,00
		RFz 25		571335		380,00	M 28	570140	303,00
		RFz 32		571340		380,00	M 35	570150	303,00
TH 16*			570460	365,00	M 42 (PR-3S)	Z2	572706 R	1 320,00	
TH 20*			570470	365,00	M 54 (PR-3S)	Z2	572708 R	1 320,00	
TH 25*			570495	365,00	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00	
TH 26*			570475	365,00	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	
TH 32			570480	365,00	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00	
TH 16 S (PR-2B)**		Z8	574782 R	244,00	M 15 S (PR-2B)	Z8	574738 R	244,00	
TH 20 S (PR-2B)**		Z8	574788 R	244,00	M 18 S (PR-2B)	Z8	574740 R	244,00	
TH 25 S (PR-2B)**		Z8	574792 R	244,00	M 22 S (PR-2B)	Z8	574742 R	244,00	
TH 26 S (PR-2B)**		Z8	574794 R	244,00	M 28 S (PR-2B)	Z8	574744 R	244,00	
TH 32 S (PR-2B)		Z8	574798 R	268,00	M 35 S (PR-2B)	Z8	574746 R	268,00	
U 16*			570765	341,00	AHLSELL	V 12	570107	303,00	
U 20*			570775	341,00	A-press koppar V	V 15	570115	303,00	
U 25*			570780	341,00	V 18	570125	303,00		
U 32			570785	400,00	V 22	570135	303,00		
AC-FIX PRESS-MULTI (Global Piping Systems)		H 16*		570320	329,00	V 28	570145	303,00	
		H 18*		570340	329,00	V 35	570155	303,00	
	H 20*		570350	329,00	V 42	570165	710,00		
	H 25*		570360	329,00	V 54	570175	730,00		
	H 32		570380	329,00	V 12 S (PR-2B)	Z8	574748 R	244,00	
	RFz 16*		571325	380,00	V 15 S (PR-2B)	Z8	574752 R	244,00	
	RFz 20*		571330	380,00	V 18 S (PR-2B)	Z8	574756 R	244,00	
	RFz 25		571335	380,00	V 22 S (PR-2B)	Z8	574758 R	244,00	
	RFz 32		571340	380,00	V 28 S (PR-2B)	Z8	574760 R	244,00	
	U 16*		570765	341,00	V 35 S (PR-2B)	Z8	574762 R	268,00	
	U 18*		570770	341,00	AHLSELL	M 15	570110	303,00	
	U 20*		570775	341,00	A-press rostfritt	M 18	570120	303,00	
	U 25*		570780	341,00	M 22	570130	303,00		
	U 32		570785	400,00	M 28	570140	303,00		
	ACOME MT	ACz 12*		572642	380,00	M 35	570150	303,00	
		ACz 16*		572644	380,00	M 42 (PR-3S)	Z2	572706 R	1 320,00
		ACz 20*		572646	380,00	M 54 (PR-3S)	Z2	572708 R	1 320,00
		ACz 25		572648	380,00	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
						M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	AHLSELL A-press elförzinkad M	M 12		570100	303,00	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00
M 15			570110	303,00	M 15 S (PR-2B)	Z8	574738 R	244,00	
M 18			570120	303,00	M 18 S (PR-2B)	Z8	574740 R	244,00	
M 22			570130	303,00	M 22 S (PR-2B)	Z8	574742 R	244,00	
M 28			570140	303,00	M 28 S (PR-2B)	Z8	574744 R	244,00	
M 35			570150	303,00	M 35 S (PR-2B)	Z8	574746 R	268,00	
M 42 (PR-3S)		Z2	572706 R	1 320,00	AIRBEL	M 15	570110	303,00	
M 54 (PR-3S)		Z2	572708 R	1 320,00	PRESSCLIM	M 18	570120	303,00	
M 76,1 XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00	M 22	570130	303,00		
M 88,9 G XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	M 28	570140	303,00		
M 108,0 G XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00	M 35	570150	303,00		
M 12 S (PR-2B)		Z8	574736 R	244,00	M 42 (PR-3S)	Z2	572706 R	1 320,00	
M 15 S (PR-2B)		Z8	574738 R	244,00	M 54 (PR-3S)	Z2	572708 R	1 320,00	
M 18 S (PR-2B)		Z8	574740 R	244,00	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00	
M 22 S (PR-2B)		Z8	574742 R	244,00	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	
M 28 S (PR-2B)	Z8	574744 R	244,00	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00		
M 35 S (PR-2B)	Z8	574746 R	268,00	M 15 S (PR-2B)	Z8	574738 R	244,00		

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

2) For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

3) Driven by REMS Power-Press XL ACC, see page 188.

4) Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

5) For taking suitable pressing inserts.

6) Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

7) Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

8) For making press joints for operating pressure ≤ PN 10.

9) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

10) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

11) Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

12) Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website: www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
AIRBEL	M 15		570110	303,00
SERTINOX	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
ALB	TH 16*		570460	365,00
Sistema Multicapa para calefacción y sanitario	TH 18*		570465	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 18 S (PR-2B)**	Z8	574786 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	H 16*		570320	329,00
	H 18*		570340	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	H 40 (PZ-4G)		570390	1 110,00
	U 16*		570765	341,00
	U 18*		570770	341,00
	U 20*		570775	341,00
	U 26* ¹²⁾		570750	400,00
	U 32		570785	400,00
	U 40		570790	488,00
ALB	TH 16*		570460	365,00
Sistema Multicapa para Gas	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	H 16*		570320	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	U 16*		570765	341,00
	U 20*		570775	341,00
	U 26* ¹²⁾		570750	400,00
	U 32		570785	400,00
ALTECH Altech	Rfz 12*		571320	380,00
	Rfz 16*		571325	380,00
	Rfz 20*		571330	380,00
	Rfz 25		571335	380,00
APE MULTYGAS Serie AP Gas	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
APE Serie AP	B 16*		570850	398,00
	B 20*		570860	398,00
	B 26		570870	439,00
	B 32		570880	439,00
	H 16*		570320	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	TH 16*		570460	365,00
	TH 18*		570465	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 18 S (PR-2B)**	Z8	574786 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	U 16*		570765	341,00
	U 20*		570775	341,00

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
APE Serie APL	H 16*		570320	329,00
	H 18*		570340	329,00
	H 20*		570350	329,00
	H 25*		570360	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	TH 16*		570460	365,00
	TH 18*		570465	365,00
	TH 20*		570470	365,00
	TH 25*		570495	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 18 S (PR-2B)**	Z8	574786 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 25 S (PR-2B)**	Z8	574792 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	U 16*		570765	341,00
	U 18*		570770	341,00
	U 20*		570775	341,00
AQUATECHNIK Press-fitting metal	H 16*		570320	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	U 16*		570765	341,00
	U 20*		570775	341,00
	U 26* ¹²⁾		570750	400,00
	U 32		570785	400,00
AQUATECHNIK Universal	B 16*		570850	398,00
	B 20*		570860	398,00
	B 26		570870	439,00
	B 32		570880	439,00
	F 16*		570717	348,00
	F 20*		570727	348,00
	F 26*		570730	376,00
	F 32		570735	376,00
	F 16 S (PR-2B)**	Z8	574728 R	244,00
	F 20 S (PR-2B)**	Z8	574730 R	244,00
	F 26 S (PR-2B)**	Z8	574732 R	244,00
	F 32 S (PR-2B)	Z8	574734 R	268,00
	H 16*		570320	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	U 16*		570765	341,00
	U 20*		570775	341,00
	U 26* ¹²⁾		570750	400,00
	U 32		570785	400,00
ARKA DUROsystem	H 16*		570320	329,00
	H 20*		570350	329,00
	H 25*		570360	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 25*		570495	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 25 S (PR-2B)**	Z8	574792 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	U 16*		570765	341,00
	U 20*		570775	341,00
Aschl NIR	M 15		570110	303,00
	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.	System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.	
ASSOTHERM IPC-RAC Carbon Steel	M 15		570110	303,00	ASSOTHERM IPR-RRR Copper	M 15		570110	303,00	
	M 18		570120	303,00		M 18		570120	303,00	
	M 22		570130	303,00		M 22		570130	303,00	
	M 28		570140	303,00		M 28		570140	303,00	
	M 35		570150	303,00		M 35		570150	303,00	
	M 42 (PZ-4G)		570160	980,00		M 42 (PZ-4G)		570160	980,00	
	M 54 (PZ-4G)		570170	980,00		M 54 (PZ-4G)		570170	980,00	
	M 42 (PR-3S)	Z2	572706 R	1 320,00		M 42 (PR-3S)	Z2	572706 R	1 320,00	
	M 54 (PR-3S)	Z2	572708 R	1 320,00		M 54 (PR-3S)	Z2	572708 R	1 320,00	
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00		M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00	
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00		M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00		M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00	
	M 15 S (PR-2B)	Z8	574738 R	244,00		M 15 S (PR-2B)	Z8	574738 R	244,00	
	M 18 S (PR-2B)	Z8	574740 R	244,00		M 18 S (PR-2B)	Z8	574740 R	244,00	
	M 22 S (PR-2B)	Z8	574742 R	244,00		M 22 S (PR-2B)	Z8	574742 R	244,00	
M 28 S (PR-2B)	Z8	574744 R	244,00	M 28 S (PR-2B)	Z8	574744 R	244,00			
M 35 S (PR-2B)	Z8	574746 R	268,00	M 35 S (PR-2B)	Z8	574746 R	268,00			
ASSOTHERM IPI-RAX Inox	M 15		570110	303,00	ASSOTHERM IPR-RRR Copper Gas	M 15		570110	303,00	
	M 18		570120	303,00		M 18		570120	303,00	
	M 22		570130	303,00		M 22		570130	303,00	
	M 28		570140	303,00		M 28		570140	303,00	
	M 35		570150	303,00		M 35		570150	303,00	
	M 42 (PZ-4G)		570160	980,00		M 15 S (PR-2B)	Z8	574738 R	244,00	
	M 54 (PZ-4G)		570170	980,00		M 18 S (PR-2B)	Z8	574740 R	244,00	
	M 42 (PR-3S)	Z2	572706 R	1 320,00		M 22 S (PR-2B)	Z8	574742 R	244,00	
	M 54 (PR-3S)	Z2	572708 R	1 320,00		M 28 S (PR-2B)	Z8	574744 R	244,00	
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00		M 35 S (PR-2B)	Z8	574746 R	268,00	
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00		ASTM F 1807 (Fittings with Copper Crimp Ring for PEX tubing)	US 3/8"		571450	415,00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00			US 1/2"		571455	415,00
	M 15 S (PR-2B)	Z8	574738 R	244,00			US 3/4"		571460	415,00
	M 18 S (PR-2B)	Z8	574740 R	244,00			US 1"		571465	415,00
	M 22 S (PR-2B)	Z8	574742 R	244,00			US 1 1/4"		571470	415,00
M 28 S (PR-2B)	Z8	574744 R	244,00	US 1 1/2"		571475	415,00			
M 35 S (PR-2B)	Z8	574746 R	268,00	US 2"		571477	560,00			
ASSOTHERM IPI-RAX Inox Gas	M 15		570110	303,00	ATUSA ITALIA INSTALPRESS CARBON STEEL PRESS FITTINGS	M 15		570110	303,00	
	M 18		570120	303,00		M 18		570120	303,00	
	M 22		570130	303,00		M 22		570130	303,00	
	M 28		570140	303,00		M 28		570140	303,00	
	M 35		570150	303,00		M 35		570150	303,00	
	M 42 (PZ-4G)		570160	980,00		M 42 (PR-3S)	Z2	572706 R	1 320,00	
	M 54 (PZ-4G)		570170	980,00		M 54 (PR-3S)	Z2	572708 R	1 320,00	
	M 42 (PR-3S)	Z2	572706 R	1 320,00		M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00	
	M 54 (PR-3S)	Z2	572708 R	1 320,00		M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	
	M 76,1 XL (PR-3S)	Z7 XL 45 kN ⁴⁾	579101 R	2 280,00		M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00	
	M 88,9 G XL (PR-3S) ⁷⁾	Z7 XL 45 kN ⁴⁾	579110 R	2 660,00		M 15 S (PR-2B)	Z8	574738 R	244,00	
	M 108,0 G XL (PR-3S) ⁷⁾	Z7 XL 45 kN ⁴⁾	579111 R	2 660,00		M 18 S (PR-2B)	Z8	574740 R	244,00	
	M 15 S (PR-2B)	Z8	574738 R	244,00		M 22 S (PR-2B)	Z8	574742 R	244,00	
	M 18 S (PR-2B)	Z8	574740 R	244,00		M 28 S (PR-2B)	Z8	574744 R	244,00	
	M 22 S (PR-2B)	Z8	574742 R	244,00		M 35 S (PR-2B)	Z8	574746 R	268,00	
M 28 S (PR-2B)	Z8	574744 R	244,00	ATUSA ITALIA INSTALPRESS STAINLESS STEEL PRESS FITTINGS	M 15		570110	303,00		
M 35 S (PR-2B)	Z8	574746 R	268,00		M 18		570120	303,00		
ASSOTHERM IPM-Multistrato	H 16*		570320		329,00	AUSTEC PEX-B, PEX-AL-PEX (AUS)	TH 16*		570460	365,00
	H 20*		570350		329,00		TH 20*		570470	365,00
	H 26*		570370		329,00		TH 25*		570495	365,00
	H 32		570380		329,00		TH 32		570480	365,00
	TH 16*		570460		365,00		U 16*		570765	341,00
	TH 20*		570470		365,00		U 20*		570775	341,00
	TH 26*		570475		365,00		U 25*		570780	341,00
	TH 32		570480		365,00		U 32		570785	400,00
	THL 32		570487		365,00					
	TH 40		570485		484,00					
	TH 50 (PZ-S)		572400		1 270,00					
	TH 63 (PZ-S)		572405		1 270,00					
	TH 16 S (PR-2B)**	Z8	574782 R		244,00					
	TH 20 S (PR-2B)**	Z8	574788 R	244,00						
	TH 26 S (PR-2B)**	Z8	574794 R	244,00						
TH 32 S (PR-2B)	Z8	574798 R	268,00							
U 16*		570765	341,00							
U 20*		570775	341,00							
U 26* ¹²⁾		570750	400,00							
U 32		570785	400,00							

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

2) For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

3) Driven by REMS Power-Press XL ACC, see page 188.

4) Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

5) For taking suitable pressing inserts.

6) Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

7) Use pressing rings labelled "M 88,9 G" or "M 108 G" on the three pressing segments for gas installations.

8) For making press joints for operating pressure ≤ PN 10.

9) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

10) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

11) Only use pressing tongs identified by "VMP 1/2" G" on the pressing jaws for gas installations.

12) Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
AUSTEC PEX-AL-PEX GAS (AUS)	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 25*		570495	365,00
	TH 32		570480	365,00
	U 16*		570765	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
AYOR FIXOCONNECT Press	H 12*		570300	329,00
	H 16*		570320	329,00
	H 20*		570350	329,00
	H 25*		570360	329,00
	Rfz 12*		571320	380,00
	Rfz 16*		571325	380,00
	Rfz 20*		571330	380,00
	Rfz 25		571335	380,00
	U 16*		570765	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
AYOR FIXOMULTIX	H 16*		570320	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	U 16*		570765	341,00
	U 20*		570775	341,00
	U 32		570785	400,00
U 40		570790	488,00	
U 50		570795	590,00	
U 63 (PR-3B)	Z4	572837 R	1 440,00	
U 63 (PZ-S)		572365	1 270,00	
U 75 (PR-3B)	Z4	572828 R	1 270,00	
AYOR SOMATHERM FOR YOU -1	H 16*		570320	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	U 16*		570765	341,00
U 20*		570775	341,00	
AYOR SOMATHERM FOR YOU -2	H 12*		570300	329,00
	H 16*		570320	329,00
	H 20*		570350	329,00
	H 25*		570360	329,00
	Rfz 12*		571320	380,00
	Rfz 16*		571325	380,00
	Rfz 20*		571330	380,00
	Rfz 25		571335	380,00
	U 16*		570765	341,00
	U 20*		570775	341,00
U 25*		570780	341,00	

B

Bampi BALPEX serie LP	TH 16*		570460	365,00
	TH 18*		570465	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 18 S (PR-2B)**	Z8	574786 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	U 16*		570765	341,00
	U 18*		570770	341,00
	U 20*		570775	341,00
	U 26* ⁽¹²⁾		570750	400,00
U 32		570785	400,00	
U 40		570790	488,00	
U 50		570795	590,00	
U 63 (PR-3B)	Z4	572837 R	1 440,00	
U 63 (PZ-S)		572365	1 270,00	
Bampi BALPEX serie MP	TH 16*		570460	365,00
	TH 18*		570465	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 18 S (PR-2B)**	Z8	574786 R	244,00
TH 20 S (PR-2B)**	Z8	574788 R	244,00	
TH 26 S (PR-2B)**	Z8	574794 R	244,00	
TH 32 S (PR-2B)	Z8	574798 R	268,00	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
Bampi BALPEX Gas	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
BARBI EASYPRESS (Industrial Blansol)	H 12*		570300	329,00
	H 16*		570320	329,00
	H 20*		570350	329,00
	H 25*		570360	329,00
	H 32		570380	329,00
	Rfz 12*		571320	380,00
	Rfz 16*		571325	380,00
	Rfz 20*		571330	380,00
	Rfz 25		571335	380,00
	Rfz 32		571340	380,00
	U 16*		570765	341,00
U 20*		570775	341,00	
U 25*		570780	341,00	
U 32		570785	400,00	
BARBI MULTIPEX (Industrial Blansol)	H 14*		570310	329,00
	H 16*		570320	329,00
	H 18*		570340	329,00
	H 20*		570350	329,00
	H 25*		570360	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	Rfz 16*		571325	380,00
	Rfz 18*		571327	380,00
	Rfz 20*		571330	380,00
	Rfz 25		571335	380,00
	Rfz 32		571340	380,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
TH 26*		570475	365,00	
TH 32		570480	365,00	
TH 16 S (PR-2B)**	Z8	574782 R	244,00	
TH 20 S (PR-2B)**	Z8	574788 R	244,00	
TH 26 S (PR-2B)**	Z8	574794 R	244,00	
TH 32 S (PR-2B)	Z8	574798 R	268,00	
U 16*		570765	341,00	
U 18*		570770	341,00	
U 20*		570775	341,00	
U 25*		570780	341,00	
U 32		570785	400,00	
U 40		570790	488,00	
U 50		570795	590,00	
U 63 (PR-3B)	Z4	572837 R	1 440,00	
U 63 (PZ-S)		572365	1 270,00	
BEGETUBE/ IVAR	B 14*		570845	398,00
	B 16*		570850	398,00
	B 18*		570855	398,00
	B 20*		570860	398,00
	B 26		570870	439,00
	B 32		570880	439,00
	Fz 40		570742	402,00
	Fz 50		570747	610,00
	F 63 (PZ-S)		572385	1 270,00
	Fz 75 (PR-3B)	Z4	572830 R	1 200,00
	Béné inox Série 41	M 15		570110
M 18			570120	303,00
M 22			570130	303,00
M 28			570140	303,00
M 35			570150	303,00
M 42 (PR-3S)		Z2	572706 R	1 320,00
M 54 (PR-3S)		Z2	572708 R	1 320,00
M 76,1 XL (PR-3S)		Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579101 R	2 280,00
M 88,9 G XL (PR-3S)		Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579110 R	2 660,00
M 108,0 G XL (PR-3S)		Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579111 R	2 660,00
M 15 S (PR-2B)		Z8	574738 R	244,00
M 18 S (PR-2B)	Z8	574740 R	244,00	
M 22 S (PR-2B)	Z8	574742 R	244,00	
M 28 S (PR-2B)	Z8	574744 R	244,00	
M 35 S (PR-2B)	Z8	574746 R	268,00	
Brass Form Master-Al-Pex	H 16*		570320	329,00
	H 18*		570340	329,00
	H 20*		570350	329,00
	TH 16*		570460	365,00
	TH 18*		570465	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 18 S (PR-2B)**	Z8	574786 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	U 16*		570765	341,00
U 18*		570770	341,00	
U 20*		570775	341,00	
Brass & Fittings PRESSMAN MultiPress	Rfz 16*		571325	380,00
	Rfz 18*		571327	380,00
	Acz 20*		572646	380,00
	Rfz 25		571335	380,00
Rfz 32		571340	380,00	
Brass & Fittings PRESSMAN RetiPress	Rfz 16*		571325	380,00
	Rfz 18*		571327	380,00
	Acz 20*		572646	380,00
	Rfz 25		571335	380,00
Rfz 32		571340	380,00	

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press)
and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.
BRASSTECH MULTitermoSAN Brasspress	B 16*		570850	398,00
	B 20*		570860	398,00
	B 26		570870	439,00
	B 32		570880	439,00
	F 16*		570717	348,00
	F 20*		570727	348,00
	F 26*		570730	376,00
	F 16 S (PR-2B)**	Z8	574728 R	244,00
	F 20 S (PR-2B)**	Z8	574730 R	244,00
	F 26 S (PR-2B)**	Z8	574732 R	244,00
	H 16*		570320	329,00
	H 18*		570340	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	TH 16*		570460	365,00
	TH 18*		570465	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 18 S (PR-2B)**	Z8	574786 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	U 16*		570765	341,00
	U 18*		570770	341,00
	U 20*		570775	341,00
	U 26* ¹²⁾		570750	400,00
	U 32		570785	400,00

C

Cello Products -B- Press	VUS ½" (OD 15,9 mm)		571770	366,00
	VUS ¾" (OD 22,2 mm)		571775	366,00
	VUS 1" (OD 28,6 mm)		571780	366,00
	VUS 1¼" (OD 34,9 mm)		571785	366,00
	VUS 1½" (OD 41,3 mm)		571790	710,00
CGR DYNAFLU multicouche	VUS 2" (OD 54,0 mm)		571795	730,00
	H 16*		570320	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	U 16*		570765	341,00
	U 20*		570775	341,00
	U 26* ¹²⁾		570750	400,00
	U 32		570785	400,00
U 40		570790	488,00	
U 50		570795	590,00	
U 63 (PR-3B)	Z4	572837 R	1 440,00	
U 63 (PZ-S)		572365	1 270,00	
CGR DYNAFLU PER	H 12*		570300	329,00
	H 16*		570320	329,00
	H 20*		570350	329,00
	H 25*		570360	329,00
	RFz 12*		571320	380,00
	RFz 16*		571325	380,00
	RFz 20*		571330	380,00
	RFz 25		571335	380,00

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.	
CHIALI CHIALIPEX	TH 16*		570460	365,00	
	TH 20*		570470	365,00	
	TH 26*		570475	365,00	
	TH 32		570480	365,00	
	TH 40		570485	484,00	
	TH 50 (PZ-S)		572400	1 270,00	
	TH 63 (PZ-S)		572405	1 270,00	
	Climatrix Climatrix Rhinopex	H 16*		570320	329,00
		H 20*		570350	329,00
		U 16*		570765	341,00
		U 20*		570775	341,00
		U 26* ¹²⁾		570750	400,00
		TH 14*		570455	365,00
		TH 16*		570460	365,00
		TH 18*		570465	365,00
TH 20*			570470	365,00	
TH 26*			570475	365,00	
Climatrix Variotherm	TH 32		570480	365,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	
	TH 32 S (PR-2B)	Z8	574798 R	268,00	
	System TH	TH 11,6*		570482	365,00
		TH 16*		570460	365,00
	ClouSet	TH 16 S (PR-2B)**	Z8	574782 R	244,00
		TH 16*		570460	365,00
		TH 18*		570465	365,00
TH 20*			570470	365,00	
TH 16 S (PR-2B)**		Z8	574782 R	244,00	
TH 18 S (PR-2B)**		Z8	574786 R	244,00	
TH 20 S (PR-2B)**		Z8	574788 R	244,00	
RFz 12*			571320	380,00	
Comap PEX Press	RFz 16*		571325	380,00	
	RFz 20*		571330	380,00	
	RFz 25		571335	380,00	
	Comap Multiskin	TH 14*		570455	365,00
		TH 16*		570460	365,00
		TH 18*		570465	365,00
		TH 20*		570470	365,00
		TH 26*		570475	365,00
		TH 32		570480	365,00
		THL 32		570487	365,00
TH 40			570485	484,00	
TH 50 (PZ-S)			572400	1 270,00	
TH 63 (PZ-S)			572405	1 270,00	
Comap Multiskin	THz 75 (PR-3B)	Z4	572829 R	1 200,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	
	TH 32 S (PR-2B)	Z8	574798 R	268,00	
	U 14*		570760	341,00	
	U 16*		570765	341,00	
	U 18*		570770	341,00	
	U 20*		570775	341,00	
	U 32		570785	400,00	
	U 40		570790	488,00	
	U 50		570795	590,00	
	U 63 (PR-3B)	Z4	572837 R	1 440,00	
	U 63 (PZ-S)		572365	1 270,00	
	Comap Multiskin	U 75 (PR-3B)	Z4	572828 R	1 270,00
H 14*			570310	329,00	
H 16*			570320	329,00	
H 18*			570340	329,00	
H 20*			570350	329,00	
H 26*			570370	329,00	
H 32			570380	329,00	
H 40 (PZ-4G)			570390	1 110,00	

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

2) For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

3) Driven by REMS Power-Press XL ACC, see page 188.

4) Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

5) For taking suitable pressing inserts.

6) Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

7) Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

8) For making press joints for operating pressure ≤ PN 10.

9) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

10) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

11) Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

12) Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website: www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.	
Comap Multiskin Gas	TH 16*		570460	365,00	
	TH 20*		570470	365,00	
	TH 26*		570475	365,00	
	TH 32		570480	365,00	
	THL 32		570487	365,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	
	TH 32 S (PR-2B)	Z8	574798 R	268,00	
	U 16*		570765	341,00	
	U 20*		570775	341,00	
	U 32		570785	400,00	
	H 16*		570320	329,00	
	H 20*		570350	329,00	
	H 26*		570370	329,00	
	H 32		570380	329,00	
	COMISA Press System	TH 14*		570455	365,00
	TH 16*		570460	365,00	
	TH 18*		570465	365,00	
	TH 20*		570470	365,00	
TH 25*		570495	365,00		
TH 26*		570475	365,00		
TH 32		570480	365,00		
TH 40		570485	484,00		
TH 50 (PZ-S)		572400	1 270,00		
TH 63 (PZ-S)		572405	1 270,00		
TH 16 S (PR-2B)**	Z8	574782 R	244,00		
TH 18 S (PR-2B)**	Z8	574786 R	244,00		
TH 20 S (PR-2B)**	Z8	574788 R	244,00		
TH 25 S (PR-2B)**	Z8	574792 R	244,00		
TH 26 S (PR-2B)**	Z8	574794 R	244,00		
TH 32 S (PR-2B)	Z8	574798 R	268,00		
H 14*		570310	329,00		
H 16*		570320	329,00		
H 18*		570340	329,00		
H 20*		570350	329,00		
H 26*		570370	329,00		
H 32		570380	329,00		
B 14*		570845	398,00		
B 16*		570850	398,00		
B 18*		570855	398,00		
B 20*		570860	398,00		
B 26		570870	439,00		
B 32		570880	439,00		
COMISA Press System Gas	TH 16*		570460	365,00	
TH 20*		570470	365,00		
TH 26*		570475	365,00		
TH 32		570480	365,00		
TH 16 S (PR-2B)**	Z8	574782 R	244,00		
TH 20 S (PR-2B)**	Z8	574788 R	244,00		
TH 26 S (PR-2B)**	Z8	574794 R	244,00		
TH 32 S (PR-2B)	Z8	574798 R	268,00		
CONEL CONNECT INOX	M 15		570110	303,00	
	M 18		570120	303,00	
	M 22		570130	303,00	
	M 42 (PR-3S)	Z2	572706 R	1 320,00	
	M 54 (PR-3S)	Z2	572708 R	1 320,00	
	V 15		570115	303,00	
	V 18		570125	303,00	
	V 22		570135	303,00	
	V 42 (PR-2B)	Z2	572850 R	640,00	
	V 54 (PR-2B)	Z2	572851 R	690,00	
CONEL CONNECT MULTI	F 16*		570717	348,00	
	F 20*		570727	348,00	
	F 26*		570730	376,00	
	F 32		570735	376,00	
	F 16 S (PR-2B)**	Z8	574728 R	244,00	
	F 20 S (PR-2B)**	Z8	574730 R	244,00	
	F 26 S (PR-2B)**	Z8	574732 R	244,00	
	F 32 S (PR-2B)**	Z8	574734 R	268,00	
	H 16*		570320	329,00	
	H 20*		570350	329,00	
	H 26*		570370	329,00	
	H 32		570380	329,00	
	TH 16*		570460	365,00	
	TH 20*		570470	365,00	
	TH 26*		570475	365,00	
	TH 32		570480	365,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	
	TH 32 S (PR-2B)**	Z8	574798 R	268,00	
(DN 26)	U 16*		570765	341,00	
	U 20*		570775	341,00	
	U 25*		570780	341,00	
	U 32		570785	400,00	
	VP 16*		570910	364,00	
	VP 20*		570915	364,00	
	VP 32		570925	402,00	
	CONEL CONNECT MV2	F 16*		570717	348,00
		F 20*		570727	348,00
		F 26*		570730	376,00
F 32			570735	376,00	
F 16 S (PR-2B)**		Z8	574728 R	244,00	
F 20 S (PR-2B)**		Z8	574730 R	244,00	
F 26 S (PR-2B)**		Z8	574732 R	244,00	
F 32 S (PR-2B)**		Z8	574734 R	268,00	
TH 16*			570460	365,00	
TH 20*			570470	365,00	
TH 26*		570475	365,00		
TH 32		570480	365,00		
TH 16 S (PR-2B)**	Z8	574782 R	244,00		
TH 20 S (PR-2B)**	Z8	574788 R	244,00		
TH 26 S (PR-2B)**	Z8	574794 R	244,00		
TH 32 S (PR-2B)**	Z8	574798 R	268,00		

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
Conex Bänninger <A> Press Inox (304)	M 15		570110	303,00
	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 35 (PR-3S)	Z2	572727 R	1 320,00
	M 42 (PZ-46)		570160	980,00
	M 54 (PZ-46)		570170	980,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
Conex Bänninger <A> Press Inox (316L)	M 15		570110	303,00
	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 35 (PR-3S)	Z2	572727 R	1 320,00
	M 42 (PZ-46)		570160	980,00
	M 54 (PZ-46)		570170	980,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
Conex Bänninger >B< Flex	F 16*		570717	348,00
	F 18*		570720	348,00
	F 20*		570727	348,00
	F 32		570735	376,00
	F 16 S (PR-2B)**	Z8	574728 R	244,00
	F 20 S (PR-2B)**	Z8	574730 R	244,00
	F 32 S (PR-2B)	Z8	574734 R	268,00
	H 16*		570320	329,00
	H 18*		570340	329,00
	H 20*		570350	329,00
	H 25*		570360	329,00
	H 32		570380	329,00
	Rfz 16*		571325	380,00
	Rfz 18*		571327	380,00
	Rfz 20*		571330	380,00
Rfz 25		571335	380,00	
Rfz 32		571340	380,00	
TH 16*		570460	365,00	
TH 18*		570465	365,00	
TH 20*		570470	365,00	
TH 25*		570495	365,00	
TH 32		570480	365,00	
TH 16 S (PR-2B)**	Z8	574782 R	244,00	
TH 18 S (PR-2B)**	Z8	574786 R	244,00	
TH 20 S (PR-2B)**	Z8	574788 R	244,00	
TH 25 S (PR-2B)**	Z8	574792 R	244,00	
TH 32 S (PR-2B)	Z8	574798 R	268,00	
U 16*		570765	341,00	
U 18*		570770	341,00	
U 20*		570775	341,00	
U 25*		570780	341,00	
U 32		570785	400,00	
Conex Bänninger >B< Flex Gas	F 16*		570717	348,00
	F 18*		570720	348,00
	F 20*		570727	348,00
	F 32		570735	376,00
	F 16 S (PR-2B)**	Z8	574728 R	244,00
	F 20 S (PR-2B)**	Z8	574730 R	244,00
	F 32 S (PR-2B)	Z8	574734 R	268,00
	H 16*		570320	329,00
	H 18*		570340	329,00
	H 20*		570350	329,00
	H 25*		570360	329,00
	H 32		570380	329,00
	Rfz 16*		571325	380,00
	Rfz 18*		571327	380,00
	Rfz 20*		571330	380,00
Rfz 25		571335	380,00	
Rfz 32		571340	380,00	
TH 16*		570460	365,00	
TH 18*		570465	365,00	
TH 20*		570470	365,00	
TH 25*		570495	365,00	
TH 32		570480	365,00	
TH 16 S (PR-2B)**	Z8	574782 R	244,00	
TH 18 S (PR-2B)**	Z8	574786 R	244,00	
TH 20 S (PR-2B)**	Z8	574788 R	244,00	
TH 25 S (PR-2B)**	Z8	574792 R	244,00	
TH 32 S (PR-2B)	Z8	574798 R	268,00	
U 16*		570765	341,00	
U 18*		570770	341,00	
U 20*		570775	341,00	
U 25*		570780	341,00	
U 32		570785	400,00	
Conex Bänninger >B< MaxiPro	BMP ¼"		571700 R	362,00
	BMP ⅜"		571702 R	362,00
	BMP ½"		571704 R	362,00
	BMP ⅝"		571706 R	362,00
	BMP ¾"		571708 R	362,00
	BMP 1"		571710 R	362,00
	BMP 1 1/8"		571712 R	362,00
	BMP 1 1/4"		571714 R	362,00

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press)
and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.	System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.	
Conex Bänninger >B< Press	V 12		570107	303,00	Conex Bänninger >B< Press XL stainless	XP 64,0 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579100 R	2 070,00	
	V 14		570112	303,00		XP 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579108 R	2 280,00	
	V 15		570115	303,00		M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00	
	V 16		570117	303,00		CBM 88,9 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579144 R	2 660,00	
	V 18		570125	303,00		CBM 108,0 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579146 R	2 660,00	
	V 22		570135	303,00		Conex Bänninger >B< Press Solar	V 12		570107	303,00
	V 28		570145	303,00			V 14		570112	303,00
	V 35		570155	303,00			V 15		570115	303,00
	V 42		570165	710,00			V 16		570117	303,00
	V 54		570175	730,00			V 18		570125	303,00
	V 12 S (PR-2B)	Z8	574748 R	244,00	V 22			570135	303,00	
	V 14 S (PR-2B)	Z8	574800 R	244,00	V 28			570145	303,00	
	V 15 S (PR-2B)	Z8	574752 R	244,00	V 35			570155	303,00	
	V 16 S (PR-2B)	Z8	574802 R	244,00	V 42			570165	710,00	
	V 18 S (PR-2B)	Z8	574756 R	244,00	V 54			570175	730,00	
	V 22 S (PR-2B)	Z8	574758 R	244,00	V 12 S (PR-2B)		Z8	574748 R	244,00	
	V 28 S (PR-2B)	Z8	574760 R	244,00	V 14 S (PR-2B)		Z8	574800 R	244,00	
	V 35 S (PR-2B)	Z8	574762 R	268,00	V 15 S (PR-2B)		Z8	574752 R	244,00	
	M 15		570110	303,00	V 16 S (PR-2B)	Z8	574802 R	244,00		
	M 22		570130	303,00	V 18 S (PR-2B)	Z8	574756 R	244,00		
	M 28		570140	303,00	V 22 S (PR-2B)	Z8	574758 R	244,00		
					V 28 S (PR-2B)	Z8	574760 R	244,00		
					V 35 S (PR-2B)	Z8	574762 R	268,00		
Conex Bänninger >B< Press XL copper	VFz 64,0 (PR-3B)	Z5	572815 R	1 200,00	Debrunner Acifer d-a Presssystem C-Stahl	M 12		570100	303,00	
	CBVFz 66,7 (PR-3B)	Z5	572847 R	1 200,00		M 15		570110	303,00	
	VFz 76,1 (PR-3B) ¹⁾	Z5	572816 R	1 200,00		M 18		570120	303,00	
	VFz 88,9 (PR-3B) ¹⁾	Z5	572817 R	1 270,00		M 22		570130	303,00	
	VFz 108,0 (PR-3B) ¹⁾	Z5	572818 R	1 270,00		M 28		570140	303,00	
Conex Bänninger >B< Press carbon	V 15		570115	303,00		M 35		570150	303,00	
	V 18		570125	303,00		M 42 (PR-3S)	Z2	572706 R	1 320,00	
	V 22		570135	303,00		M 54 (PR-3S)	Z2	572708 R	1 320,00	
	V 28		570145	303,00		M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00	
	V 35		570155	303,00		M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	
	V 42		570165	710,00		M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00	
	V 42 (PR-2B)	Z2	572850 R	640,00		M 12 S (PR-2B)	Z8	574736 R	244,00	
	V 54		570175	730,00		M 15 S (PR-2B)	Z8	574738 R	244,00	
	V 54 (PR-2B)	Z2	572851 R	690,00	M 18 S (PR-2B)	Z8	574740 R	244,00		
	V 15 S (PR-2B)	Z8	574752 R	244,00	M 22 S (PR-2B)	Z8	574742 R	244,00		
	V 18 S (PR-2B)	Z8	574756 R	244,00	M 28 S (PR-2B)	Z8	574744 R	244,00		
	V 22 S (PR-2B)	Z8	574758 R	244,00	M 35 S (PR-2B)	Z8	574746 R	268,00		
	V 28 S (PR-2B)	Z8	574760 R	244,00	DUOPIPE SYSTEMS DUOFIL MKSYSTEM	U 16*		570765	341,00	
V 35 S (PR-2B)	Z8	574762 R	268,00	U 18*			570770	341,00		
Conex Bänninger >B< Press XL carbon	XP 64,0 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579100 R	2 070,00		U 20*		570775	341,00	
	XP 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579108 R	2 280,00		U 25*		570780	341,00	
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00		U 32		570785	400,00	
	CBM 88,9 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579144 R	2 660,00		DW Verbundrohr multitubo systems	U 16*		570765	341,00
	CBM 108,0 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579146 R	2 660,00			U 18*		570770	341,00
Conex Bänninger >B< Press Gas	V 12		570107	303,00			U 20*		570775	341,00
	V 14		570112	303,00			U 25*		570780	341,00
	V 15		570115	303,00			U 32		570785	400,00
	V 16		570117	303,00	U 16*			570765	341,00	
	V 18		570125	303,00	U 18*			570770	341,00	
	V 22		570135	303,00	U 20*			570775	341,00	
	V 28		570145	303,00	U 25*			570780	341,00	
	V 35		570155	303,00	U 32			570785	400,00	
	V 42		570165	710,00	U 40		570790	488,00		
	V 54		570175	730,00	U 50		570795	590,00		
	V 12 S (PR-2B)	Z8	574748 R	244,00	U 63 (PR-3B)	Z4	572837 R	1 440,00		
	V 14 S (PR-2B)	Z8	574800 R	244,00	U 63 (PZ-S)		572365	1 270,00		
	V 15 S (PR-2B)	Z8	574752 R	244,00	U 75 (PR-3B)	Z4	572828 R	1 270,00		
V 16 S (PR-2B)	Z8	574802 R	244,00	E	EBRILLE Isomonflex	U 16*		570765	341,00	
V 18 S (PR-2B)	Z8	574756 R	244,00			U 20*		570775	341,00	
V 22 S (PR-2B)	Z8	574758 R	244,00			U 25*		570780	341,00	
V 28 S (PR-2B)	Z8	574760 R	244,00		H 26*		570370	329,00		
V 35 S (PR-2B)	Z8	574762 R	268,00		TH 26*		570475	365,00		
Conex Bänninger >B< Press Inox	V 15		570115		303,00	TH 26 S (PR-2B)**	Z8	574794 R	244,00	
	V 18		570125		303,00	U 32		570785	400,00	
	V 22		570135		303,00	EBRILLE Monflex	U 16*		570765	341,00
	V 28		570145		303,00		U 20*		570775	341,00
	V 35		570155		303,00		U 25*		570780	341,00
V 42		570165	710,00		H 26*		570370	329,00		
V 42 (PR-2B)	Z2	572850 R	640,00		TH 26*		570475	365,00		
V 54		570175	730,00		TH 26 S (PR-2B)**	Z8	574794 R	244,00		
V 54 (PR-2B)	Z2	572851 R	690,00	U 32		570785	400,00			
V 15 S (PR-2B)	Z8	574752 R	244,00	Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow. Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.	* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations. ** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations. 1) Only pressing tongs from designation "108" (1 st quarter of 2008), "208" (2 nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw. 2) For this pressfitting system producing a pressing joint with manual radial presses is not permitted. 3) Driven by REMS Power-Press XL ACC, see page 188. 4) Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196. 5) For taking suitable pressing inserts. 6) Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF. 7) Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations. 8) For making press joints for operating pressure ≤ PN 10. 9) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer. 10) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer. 11) Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations. 12) Previous designation: C 26 pressing tongs					
V 18 S (PR-2B)	Z8	574756 R	244,00							
V 22 S (PR-2B)	Z8	574758 R	244,00							
V 28 S (PR-2B)	Z8	574760 R	244,00							
V 35 S (PR-2B)	Z8	574762 R	268,00							

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

2) For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

3) Driven by REMS Power-Press XL ACC, see page 188.

4) Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

5) For taking suitable pressing inserts.

6) Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

7) Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

8) For making press joints for operating pressure ≤ PN 10.

9) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

10) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

11) Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

12) Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website: www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
EFFEBI	M 15		570110	303,00
EFFEBI-PRESS	M 18		570120	303,00
Aisi316	M 22		570130	303,00
System M Profile ¹⁾	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	M 108,0 G XL (PR-3S) ⁵⁾	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
EFFEBI	V 12		570107	303,00
EFFEBI-PRESS	V 15		570115	303,00
Aisi316	V 18		570125	303,00
System V Profile	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	V 12 S (PR-2B)	Z8	574748 R	244,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
	V 35 S (PR-2B)	Z8	574762 R	268,00
EFFEBI	M 12		570100	303,00
EFFEBI-PRESS	M 15		570110	303,00
Carbon-S	M 18		570120	303,00
System M Profile ¹⁾	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00
	M 12 S (PR-2B)	Z8	574736 R	244,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
EFFEBI	V 12		570107	303,00
EFFEBI-PRESS	V 15		570115	303,00
Carbon-S	V 18		570125	303,00
System V Profile	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	V 12 S (PR-2B)	Z8	574748 R	244,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
	V 35 S (PR-2B)	Z8	574762 R	268,00
EFFEBI	V 12		570107	303,00
EFFEBI-PRESS	V 14		570112	303,00
COPPER	V 15		570115	303,00
	V 16		570117	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	V 12 S (PR-2B)	Z8	574748 R	244,00
	V 14 S (PR-2B)	Z8	574800 R	244,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 16 S (PR-2B)	Z8	574802 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
	V 35 S (PR-2B)	Z8	574762 R	268,00
EFFEBI	V 12		570107	303,00
EFFEBI-PRESS	V 15		570115	303,00
UNICO	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	V 12 S (PR-2B)	Z8	574748 R	244,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
	V 35 S (PR-2B)	Z8	574762 R	268,00

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
EFFEBI	V 12		570107	303,00
EFFEBI-PRESS	V 15		570115	303,00
UNICO (GAS)	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	V 12 S (PR-2B)	Z8	574748 R	244,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
	V 35 S (PR-2B)	Z8	574762 R	268,00
EFFEBI	M 15		570110	303,00
PRESSTIGE	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
	V 15		570115	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
	V 35 S (PR-2B)	Z8	574762 R	268,00
EFFEBI	M 15		570110	303,00
PRESSTIGE 4E05	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
EFFEBI	M 15		570110	303,00
PRESSTIGE-GAS	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
	V 15		570115	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
	V 35 S (PR-2B)	Z8	574762 R	268,00
EFFEBI	TH 16*		570460	365,00
TOF-GAS	TH 20*		570470	365,00
MULTIPINZA	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	H 16*		570320	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	H 40 (PZ-4G)		570390	1 110,00
	U 16*		570765	341,00
	U 20*		570775	341,00
	U 32		570785	400,00

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.
EFFEBI	TH 16*		570460	365,00
	TH 18*		570465	365,00
TOF	TH 20*		570470	365,00
	TH 25*		570495	365,00
MULTIPINZA	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 18 S (PR-2B)**	Z8	574786 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 25 S (PR-2B)**	Z8	574792 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	F 16*		570717	348,00
	F 18*		570720	348,00
	F 20*		570727	348,00
	F 26*		570730	376,00
	F 32		570735	376,00
	Fz 40		570742	402,00
	Fz 50		570747	610,00
	F 63 (PZ-S)		572385	1 270,00
	F 16 S (PR-2B)**	Z8	574728 R	244,00
	F 20 S (PR-2B)**	Z8	574730 R	244,00
	F 24 S (PR-2B)**	Z8	574732 R	244,00
	F 32 S (PR-2B)	Z8	574734 R	268,00
	H 16*		570320	329,00
	H 18*		570340	329,00
	H 20*		570350	329,00
	H 25*		570360	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	H 40 (PZ-4G)		570390	1 110,00
	U 16*		570765	341,00
	U 18*		570770	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
	U 26* ¹²⁾		570750	400,00
	U 32		570785	400,00
	U 40		570790	488,00
	U 50		570795	590,00
	U 63 (PR-3B)	Z4	572837 R	1 440,00
	U 63 (PZ-S)		572365	1 270,00
	B 16*		570850	398,00
	B 18*		570855	398,00
	B 20*		570860	398,00
	B 26		570870	439,00
	B 32		570880	439,00
EFIELD MULTILAYER PRESS DINGAS	U 16*		570765	341,00
	U 18*		570770	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
	U 32		570785	400,00
EFIELD MULTILAYER PRESS WATER	U 16*		570765	341,00
	U 18*		570770	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
	U 32		570785	400,00
Elkhart	VUS ½" (OD 15,9 mm)		571770	366,00
APOLLOXPRESS	VUS ¾" (OD 22,2 mm)		571775	366,00
Fittings Copper	VUS 1" (OD 28,6 mm)		571780	366,00
and Low-Lead	VUS 1¼" (OD 34,9 mm)		571785	366,00
Brass	VUS 1½" (OD 41,3 mm)		571790	710,00
	VUS 2" (OD 54,0 mm)		571795	730,00
Elkhart	VUSFz 2½" (PR-3B) (OD 66,7 mm)	Z5	572819 R	1 200,00
APOLLOXPRESS	VUSFz 3" (PR-3B) (OD 79,4 mm)	Z5	572820 R	1 200,00
LD-C Fittings	VUSFz 4" (PR-3B) (OD 104,8 mm)	Z5	572821 R	1 270,00
Copper				

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.	
EMMETI GERPEX- FIVPRESS	B 16*		570850	398,00	
	B 20*		570860	398,00	
	B 26		570870	439,00	
	B 32		570880	439,00	
	H 16*		570320	329,00	
	H 20*		570350	329,00	
	TH 16*		570460	365,00	
	TH 20*		570470	365,00	
	TH 26*		570475	365,00	
	TH 32		570480	365,00	
	TH 40		570485	484,00	
	TH 50 (PZ-S)		572400	1 270,00	
	TH 63 (PZ-S)		572405	1 270,00	
	U 16*		570765	341,00	
	U 20*		570775	341,00	
	TH 14 S (PR-2B)**	Z8	574778 R	244,00	
	TH 15 S (PR-2B)**	Z8	574780 R	244,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 17 S (PR-2B)**	Z8	574784 R	244,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
TH 25 S (PR-2B)**	Z8	574792 R	244,00		
EMPUR	TH 14*		570455	365,00	
	TH 15*		570457	365,00	
	TH 16*		570460	365,00	
	TH 17*		570462	365,00	
	TH 20*		570470	365,00	
	TH 25*		570495	365,00	
	TH 14 S (PR-2B)**	Z8	574778 R	244,00	
	TH 15 S (PR-2B)**	Z8	574780 R	244,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 17 S (PR-2B)**	Z8	574784 R	244,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 25 S (PR-2B)**	Z8	574792 R	244,00	
	Esta Rohr simplesta SH M	M 15		570110	303,00
		M 18		570120	303,00
		M 22		570130	303,00
		M 28		570140	303,00
		M 35		570150	303,00
		M 42 (PZ-4G)		570160	980,00
		M 54 (PZ-4G)		570170	980,00
		M 42 (PR-3S)	Z2	572706 R	1 320,00
M 54 (PR-3S)		Z2	572708 R	1 320,00	
M 76,1 XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00	
M 88,9 G XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	
M 108,0 G XL (PR-3S) ⁸⁾		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00	
M 15 S (PR-2B)		Z8	574738 R	244,00	
M 18 S (PR-2B)		Z8	574740 R	244,00	
M 22 S (PR-2B)		Z8	574742 R	244,00	
M 28 S (PR-2B)		Z8	574744 R	244,00	
M 35 S (PR-2B)		Z8	574746 R	268,00	
Esta Rohr simplesta ST M		M 15		570110	303,00
		M 18		570120	303,00
		M 22		570130	303,00
	M 28		570140	303,00	
	M 35		570150	303,00	
	M 42 (PZ-4G)		570160	980,00	
	M 54 (PZ-4G)		570170	980,00	
	M 42 (PR-3S)	Z2	572706 R	1 320,00	
	M 54 (PR-3S)	Z2	572708 R	1 320,00	
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00	
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	
	M 108,0 G XL (PR-3S) ⁸⁾	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00	
	M 15 S (PR-2B)	Z8	574738 R	244,00	
	M 18 S (PR-2B)	Z8	574740 R	244,00	
	M 22 S (PR-2B)	Z8	574742 R	244,00	
	M 28 S (PR-2B)	Z8	574744 R	244,00	
	M 35 S (PR-2B)	Z8	574746 R	268,00	
	EUROTUBI EUROPA C-Steel Pressfitting System M-Profile ¹⁾	M 12		570100	303,00
		M 15		570110	303,00
		M 18		570120	303,00
M 22			570130	303,00	
M 28			570140	303,00	
M 35			570150	303,00	
M 42 (PR-3S)		Z2	572706 R	1 320,00	
M 54 (PR-3S)		Z2	572708 R	1 320,00	
M 76,1 XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00	
M 88,9 G XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	
M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00		
M 12 S (PR-2B)	Z8	574736 R	244,00		
M 15 S (PR-2B)	Z8	574738 R	244,00		
M 18 S (PR-2B)	Z8	574740 R	244,00		
M 22 S (PR-2B)	Z8	574742 R	244,00		
M 28 S (PR-2B)	Z8	574744 R	244,00		
M 35 S (PR-2B)	Z8	574746 R	268,00		

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

³⁾ Driven by REMS Power-Press XL ACC, see page 188.

⁴⁾ Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

⁵⁾ For taking suitable pressing inserts.

⁶⁾ Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

⁷⁾ Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

⁸⁾ For making press joints for operating pressure ≤ PN 10.

⁹⁾ For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

¹⁰⁾ For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

¹¹⁾ Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

¹²⁾ Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
EUROTUBI	M 15		570110	303,00
EUROPA	M 18		570120	303,00
Inox Pressfitting	M 22		570130	303,00
System M-Profile ¹⁾	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
Evans	VAU 15 (½") (OD 12,7 mm)		572687	313,00
Components	VAU 20 (¾") (OD 19,1 mm)		572689	313,00
Presslok	VAU 25 (1") (OD 25,4 mm)		572691	313,00
	ECI 1½"		571932	392,00
	ECI 2" (PZ-4G)		571934	980,00
	ECI 2½" XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579104 R	2 070,00
	ECI 3" XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579105 R	2 280,00
	ECI 4" XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579106 R	2 660,00
F				
FAR Rubinetterie	TH 14*		570455	365,00
PRESSFAR	TH 16*		570460	365,00
	TH 17*		570462	365,00
	TH 18*		570465	365,00
	TH 20*		570470	365,00
	TH 25*		570495	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	TH 14 S (PR-2B)**	Z8	574778 R	244,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 17 S (PR-2B)**	Z8	574784 R	244,00
	TH 18 S (PR-2B)**	Z8	574786 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 25 S (PR-2B)**	Z8	574792 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	H 14*		570310	329,00
	H 16*		570320	329,00
	H 18*		570340	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	H 40 (PZ-4G)		570390	1 110,00
	U 14*		570760	341,00
	U 16*		570765	341,00
	U 18*		570770	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
	U 32		570785	400,00
	U 40		570790	488,00
	U 50		570795	590,00
	U 63 (PR-3B)	Z4	572837 R	1 440,00
	U 63 (PZ-S)		572365	1 270,00
F.B.Q. BARONIO	V 12		570107	303,00
BQ PRESS SOLAR	V 14		570112	303,00
	V 15		570115	303,00
	V 16		570117	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	V 12 S (PR-2B)	Z8	574748 R	244,00
	V 14 S (PR-2B)	Z8	574800 R	244,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	VG 16 S (PR-2B)	Z8	574754 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
	V 35 S (PR-2B)	Z8	574762 R	268,00
F.B.Q. BARONIO	V 12		570107	303,00
BQ PRESS WATER	V 14		570112	303,00
	V 15		570115	303,00
	V 16		570117	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	V 12 S (PR-2B)	Z8	574748 R	244,00
	V 14 S (PR-2B)	Z8	574800 R	244,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	VG 16 S (PR-2B)	Z8	574754 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
	V 35 S (PR-2B)	Z8	574762 R	268,00

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
F.B.Q. BARONIO	V 12		570107	303,00
BQ PRESS GAS	V 14		570112	303,00
	V 15		570115	303,00
	V 16		570117	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	V 12 S (PR-2B)	Z8	574748 R	244,00
	V 14 S (PR-2B)	Z8	574800 R	244,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	VG 16 S (PR-2B)	Z8	574754 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
	V 35 S (PR-2B)	Z8	574762 R	268,00
FERCOFLOOR	RfZ 16*		571325	380,00
DUO Press	RfZ 20*		571330	380,00
FERCO PEX	RfZ 25		571335	380,00
	RfZ 32		571340	380,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 25*		570495	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 25 S (PR-2B)**	Z8	574792 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
FERCOFLOOR	RfZ 16*		571325	380,00
DUO Press	RfZ 20*		571330	380,00
MULTIFER	RfZ 25		571335	380,00
	RfZ 32		571340	380,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 25*		570495	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 25 S (PR-2B)**	Z8	574792 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	U 16*		570765	341,00
	U 18*		570770	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
	U 32		570785	400,00
	U 40		570790	488,00
	U 50		570795	590,00
	U 63 (PZ-S)		572365	1 270,00
FERRO systems	TH 16*		570460	365,00
BRASELI	TH 20*		570470	365,00
GPF GAS	TH 25*		570495	365,00
	TH 32		570480	365,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 25 S (PR-2B)**	Z8	574792 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
FERRO systems	U 16*		570765	341,00
BRASELI	U 18*		570770	341,00
GPF MULT	U 20*		570775	341,00
Pressfitting	U 25*		570780	341,00
MULTICAPA	U 32		570785	400,00
	U 40		570790	488,00
	U 50		570795	590,00
FERRO systems	U 16*		570765	341,00
BRASELI	U 18*		570770	341,00
GPF PPSU	U 20*		570775	341,00
Pressfitting	U 25*		570780	341,00
PEX y MULTICAPA	U 32		570785	400,00
	U 40		570790	488,00
	U 50		570795	590,00
FERRO systems	RfZ 16*		571325	380,00
BRASELI	RfZ 20*		571330	380,00
GPF PRESS	RfZ 25		571335	380,00
Pressfitting PEX	RfZ 32		571340	380,00
FILINOX	FTB 15		571432	439,00
Filpress	FTB 18		571434	439,00
	FTB 22		571436	439,00
	FTB 28		571438	439,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 76,1 XL (PR-3S)	Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z7 XL 45 kN ⁴⁾	579111 R	2 660,00

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.	System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.		
FILINOX Instalpress Steel	M 15		570110	303,00	FORZA WATER CRIMP (AUS)	K16/P18*		572600	380,00		
	M 18		570120	303,00		K/20*		572605	380,00		
	M 22		570130	303,00		K/25*		572610	380,00		
	M 28		570140	303,00		K32		572615	380,00		
	M 35		570150	303,00		K1/40		572620	380,00		
	M 42 (PR-3S)	Z2	572706 R	1 320,00		K1/50		572625	630,00		
	M 54 (PR-3S)	Z2	572708 R	1 320,00		FORZA STAINLESS WATER CRIMP	K16/P18*		572600	380,00	
	M 76,1 XL (PR-3S)	Z7 XL 45 kN ⁽⁴⁾	579101 R	2 280,00			K/20*		572605	380,00	
	M 88,9 G XL (PR-3S)	Z7 XL 45 kN ⁽⁴⁾	579110 R	2 660,00		FORZA	U 16*		570765	341,00	
	M 108,0 G XL (PR-3S)	Z7 XL 45 kN ⁽⁴⁾	579111 R	2 660,00		STESSO PEX	U 20*		570775	341,00	
	M 15 S (PR-2B)	Z8	574738 R	244,00		WATER AND GAS	U 25*		570780	341,00	
	M 18 S (PR-2B)	Z8	574740 R	244,00		CRIMP	U 32		570785	400,00	
	M 22 S (PR-2B)	Z8	574742 R	244,00		(AUS)	U 40		570790	488,00	
	M 28 S (PR-2B)	Z8	574744 R	244,00		U 50		570795	590,00		
	M 35 S (PR-2B)	Z8	574746 R	268,00		U 63 (PZ-S)		572365	1 270,00		
	FILINOX Instalpress Inox	M 15		570110		303,00	FORZA GAS CRIMP (AUS)	K16/P18*		572600	380,00
		M 18		570120		303,00		K/20*		572605	380,00
M 22			570130	303,00	K/25*			572610	380,00		
M 28			570140	303,00	K32			572615	380,00		
M 35			570150	303,00	K1/40			572620	380,00		
M 42 (PR-3S)		Z2	572706 R	1 320,00	K1/50			572625	630,00		
M 54 (PR-3S)		Z2	572708 R	1 320,00	FORZA COPPER V PRESS (AUS)	VAU 15 (OD 12,7 mm)			572687	313,00	
M 76,1 XL (PR-3S)		Z7 XL 45 kN ⁽⁴⁾	579101 R	2 280,00		VAU 20 (OD 19,1 mm)			572689	313,00	
M 88,9 G XL (PR-3S)		Z7 XL 45 kN ⁽⁴⁾	579110 R	2 660,00	VAU 25 (OD 25,4 mm)			572691	313,00		
M 108,0 G XL (PR-3S)		Z7 XL 45 kN ⁽⁴⁾	579111 R	2 660,00	VAU 32 (OD 31,8 mm)			572693	329,00		
M 15 S (PR-2B)		Z8	574738 R	244,00	VAU 40 (OD 38,1 mm)			572695	488,00		
M 18 S (PR-2B)		Z8	574740 R	244,00	VAU 50 (OD 50,8 mm)			572697	870,00		
M 22 S (PR-2B)		Z8	574742 R	244,00	VAUFz 65 (PR-3B) (OD 63,5 mm)	Z5		572839 R	1 200,00		
M 28 S (PR-2B)		Z8	574744 R	244,00	VAUFz 80 (PR-3B) (OD 76,2 mm)	Z5		572840 R	1 200,00		
M 35 S (PR-2B)		Z8	574746 R	268,00	VAUFz 100 (PR-3B) (OD 101,6 mm)	Z5		572841 R	1 270,00		
FITTINGS ESTÁNDAR ECO-PRESS		RFz 16*		571325	380,00	VAU 15 S (PR-2B) (OD 12,7 mm)		Z8	574804 R	244,00	
		RFz 20*		571330	380,00	VAU 20 S (PR-2B)** (OD 19,1 mm)		Z8	574806 R	244,00	
	RFz 25		571335	380,00	VAU 25 S (PR-2B)** (OD 25,4 mm)	Z8	574808 R	268,00			
	RFz 32		571340	380,00	FORZA STAINLESS V PRESS (AUS)	V 15		570115	303,00		
	FITTINGS ESTÁNDAR MULTICAPA	RFz 16*		571325		380,00	V 22		570135	303,00	
		RFz 18*		571327		380,00	V 28		570145	303,00	
RFz 20*			571330	380,00		V 35		570155	303,00		
RFz 25			571335	380,00		V 42		570165	710,00		
RFz 32			571340	380,00		V 54		570175	730,00		
FITTINGS ESTÁNDAR PE-X		RFz 16*		571325		380,00	M 76,1 XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579101 R	2 280,00	
	RFz 20*		571330	380,00		M 88,9 G XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579110 R	2 660,00		
	RFz 25		571335	380,00		M 108,0 G XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579111 R	2 660,00		
	RFz 32		571340	380,00		V 15 S (PR-2B)	Z8	574752 R	244,00		
	FORNARA ForPress	B 16*		570850		398,00	V 22 S (PR-2B)	Z8	574758 R	244,00	
		B 20*		570860		398,00	V 28 S (PR-2B)	Z8	574760 R	244,00	
B 26			570870	439,00		V 35 S (PR-2B)	Z8	574762 R	268,00		
B 32			570880	439,00		FRABO FRABOPRESS 316 GAS M	M 15		570110	303,00	
F 16*			570717	348,00			M 18		570120	303,00	
F 20*			570727	348,00			M 22		570130	303,00	
F 26*			570730	376,00			M 28		570140	303,00	
F 32			570735	376,00	M 35			570150	303,00		
F 16 S (PR-2B)**		Z8	574728 R	244,00	M 42 (PR-3S)		Z2	572706 R	1 320,00		
F 20 S (PR-2B)**		Z8	574730 R	244,00	M 54 (PR-3S)		Z2	572708 R	1 320,00		
F 26 S (PR-2B)**		Z8	574732 R	244,00	M 15 S (PR-2B)		Z8	574738 R	244,00		
F 32 S (PR-2B)		Z8	574734 R	268,00	M 18 S (PR-2B)		Z1	574740 R	244,00		
H 16*			570320	329,00	M 22 S (PR-2B)		Z8	574742 R	244,00		
H 20*			570350	329,00	M 28 S (PR-2B)		Z8	574744 R	244,00		
H 26*			570370	329,00	M 35 S (PR-2B)		Z8	574746 R	268,00		
H 32			570380	329,00	FRABO FRABOPRESS 316 GAS V		V 15		570115	303,00	
TH 16*			570460	365,00			V 18		570125	303,00	
TH 20*		570470	365,00	V 22				570135	303,00		
TH 26*		570475	365,00	V 28				570145	303,00		
TH 32		570480	365,00	V 35				570155	303,00		
TH 16 S (PR-2B)**	Z8	574782 R	244,00	V 42			570165	710,00			
TH 20 S (PR-2B)**	Z8	574788 R	244,00	V 42 (PR-2B)		Z2	572850 R	640,00			
TH 26 S (PR-2B)**	Z8	574794 R	244,00	V 54			570175	730,00			
TH 32 S (PR-2B)	Z8	574798 R	268,00	V 54 (PR-2B)		Z2	572851 R	690,00			
U 16*		570765	341,00	V 15 S (PR-2B)		Z8	574752 R	244,00			
U 20*		570775	341,00	V 18 S (PR-2B)		Z8	574756 R	244,00			
U 26* ⁽¹²⁾		570750	400,00	V 22 S (PR-2B)		Z8	574758 R	244,00			
U 32		570785	400,00	V 28 S (PR-2B)		Z8	574760 R	244,00			
				V 35 S (PR-2B)		Z8	574762 R	268,00			

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

³⁾ Driven by REMS Power-Press XL ACC, see page 188.

⁴⁾ Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

⁵⁾ For taking suitable pressing inserts.

⁶⁾ Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

⁷⁾ Use pressing rings labelled "M 88,9 G" or "M 108 G" on the three pressing segments for gas installations.

⁸⁾ For making press joints for operating pressure ≤ PN 10.

⁹⁾ For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

¹⁰⁾ For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

¹¹⁾ Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

¹²⁾ Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
FRABO	M 15		570110	303,00
FRABOPRESS	M 18		570120	303,00
316 M	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 66,7 XL (PR-3S)	Z6 XL ³ / Z7 XL 45 kN ⁴	579107 R	2 280,00
	M 76,1 XL (PR-3S)	Z6 XL ³ / Z7 XL 45 kN ⁴	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ³ / Z7 XL 45 kN ⁴	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ³ / Z7 XL 45 kN ⁴	579111 R	2 660,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
FRABO	V 15		570115	303,00
FRABOPRESS	V 18		570125	303,00
316 V	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
	V 35 S (PR-2B)	Z8	574762 R	268,00
FRABO	V 12		570107	303,00
FRABOPRESS	V 15		570115	303,00
CHROME	V 18		570125	303,00
	V 22		570135	303,00
	V 12 S (PR-2B)	Z8	574748 R	244,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
FRABO	M 15		570110	303,00
FRABOPRESS	M 18		570120	303,00
C-STEEL M	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 66,7 XL (PR-3S)	Z6 XL ³ / Z7 XL 45 kN ⁴	579107 R	2 280,00
	M 76,1 XL (PR-3S)	Z6 XL ³ / Z7 XL 45 kN ⁴	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ³ / Z7 XL 45 kN ⁴	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ³ / Z7 XL 45 kN ⁴	579111 R	2 660,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
FRABO	V 12		570107	303,00
FRABOPRESS	V 15		570115	303,00
C-STEEL V	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	V 12 S (PR-2B)	Z8	574748 R	244,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
	V 35 S (PR-2B)	Z8	574762 R	268,00
FRABO	M 12		570100	303,00
FRABOPRESS	M 15		570110	303,00
GAS M	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 12 S (PR-2B)	Z8	574736 R	244,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
FRABO	V 12		570107	303,00
FRABOPRESS	V 15		570115	303,00
GAS V	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	V 12 S (PR-2B)	Z8	574748 R	244,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
	V 35 S (PR-2B)	Z8	574762 R	268,00

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
FRABO	V 12		570107	303,00
FRABOPRESS	V 15		570115	303,00
KOMBI	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	M 66,7 XL (PR-3S)	Z6 XL ³ / Z7 XL 45 kN ⁴	579107 R	2 280,00
	M 76,1 XL (PR-3S)	Z6 XL ³ / Z7 XL 45 kN ⁴	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ³ / Z7 XL 45 kN ⁴	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ³ / Z7 XL 45 kN ⁴	579111 R	2 660,00
	V 12 S (PR-2B)	Z8	574748 R	244,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
	V 35 S (PR-2B)	Z8	574762 R	268,00
FRABO	M 12		570100	303,00
FRABOPRESS M	M 15		570110	303,00
	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 66,7 XL (PR-3S)	Z6 XL ³ / Z7 XL 45 kN ⁴	579107 R	2 280,00
	M 76,1 XL (PR-3S)	Z6 XL ³ / Z7 XL 45 kN ⁴	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ³ / Z7 XL 45 kN ⁴	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ³ / Z7 XL 45 kN ⁴	579111 R	2 660,00
	M 12 S (PR-2B)	Z8	574736 R	244,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
FRABO	V 15		570115	303,00
FRABOPRESS	V 18		570125	303,00
SOLAR	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
	V 35 S (PR-2B)	Z8	574762 R	268,00
FRABO	V 12		570107	303,00
FRABOPRESS V	V 15		570115	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	V 12 S (PR-2B)	Z8	574748 R	244,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
	V 35 S (PR-2B)	Z8	574762 R	268,00
Fränkische	F 16*		570717	348,00
alpex-duo XS	F 20*		570727	348,00
	F 26*		570730	376,00
	F 32		570735	376,00
	F 16 S (PR-2B)**	Z8	574728 R	244,00
	F 20 S (PR-2B)**	Z8	574730 R	244,00
	F 26 S (PR-2B)**	Z8	574732 R	244,00
	F 32 S (PR-2B)**	Z8	574734 R	268,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)**	Z8	574798 R	268,00
Fränkische	F 16*		570717	348,00
alpex F50 PROF1	F 20*		570727	348,00
	F 26*		570730	376,00
	F 32		570735	376,00
	F 16 S (PR-2B)**	Z8	574728 R	244,00
	F 20 S (PR-2B)**	Z8	574730 R	244,00
	F 26 S (PR-2B)**	Z8	574732 R	244,00
	F 32 S (PR-2B)**	Z8	574734 R	268,00
	H 16*		570320	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)**	Z8	574798 R	268,00
	U 16*		570765	341,00
	U 20*		570775	341,00
(DN 26)	U 25*		570780	341,00
	U 32		570785	400,00
	VP 16*		570910	364,00
	VP 20*		570915	364,00
	VP 32		570925	402,00

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press)
and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.	System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.	
Fränkische alpeX L	Fz 40		570742	402,00	Geberit Mappress Edelstahl	M 12		570100	303,00	
	Fz 50		570747	610,00		M 15		570110	303,00	
	F 63 (PZ-S)		572385	1 270,00		M 18		570120	303,00	
	Fz 75 (PR-3B)	Z4	572830 R	1 200,00		M 22		570130	303,00	
G						M 28		570140	303,00	
						M 35		570150	303,00	
gaboTherm H+S	TH 10*		570467	365,00		M 35 (PR-3S)	Z2	572727 R	1 320,00	
	TH 12*		570452	365,00		M 42 (PZ-4G)		570160	980,00	
	TH 14*		570455	365,00		M 54 (PZ-4G)		570170	980,00	
	TH 15*		570457	365,00		M 42 (PR-3S)	Z2	572706 R	1 320,00	
	TH 16*		570460	365,00		M 54 (PR-3S)	Z2	572708 R	1 320,00	
	TH 17*		570462	365,00		M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579107 R	2 280,00	
	TH 18*		570465	365,00		M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	
	TH 20*		570470	365,00		M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00	
	TH 25*		570495	365,00		M 12 S (PR-2B)	Z8	574736 R	244,00	
	TH 26*		570475	365,00		M 15 S (PR-2B)	Z8	574738 R	244,00	
	TH 32		570480	365,00		M 18 S (PR-2B)	Z8	574740 R	244,00	
	TH 40		570485	484,00		M 22 S (PR-2B)	Z8	574742 R	244,00	
	TH 50 (PZ-S)		572400	1 270,00		M 28 S (PR-2B)	Z8	574744 R	244,00	
	TH 63 (PZ-S)		572405	1 270,00		M 35 S (PR-2B)	Z8	574746 R	268,00	
	TH 10 S (PR-2B)**	Z8	574772 R	244,00		Geberit Mappress Edelstahl Gas	M 15		570110	303,00
	TH 12 S (PR-2B)**	Z8	574776 R	244,00		M 18		570120	303,00	
	TH 14 S (PR-2B)**	Z8	574778 R	244,00		M 22		570130	303,00	
	TH 15 S (PR-2B)**	Z8	574780 R	244,00		M 28		570140	303,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	M 35		570150	303,00		
	TH 17 S (PR-2B)**	Z8	574784 R	244,00	M 35 (PR-3S)	Z2	572727 R	1 320,00		
	TH 18 S (PR-2B)**	Z8	574786 R	244,00	M 42 (PR-3S)	Z2	572706 R	1 320,00		
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	M 54 (PR-3S)	Z2	572708 R	1 320,00		
	TH 25 S (PR-2B)**	Z8	574792 R	244,00	M 76,1 XL (PR-3S)	Z7 XL 45 kN ⁴⁾	579107 R	2 280,00		
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	M 88,9 G XL (PR-3S) ⁷⁾	Z7 XL 45 kN ⁴⁾	579110 R	2 660,00		
	TH 32 S (PR-2B)	Z8	574798 R	268,00	M 108,0 G XL (PR-3S) ⁷⁾	Z7 XL 45 kN ⁴⁾	579111 R	2 660,00		
					M 15 S (PR-2B)	Z8	574736 R	244,00		
					M 18 S (PR-2B)	Z8	574740 R	244,00		
					M 22 S (PR-2B)	Z8	574742 R	244,00		
					M 28 S (PR-2B)	Z8	574744 R	244,00		
					M 35 S (PR-2B)	Z8	574746 R	268,00		
	Gallagher USA YogaPipe ACR	H 12* (3/4")		570300	329,00	Geberit Mappress Edelstahl Sprinkler	M 22		570130	303,00
		U 14* (3/8")		570760	341,00	M 28		570140	303,00	
		U 16* (1/2")		570765	341,00	M 35 (PR-3S)	Z2	572727 R	1 320,00	
	U 18* (5/8")		570770	341,00	M 42 (PR-3S)	Z2	572706 R	1 320,00		
	U 20* (3/4")		570775	341,00	M 54 (PR-3S)	Z2	572708 R	1 320,00		
	U 25* (7/8")		570780	341,00	M 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579107 R	2 280,00		
	U 32 (1 1/8")		570785	400,00	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579107 R	2 280,00		
				M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00			
				M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00			
Geberit Mappress C-STAHl	M 12		570100	303,00	Geberit Mappress Kupfer	M 12		570100	303,00	
	M 15		570110	303,00	M 15		570110	303,00		
	M 18		570120	303,00	M 18		570120	303,00		
	M 22		570130	303,00	M 22		570130	303,00		
	M 28		570140	303,00	M 28		570140	303,00		
	M 35		570150	303,00	M 35		570150	303,00		
	M 35 (PR-3S)	Z2	572727 R	1 320,00	M 35 (PR-3S)	Z2	572727 R	1 320,00		
	M 42 (PZ-4G)		570160	980,00	M 42 (PZ-4G)		570160	980,00		
	M 54 (PZ-4G)		570170	980,00	M 54 (PZ-4G)		570170	980,00		
	M 42 (PR-3S)	Z2	572706 R	1 320,00	M 42 (PR-3S)	Z2	572706 R	1 320,00		
	M 54 (PR-3S)	Z2	572708 R	1 320,00	M 54 (PR-3S)	Z2	572708 R	1 320,00		
	M 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579107 R	2 280,00	M 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579107 R	2 280,00		
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579107 R	2 280,00	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579107 R	2 280,00		
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00		
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00		
	M 12 S (PR-2B)	Z8	574736 R	244,00	M 12 S (PR-2B)	Z8	574736 R	244,00		
	M 15 S (PR-2B)	Z8	574738 R	244,00	M 15 S (PR-2B)	Z8	574738 R	244,00		
	M 18 S (PR-2B)	Z8	574740 R	244,00	M 18 S (PR-2B)	Z8	574740 R	244,00		
	M 22 S (PR-2B)	Z8	574742 R	244,00	M 22 S (PR-2B)	Z8	574742 R	244,00		
	M 28 S (PR-2B)	Z8	574744 R	244,00	M 28 S (PR-2B)	Z8	574744 R	244,00		
	M 35 S (PR-2B)	Z8	574746 R	268,00	M 35 S (PR-2B)	Z8	574746 R	268,00		
Geberit Mappress C-STAHl Sprinkler nass	M 22		570130	303,00	Geberit Mappress Kupfer Gas	M 15		570110	303,00	
	M 28		570140	303,00	M 18		570120	303,00		
	M 35 (PR-3S)	Z2	572727 R	1 320,00	M 22		570130	303,00		
	M 42 (PR-3S)	Z2	572706 R	1 320,00	M 28		570140	303,00		
	M 54 (PR-3S)	Z2	572708 R	1 320,00	M 35		570150	303,00		
	M 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579107 R	2 280,00	M 35 (PR-3S)	Z2	572727 R	1 320,00		
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579107 R	2 280,00	M 42 (PR-3S)	Z2	572706 R	1 320,00		
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	M 54 (PR-3S)	Z2	572708 R	1 320,00		
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00	M 15 S (PR-2B)	Z8	574738 R	244,00		
					M 18 S (PR-2B)	Z8	574740 R	244,00		
					M 22 S (PR-2B)	Z8	574742 R	244,00		
					M 28 S (PR-2B)	Z8	574744 R	244,00		
					M 35 S (PR-2B)	Z8	574746 R	268,00		

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

³⁾ Driven by REMS Power-Press XL ACC, see page 188.

⁴⁾ Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

⁵⁾ For taking suitable pressing inserts.

⁶⁾ Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

⁷⁾ Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

⁸⁾ For making press joints for operating pressure ≤ PN 10.

⁹⁾ For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

¹⁰⁾ For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

¹¹⁾ Only use pressing tongs identified by "VMP 1/2" G" on the pressing jaws for gas installations.

¹²⁾ Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
Geberit Mepla	G 16*		570400	366,00
	G 20*		570410	366,00
	G 26*		570420	388,00
	G 32		570430	415,00
	G 40		570440	540,00
	G 50		570450	570,00
	G 63 (PZ-S)		572470	1 590,00
Geberit Mepla Therm	G 16*		570400	366,00
	G 20*		570410	366,00
	G 26*		570420	388,00
Geberit Volex	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
General Fittings 5T00	H 16*		570320	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	U 16*		570765	341,00
	U 20*		570775	341,00
	U 32		570785	400,00
	U 40		570790	488,00
	U 63 (PZ-S)		572365	1 270,00
U 63 (PR-3B)	Z4	572837 R	1 440,00	
General Fittings Ewoprex	H 16*		570320	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	U 16*		570765	341,00
	U 20*		570775	341,00
	U 32		570785	400,00
	U 40		570790	488,00
	U 63 (PZ-S)		572365	1 270,00
U 63 (PR-3B)	Z4	572837 R	1 440,00	
General Fittings Serie 5S00	B 16*		570850	398,00
	B 18*		570855	398,00
	B 20*		570860	398,00
	B 26		570870	439,00
	B 32		570880	439,00
	F 16*		570717	348,00
	F 20*		570727	348,00
	F 26*		570730	376,00
	F 32		570735	376,00
	F 16 S (PR-2B)**	Z8	574728 R	244,00
	F 20 S (PR-2B)**	Z8	574730 R	244,00
	F 26 S (PR-2B)**	Z8	574732 R	244,00
	F 32 S (PR-2B)	Z8	574734 R	268,00
	H 16*		570320	329,00
	H 18*		570340	329,00
	H 20*		570350	329,00
	H 25*		570360	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	H 40 (PZ-4G)		570390	1 110,00
	TH 16*		570460	365,00
	TH 18*		570465	365,00
	TH 20*		570470	365,00
	TH 25*		570495	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 18 S (PR-2B)**	Z8	574786 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 25 S (PR-2B)**	Z8	574792 R	244,00
TH 26 S (PR-2B)**	Z8	574794 R	244,00	
TH 32 S (PR-2B)	Z8	574798 R	268,00	
U 16*		570765	341,00	
U 18*		570770	341,00	
U 20*		570775	341,00	
U 25*		570780	341,00	
U 32		570785	400,00	
U 40		570790	488,00	
U 63 (PZ-S)		572365	1 270,00	
U 63 (PR-3B)	Z4	572837 R	1 440,00	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
General Fittings Trident	H 16*		570320	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	U 16*		570765	341,00
	U 20*		570775	341,00
U 32		570785	400,00	
General Fittings Trident Gas	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	H 16*		570320	329,00
	H 20*		570350	329,00
Giacomini Raccordi RM Giacomini	H 16*		570320	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
TH 63 (PZ-S)		572405	1 270,00	
U 16*		570765	341,00	
U 20*		570775	341,00	
U 32		570785	400,00	
U 40		570790	488,00	
U 50		570795	590,00	
Giacomini RM MULTIGAS	H 16*		570320	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	U 16*		570765	341,00
	U 20*		570775	341,00
U 32		570785	400,00	
Giacomini Valvole Giacomini serie R850V	V 15		570115	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 54		570175	730,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
	V 35 S (PR-2B)	Z8	574762 R	268,00
	SA 15		570935	364,00
	SA 18		570940	364,00
	SA 22		570945	364,00
	SA 28		570950	364,00
SA 35		570955	364,00	
M 15		570110	303,00	
M 18		570120	303,00	
M 22		570130	303,00	
M 28		570140	303,00	
M 35		570150	303,00	
M 15 S (PR-2B)	Z8	574738 R	244,00	
M 18 S (PR-2B)	Z8	574740 R	244,00	
M 22 S (PR-2B)	Z8	574742 R	244,00	
M 28 S (PR-2B)	Z8	574744 R	244,00	
M 35 S (PR-2B)	Z8	574746 R	268,00	
Golan Pipe Systems (Scandinavia) Alu-Pres	U 16*		570765	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
Grinnell G-PRESS Copper Fittings	U 32		570785	400,00
	U 40		570790	488,00
	U 50		570795	590,00
	U 63 (PZ-S)		572365	1 270,00
	U 63 (PR-3B)	Z4	572837 R	1 440,00
	U 75 (PR-3B)	Z4	572828 R	1 270,00
	VUS ½" (OD 15,9 mm)		571770	366,00
	VUS ¾" (OD 22,2 mm)		571775	366,00
	VUS 1" (OD 28,6 mm)		571780	366,00
	VUS 1¼" (OD 34,9 mm)		571785	366,00
VUS 1½" (OD 41,3 mm)		571790	710,00	
VUS 2" (OD 54,0 mm)		571795	730,00	
VUSFz 2½" (PR-3B) (OD 66,7 mm)	Z5	572819 R	1 200,00	
VUSFz 3" (PR-3B) (OD 79,4 mm)	Z5	572820 R	1 200,00	
VUSFz 4" (PR-3B) (OD 104,8 mm)	Z5	572821 R	1 270,00	

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.	System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.
GS Wärmesysteme System TH	TH 14*		570455	365,00	Herotec tempusPRESS PLUS	H 16*		570320	329,00
	TH 16*		570460	365,00		H 20*		570350	329,00
	TH 20*		570470	365,00		H 25*		570360	329,00
	TH 26*		570475	365,00		H 32		570380	329,00
	TH 32		570480	365,00		H 40 (PZ-4G)		570390	1 110,00
	TH 40		570485	484,00		RFz 16*		571325	380,00
	TH 50 (PZ-S)		572400	1 270,00		RFz 20*		571330	380,00
	TH 63 (PZ-S)		572405	1 270,00		RFz 25		571335	380,00
	TH 14 S (PR-2B)**	Z8	574778 R	244,00		RFz 32		571340	380,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00		TH 16*		570460	365,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00		TH 20*		570470	365,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00		TH 25*		570495	365,00
	TH 32 S (PR-2B)**	Z8	574798 R	268,00		TH 32		570480	365,00
	GS Wärmesysteme System V	V 15		570115		303,00	TH 40		570485
V 18		570125	303,00	TH 50 (PZ-S)		572400	1 270,00		
V 22		570135	303,00	TH 63 (PZ-S)		572405	1 270,00		
V 28		570145	303,00	TH 16 S (PR-2B)**	Z8	574782 R	244,00		
V 35		570155	303,00	TH 20 S (PR-2B)**	Z8	574788 R	244,00		
V 15 S (PR-2B)	Z8	574752 R	244,00	TH 25 S (PR-2B)**	Z8	574792 R	244,00		
V 18 S (PR-2B)	Z8	574756 R	244,00	TH 32 S (PR-2B)	Z8	574798 R	268,00		
V 22 S (PR-2B)	Z8	574758 R	244,00	U 16*		570765	341,00		
V 28 S (PR-2B)	Z8	574760 R	244,00	U 20*		570775	341,00		
V 35 S (PR-2B)	Z8	574762 R	268,00	U 25*		570780	341,00		
H					U 32		570785	400,00	
HASTINIK Hastinik/Hitpress	M 15		570110	303,00	U 40		570790	488,00	
	M 18		570120	303,00	U 50		570795	590,00	
	M 22		570130	303,00	U 63 (PZ-S)		572365	1 270,00	
	M 28		570140	303,00	U 63 (PR-3B)	Z4	572837 R	1 440,00	
	M 35		570150	303,00	U 75 (PR-3B)	Z4	572828 R	1 270,00	
	M 42 (PZ-4G)		570160	980,00	Herotec	H 16*	570320	329,00	
	M 54 (PZ-4G)		570170	980,00	tempusPRESS	H 20*	570350	329,00	
	M 42 (PR-3S)	Z2	572706 R	1 320,00	PLUS PPSU	H 25*	570360	329,00	
	M 54 (PR-3S)	Z2	572708 R	1 320,00	H 32		570380	329,00	
	M 76,1 XL (PR-3S)	Z6 XL ¹⁾ / Z7 XL 45kN ⁴⁾	579101 R	2 280,00	TH 16*		570460	365,00	
	M 88,9 G XL (PR-3S)	Z6 XL ¹⁾ / Z7 XL 45kN ⁴⁾	579110 R	2 660,00	TH 20*		570470	365,00	
	M 108,0 G XL (PR-3S)	Z6 XL ¹⁾ / Z7 XL 45kN ⁴⁾	579111 R	2 660,00	TH 25*		570495	365,00	
	M 15 S (PR-2B)	Z8	574738 R	244,00	TH 32		570480	365,00	
	M 18 S (PR-2B)	Z8	574740 R	244,00	TH 40		570485	484,00	
M 22 S (PR-2B)	Z8	574742 R	244,00	TH 50 (PZ-S)		572400	1 270,00		
M 28 S (PR-2B)	Z8	574744 R	244,00	TH 63 (PZ-S)		572405	1 270,00		
M 35 S (PR-2B)	Z8	574746 R	268,00	TH 16 S (PR-2B)**	Z8	574782 R	244,00		
heima24	TH 16*		570460	365,00	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 20*		570470	365,00	TH 25 S (PR-2B)**	Z8	574792 R	244,00	
	TH 26*		570475	365,00	TH 32 S (PR-2B)	Z8	574798 R	268,00	
	TH 32		570480	365,00	U 16*		570765	341,00	
	TH 40		570485	484,00	U 20*		570775	341,00	
	TH 50 (PZ-S)		572400	1 270,00	U 25*		570780	341,00	
	TH 63 (PZ-S)		572405	1 270,00	U 32		570785	400,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	U 40		570790	488,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	U 50		570795	590,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	U 63 (PR-3B)	Z4	572837 R	1 440,00	
	TH 32 S (PR-2B)	Z8	574798 R	268,00	U 63 (PZ-S)		572365	1 270,00	
	U 16*		570765	341,00	U 75 (PR-3B)	Z4	572828 R	1 270,00	
	U 20*		570775	341,00	HELIROMA	U 16*	570765	341,00	
	U 32		570785	400,00	Klimapress	U 20*	570775	341,00	
HELIROMA Klimapress	U 25*		570780	341,00	U 25*		570780	341,00	
	U 32		570785	400,00	U 32		570785	400,00	
	U 40		570790	488,00	U 40		570790	488,00	
	U 50		570795	590,00	U 50		570795	590,00	
	U 63 (PR-3B)	Z4	572837 R	1 440,00	U 63 (PR-3B)	Z4	572837 R	1 440,00	
	U 63 (PZ-S)		572365	1 270,00	U 75 (PR-3B)	Z4	572828 R	1 270,00	
	U 75 (PR-3B)	Z4	572828 R	1 270,00	HELIROMA Klimapress PPSU	U 16*	570765	341,00	
HELIROMA Klimapress PPSU	U 20*		570775	341,00	U 20*		570775	341,00	
	U 25*		570780	341,00	U 25*		570780	341,00	
	U 32		570785	400,00	U 32		570785	400,00	
	U 40		570790	488,00	U 40		570790	488,00	
Henco	TH 14*		570455	365,00	HERZ PIPEFIX	TH 10*	570467	365,00	
	TH 16*		570460	365,00	TH 16*		570460	365,00	
	TH 18*		570465	365,00	TH 20*		570470	365,00	
	TH 20*		570470	365,00	TH 26*		570475	365,00	
	TH 26*		570475	365,00	TH 32		570480	365,00	
	HE 32		571900	437,00	TH 40		570485	484,00	
	HEz 40		571904	640,00	TH 50 (PZ-S)		572400	1 270,00	
				TH 63 (PZ-S)		572405	1 270,00		
				THz 75 (PR-3B)	Z4	572829 R	1 200,00		
				TH 10 S (PR-2B)**	Z8	574772 R	244,00		
				TH 16 S (PR-2B)**	Z8	574782 R	244,00		
				TH 20 S (PR-2B)**	Z8	574788 R	244,00		
				TH 26 S (PR-2B)**	Z8	574794 R	244,00		
				TH 32 S (PR-2B)**	Z8	574798 R	268,00		
				HIDRONIX	TH 16*	570460	365,00		
				MULTIGAS	TH 20*	570470	365,00		
					TH 26*	570475	365,00		

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

³⁾ Driven by REMS Power-Press XL ACC, see page 188.

⁴⁾ Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

⁵⁾ For taking suitable pressing inserts.

⁶⁾ Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

⁷⁾ Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

⁸⁾ For making press joints for operating pressure ≤ PN 10.

⁹⁾ For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

¹⁰⁾ For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

¹¹⁾ Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

¹²⁾ Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website: www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.	
HIDRONIX MULTIPIPE	TH 14*		570455	365,00	
	TH 16*		570460	365,00	
	TH 20*		570470	365,00	
	TH 26*		570475	365,00	
	TH 32		570480	365,00	
	H 14*		570310	329,00	
	H 16*		570320	329,00	
	H 18*		570340	329,00	
	H 20*		570350	329,00	
	H 26*		570370	329,00	
	H 32		570380	329,00	
	U 14*		570760	341,00	
	U 16*		570765	341,00	
	U 18*		570770	341,00	
	U 20*		570775	341,00	
	U 26* ¹²⁾		570750	400,00	
	U 32		570785	400,00	
HIDRONIX UNICO	TH 14*		570455	365,00	
	TH 16*		570460	365,00	
	TH 20*		570470	365,00	
	TH 26*		570475	365,00	
	TH 32		570480	365,00	
	H 14*		570310	329,00	
	H 16*		570320	329,00	
	H 18*		570340	329,00	
	H 20*		570350	329,00	
	H 26*		570370	329,00	
	H 32		570380	329,00	
	U 14*		570760	341,00	
	U 16*		570765	341,00	
	U 18*		570770	341,00	
	U 20*		570775	341,00	
	U 26* ¹²⁾		570750	400,00	
	U 32		570785	400,00	
HITEC Sistema Multistrato	TH 14*		570455	365,00	
	TH 16*		570460	365,00	
	TH 18*		570465	365,00	
	TH 20*		570470	365,00	
	TH 26*		570475	365,00	
	TH 32		570480	365,00	
	TH 40		570485	484,00	
	TH 50 (PZ-S)		572400	1 270,00	
	TH 14 S (PR-2B)**	Z8	574778 R	244,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 18 S (PR-2B)**	Z8	574786 R	244,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	
TH 32 S (PR-2B)	Z8	574798 R	268,00		
HITHERM-ISOTUBI NUMEPRESS	M 15		570110	303,00	
	M 18		570120	303,00	
	M 22		570130	303,00	
	M 28		570140	303,00	
	M 35		570150	303,00	
	M 42 (PR-3S)	Z2	572706 R	1 320,00	
	M 54 (PR-3S)	Z2	572708 R	1 320,00	
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00	
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00	
	M 15 S (PR-2B)	Z8	574738 R	244,00	
	M 18 S (PR-2B)	Z8	574740 R	244,00	
	M 22 S (PR-2B)	Z8	574742 R	244,00	
	M 28 S (PR-2B)	Z8	574744 R	244,00	
	M 35 S (PR-2B)	Z8	574746 R	268,00	
	HITHERM HTpress	M 15		570110	303,00
		M 18		570120	303,00
M 22			570130	303,00	
M 28			570140	303,00	
M 35			570150	303,00	
M 42 (PR-3S)		Z2	572706 R	1 320,00	
M 54 (PR-3S)		Z2	572708 R	1 320,00	
M 76,1 XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00	
M 88,9 G XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	
M 108,0 G XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00	
M 15 S (PR-2B)		Z8	574738 R	244,00	
M 18 S (PR-2B)		Z8	574740 R	244,00	
M 22 S (PR-2B)		Z8	574742 R	244,00	
M 28 S (PR-2B)		Z8	574744 R	244,00	
M 35 S (PR-2B)		Z8	574746 R	268,00	
HITHERM HTfire		M 15		570110	303,00
		M 18		570120	303,00
	M 22		570130	303,00	
	M 28		570140	303,00	
	M 35		570150	303,00	
	M 42 (PR-3S)	Z2	572706 R	1 320,00	
	M 54 (PR-3S)	Z2	572708 R	1 320,00	
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00	
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00	
	M 15 S (PR-2B)	Z8	574738 R	244,00	
	M 18 S (PR-2B)	Z8	574740 R	244,00	
	M 22 S (PR-2B)	Z8	574742 R	244,00	
	M 28 S (PR-2B)	Z8	574744 R	244,00	
	M 35 S (PR-2B)	Z8	574746 R	268,00	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.	
HITHERM HTair	M 15		570110	303,00	
	M 18		570120	303,00	
	M 22		570130	303,00	
	M 28		570140	303,00	
	M 35		570150	303,00	
	M 42 (PR-3S)	Z2	572706 R	1 320,00	
	M 54 (PR-3S)	Z2	572708 R	1 320,00	
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00	
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00	
	M 15 S (PR-2B)	Z8	574738 R	244,00	
	M 18 S (PR-2B)	Z8	574740 R	244,00	
	M 22 S (PR-2B)	Z8	574742 R	244,00	
	M 28 S (PR-2B)	Z8	574744 R	244,00	
	M 35 S (PR-2B)	Z8	574746 R	268,00	
	Hopewell press fit system	M 15		570110	303,00
		M 18		570120	303,00
M 22			570130	303,00	
M 28			570140	303,00	
M 35			570150	303,00	
M 42 (PZ-4G)			570160	980,00	
M 54 (PZ-4G)			570170	980,00	
M 42 (PR-3S)		Z2	572706 R	1 320,00	
M 54 (PR-3S)		Z2	572708 R	1 320,00	
hp praski BAVARIA-press		TH 10*		570467	365,00
	TH 12*		570452	365,00	
	TH 14*		570455	365,00	
	TH 16*		570460	365,00	
	TH 17*		570462	365,00	
	TH 20*		570470	365,00	
	TH 25*		570495	365,00	
	TH 26*		570475	365,00	
	TH 32		570480	365,00	
	TH 40		570485	484,00	
	TH 10 S (PR-2B)**	Z8	574772 R	244,00	
	TH 12 S (PR-2B)**	Z8	574776 R	244,00	
	TH 14 S (PR-2B)**	Z8	574778 R	244,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 17 S (PR-2B)**	Z8	574784 R	244,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 25 S (PR-2B)**	Z8	574792 R	244,00	
TH 26 S (PR-2B)**	Z8	574794 R	244,00		
TH 32 S (PR-2B)	Z8	574798 R	268,00		
ICMA Sempiter	H 16*		570320	329,00	
	H 20*		570350	329,00	
	H 25*		570360	329,00	
	H 26*		570370	329,00	
	H 32		570380	329,00	
	H 40 (PZ-4G)		570390	1 110,00	
	TH 16*		570460	365,00	
	TH 20*		570470	365,00	
	TH 25*		570495	365,00	
	TH 26*		570475	365,00	
	TH 32		570480	365,00	
	TH 40		570485	484,00	
	TH 50 (PZ-S)		572400	1 270,00	
	TH 63 (PZ-S)		572405	1 270,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	
TH 32 S (PR-2B)	Z8	574798 R	268,00		
U 16*		570765	341,00		
U 20*		570775	341,00		
U 25*		570780	341,00		
U 26* ¹²⁾		570750	400,00		
U 32		570785	400,00		
U 40		570790	488,00		
U 50		570795	590,00		
U 63 (PR-3B)	Z4	572837 R	1 440,00		
U 63 (PZ-S)		572365	1 270,00		
ICMA Sempigas	TH 16*		570460	365,00	
	TH 20*		570470	365,00	
	TH 25*		570495	365,00	
	TH 26*		570475	365,00	
	TH 32		570480	365,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	
	TH 32 S (PR-2B)	Z8	574798 R	268,00	
	Idrosanitaria Bonomi Homegas	TH 16*		570460	365,00
TH 20*			570470	365,00	
TH 26*			570475	365,00	
TH 16 S (PR-2B)**		Z8	574782 R	244,00	
Idrosanitaria Bonomi Idropress	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	
	TH 16*		570460	365,00	
	TH 18*		570465	365,00	
Idrosanitaria Bonomi Idropress	TH 20*		570470	365,00	
	TH 26*		570475	365,00	
	TH 32		570480	365,00	
	TH 40		570485	484,00	
	TH 50 (PZ-S)		572400	1 270,00	
	TH 63 (PZ-S)		572405	1 270,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	
	TH 32 S (PR-2B)	Z8	574798 R	268,00	

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.	System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.
IDROSISTEMI Ta-Press	TH 16*		570460	365,00	IDROTRADE StormSTEEL ¹⁾	M 12		570100	303,00
	TH 20*		570470	365,00		M 15		570110	303,00
	TH 26*		570475	365,00		M 18		570120	303,00
	TH 32		570480	365,00		M 22		570130	303,00
	TH 40		570485	484,00		M 28		570140	303,00
	TH 50 (PZ-S)		572400	1 270,00		M 35		570150	303,00
	TH 63 (PZ-S)		572405	1 270,00		M 42 (PR-3S)	Z2	572706 R	1 320,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00		M 54 (PR-3S)	Z2	572708 R	1 320,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00		M 76,1 XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00		M 88,9 G XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00		M 108,0 G XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579111 R	2 660,00
	F 16*		570717	348,00		M 12 S (PR-2B)	Z8	574736 R	244,00
	F 20*		570727	348,00		M 15 S (PR-2B)	Z8	574738 R	244,00
	F 26*		570730	376,00		M 18 S (PR-2B)	Z8	574740 R	244,00
	F 32		570735	376,00		M 22 S (PR-2B)	Z8	574742 R	244,00
	F 16 S (PR-2B)**	Z8	574728 R	244,00		M 28 S (PR-2B)	Z8	574744 R	244,00
	F 20 S (PR-2B)**	Z8	574730 R	244,00		M 35 S (PR-2B)	Z8	574746 R	268,00
	F 26 S (PR-2B)**	Z8	574732 R	244,00		ILTA	M 15	570110	303,00
	F 32 S (PR-2B)	Z8	574734 R	268,00		INOX/CHIBRO	M 18	570120	303,00
	Fz 40		570742	402,00		Pressfitting Cuni	M 22	570130	303,00
	Fz 50		570747	610,00		M 28	M 28	570140	303,00
	F 63 (PZ-S)		572385	1 270,00		M 35	M 35	570150	303,00
	H 16*		570320	329,00		M 42 (PR-3S)	Z2	572706 R	1 320,00
	H 20*		570350	329,00		M 54 (PR-3S)	Z2	572708 R	1 320,00
	H 26*		570370	329,00		M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	H 32		570380	329,00	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	
	H 40 (PZ-46)		570390	1 110,00	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00	
	U 16*		570765	341,00	M 15 S (PR-2B)	Z8	574738 R	244,00	
	U 20*		570775	341,00	M 18 S (PR-2B)	Z8	574740 R	244,00	
	U 26* ¹²⁾		570750	400,00	M 22 S (PR-2B)	Z8	574742 R	244,00	
	U 32		570785	400,00	M 28 S (PR-2B)	Z8	574744 R	244,00	
	U 40		570790	488,00	M 35 S (PR-2B)	Z8	574746 R	268,00	
	U 50		570795	590,00	ILTA	M 15	570110	303,00	
	U 63 (PZ-S)		572365	1 270,00	INOX/CHIBRO	M 18	570120	303,00	
	B 16*		570850	398,00	Pressfitting inox	M 22	570130	303,00	
	B 20*		570860	398,00	M 28	M 28	570140	303,00	
	B 26		570870	439,00	M 35	M 35	570150	303,00	
	B 32		570880	439,00	M 42 (PR-3S)	Z2	572706 R	1 320,00	
	IDROTRADE Storm Multipinza	H 16*		570320	329,00	M 54 (PR-3S)	Z2	572708 R	1 320,00
		H 20*		570350	329,00	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
		H 26*		570370	329,00	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
		H 32		570380	329,00	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00
TH 16*			570460	365,00	M 15 S (PR-2B)	Z8	574738 R	244,00	
TH 20*			570470	365,00	M 18 S (PR-2B)	Z8	574740 R	244,00	
TH 26*			570475	365,00	M 22 S (PR-2B)	Z8	574742 R	244,00	
TH 32			570480	365,00	M 28 S (PR-2B)	Z8	574744 R	244,00	
THL 32			570487	365,00	M 35 S (PR-2B)	Z8	574746 R	268,00	
TH 40			570485	484,00	Instantor	TH 16*	570460	365,00	
TH 50 (PZ-S)			572400	1 270,00	Press System	TH 20*	570470	365,00	
TH 63 (PZ-S)			572405	1 270,00	TH 26*	570475	365,00		
TH 16 S (PR-2B)**		Z8	574782 R	244,00	TH 32	570480	365,00		
TH 20 S (PR-2B)**		Z8	574788 R	244,00	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
TH 26 S (PR-2B)**		Z8	574794 R	244,00	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
TH 32 S (PR-2B)		Z8	574798 R	268,00	TH 26 S (PR-2B)**	Z8	574794 R	244,00	
U 16*			570765	341,00	TH 32 S (PR-2B)	Z8	574798 R	268,00	
U 20*		570775	341,00	Instantor	VI 1/2" S (PR-2B)	574850 R	244,00		
IDROTRADE StormPRES ¹⁾	M 15		570110	303,00	Copper Press Imperial	VI 3/4" S (PR-2B)	574852 R	244,00	
	M 18		570120	303,00	VI 1" S (PR-2B)	574854 R	244,00		
	M 22		570130	303,00	Instantor	M 15	570110	303,00	
	M 28		570140	303,00	Copper Press Metric	M 22	570130	303,00	
	M 35		570150	303,00	M 28	M 28	570140	303,00	
	M 42 (PR-3S)	Z2	572706 R	1 320,00	M 15 S (PR-2B)	Z8	574738 R	244,00	
	M 54 (PR-3S)	Z2	572708 R	1 320,00	M 22 S (PR-2B)	Z8	574742 R	244,00	
	M 76,1 XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579101 R	2 280,00	M 28 S (PR-2B)	Z8	574744 R	244,00	
	M 88,9 G XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	M 35 S (PR-2B)	Z8	574746 R	268,00	
	M 108,0 G XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579111 R	2 660,00					
	M 15 S (PR-2B)	Z8	574738 R	244,00					
	M 18 S (PR-2B)	Z8	574740 R	244,00					
	M 22 S (PR-2B)	Z8	574742 R	244,00					
	M 28 S (PR-2B)	Z8	574744 R	244,00					
	M 35 S (PR-2B)	Z8	574746 R	268,00					

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

³⁾ Driven by REMS Power-Press XL ACC, see page 188.

⁴⁾ Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

⁵⁾ For taking suitable pressing inserts.

⁶⁾ Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

⁷⁾ Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

⁸⁾ For making press joints for operating pressure ≤ PN 10.

⁹⁾ For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

¹⁰⁾ For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

¹¹⁾ Only use pressing tongs identified by "VMP 1/2" G" on the pressing jaws for gas installations.

¹²⁾ Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.	
IPA IPANA Press	TH 10*		570467	365,00	
	TH 11,6*		570482	365,00	
	TH 12*		570452	365,00	
	TH 14*		570455	365,00	
	TH 15*		570457	365,00	
	TH 16*		570460	365,00	
	TH 17*		570462	365,00	
	TH 18*		570465	365,00	
	TH 20*		570470	365,00	
	TH 22*		570472	365,00	
	TH 25*		570495	365,00	
	TH 26*		570475	365,00	
	TH 28		570477	365,00	
	TH 32		570480	365,00	
	TH 40		570485	484,00	
	TH 50 (PZ-S)		572400	1 270,00	
	TH 63 (PZ-S)		572405	1 270,00	
	THz 75 (PR-3B)	Z4	572829 R	1 200,00	
	TH 10 S (PR-2B)**	Z8	574772 R	244,00	
	TH 11,6 S (PR-2B)**	Z8	574774 R	244,00	
	TH 12 S (PR-2B)**	Z8	574776 R	244,00	
	TH 14 S (PR-2B)**	Z8	574778 R	244,00	
	TH 15 S (PR-2B)**	Z8	574780 R	244,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 17 S (PR-2B)**	Z8	574784 R	244,00	
	TH 18 S (PR-2B)**	Z8	574786 R	244,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 22 S (PR-2B)**	Z8	574790 R	244,00	
	TH 25 S (PR-2B)**	Z8	574792 R	244,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	
	TH 28 S (PR-2B)**	Z8	574796 R	268,00	
	TH 32 S (PR-2B)**	Z8	574798 R	268,00	
	IPA THu IPANA Press	TH 16*		570460	365,00
		TH 20*		570470	365,00
		TH 26*		570475	365,00
TH 32			570480	365,00	
TH 40			570485	484,00	
TH 16 S (PR-2B)**		Z8	574782 R	244,00	
TH 20 S (PR-2B)**		Z8	574788 R	244,00	
TH 26 S (PR-2B)**		Z8	574794 R	244,00	
TH 32 S (PR-2B)		Z8	574798 R	268,00	
IPALPEX (Industrie du Plastique et Accessoires)		TH 14*		570455	365,00
	TH 16*		570460	365,00	
	TH 18*		570465	365,00	
	TH 20*		570470	365,00	
	TH 26*		570475	365,00	
	THL 32		570487	365,00	
	TH 40		570485	484,00	
	TH 50 (PZ-S)		572400	1 270,00	
TH 63 (PZ-S)		572405	1 270,00		
IPLEX PIPELINES AUSTRALIA Iplex Pro-fit	K16/P18*		572600	380,00	
	PF 22*		571980	410,00	
IPLEX PIPELINES AUSTRALIA Iplex K1 (Gas)	K16/P18*		572600	380,00	
	K/20*		572605	380,00	
	K/25*		572610	380,00	
	K32		572615	380,00	
	K1/40		572620	380,00	
K1/50		572625	630,00		
IPLEX PIPELINES AUSTRALIA Iplex K2	K16/P18*		572600	380,00	
	K/20*		572605	380,00	
	K/25*		572610	380,00	
ISOLTUBEX ISOLPEX IPERT	Rfz 16*		571325	380,00	
	Rfz 20*		571330	380,00	
	Rfz 25		571337	419,00	
	Rfz 32		571342	419,00	
	ISOLTUBEX Multicapra	Rfz 16*		571325	380,00
Rfz 18*			571327	380,00	
Rfz 20*			571330	380,00	
Rfz 25			571337	419,00	
Rfz 32			571342	419,00	
U 16*			570765	341,00	
U 18*			570770	341,00	
U 20*			570775	341,00	
U 25*			570780	341,00	
U 32			570785	400,00	
U 40			570790	488,00	
U 50			570795	590,00	
U 63 (PR-3B)		Z4	572837 R	1 440,00	
U 63 (PZ-S)			572365	1 270,00	
ISOLTUBEX Multicapra GAS		Rfz 16*		571325	380,00
		Rfz 20*		571330	380,00
		Rfz 25		571337	419,00
	Rfz 32		571342	419,00	
ISOLTUBEX Multicapra-PPSU	U 16*		570765	341,00	
	U 20*		570775	341,00	
	U 25*		570780	341,00	
	U 32		570785	400,00	
ISOTUBI NUMEPRESS	M 15		570110	303,00	
	M 18 ¹⁾		570120	303,00	
	M 22		570130	303,00	
	M 28 ¹⁾		570140	303,00	
	M 35		570150	303,00	
	M 42 (PR-3S)	Z2	572706 R	1 320,00	
	M 54 (PR-3S)	Z2	572708 R	1 320,00	
	M 76,1 XL (PR-3S)	Z6 XL ²⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00	
	M 88,9 G XL (PR-3S)	Z6 XL ²⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	
	M 108,0 G XL (PR-3S)	Z6 XL ²⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00	
	M 15 S (PR-2B)	Z8	574738 R	244,00	
	M 18 S (PR-2B)	Z8	574740 R	244,00	
	M 22 S (PR-2B)	Z8	574742 R	244,00	
	M 28 S (PR-2B)	Z8	574744 R	244,00	
	M 35 S (PR-2B)	Z8	574746 R	268,00	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
IVAR ALPEX-GAS	B 20		570860	398,00
	B 26		570870	439,00
	B 32		570880	439,00
IVAR Ivar-Press	B 14*		570845	398,00
	B 16*		570850	398,00
	B 18*		570855	398,00
	B 20*		570860	398,00
	B 26		570870	439,00
	B 32		570880	439,00
	Fz 40		570742	402,00
	Fz 50		570747	610,00
	F 63 (PZ-S)		572385	1 270,00
	IVAR MULTI PRESS GAS ITALIA	TH 16*		570460
TH 20*			570470	365,00
IVAR Multi Press MP	TH 26*		570475	365,00
	H 16*		570320	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	U 16*		570765	341,00
	U 20*		570775	341,00
	TH 16*		570460	365,00
	TH 18*		570465	365,00
	TH 20*		570470	365,00
	TH 25*		570495	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
IVAR Multi Press Leak (MPL)	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 18 S (PR-2B)**	Z8	574786 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 25 S (PR-2B)**	Z8	574792 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	F 16*		570717	368,00
	F 18*		570720	368,00
	F 20*		570727	368,00
	F 26*		570730	376,00
	F 32		570735	376,00
	Fz 40		570742	402,00
	Fz 50		570747	610,00
	F 63 (PZ-S)		572385	1 270,00
	F 16 S (PR-2B)**	Z8	574728 R	244,00
F 20 S (PR-2B)**	Z8	574730 R	244,00	
F 26 S (PR-2B)**	Z8	574732 R	244,00	
F 32 S (PR-2B)	Z8	574734 R	268,00	
IVAR Multi Press Leak (MPL)	H 16*		570320	329,00
	H 18*		570340	329,00
	H 20*		570350	329,00
	H 25*		570360	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	H 40 (PZ-46)		570390	1 110,00
	U 16*		570765	341,00
	U 18*		570770	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
	U 26* ¹²⁾		570750	400,00
	U 32		570785	400,00
	U 40		570790	488,00
	U 50		570795	590,00
U 63 (PZ-S)		572365	1 270,00	
IVAR Multi Press Leak (MPL)	B 16*		570850	398,00
	B 18*		570855	398,00
	B 20*		570860	398,00
	B 26		570870	439,00
	B 32		570880	439,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	F 16*		570717	368,00
	F 20*		570727	368,00
F 26*		570730	376,00	
F 32		570735	376,00	
IVAR Multi Press Leak (MPL)	F 16 S (PR-2B)**	Z8	574728 R	244,00
	F 20 S (PR-2B)**	Z8	574730 R	244,00
	F 26 S (PR-2B)**	Z8	574732 R	244,00
	F 32 S (PR-2B)	Z8	574734 R	268,00
	H 16*		570320	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	H 40		570390	1 110,00
	U 16*		570765	341,00
	U 20*		570775	341,00
	U 26* ¹²⁾		570750	400,00
	U 32		570785	400,00
	U 40		570790	488,00
	U 50		570795	590,00
U 63 (PZ-S)		572365	1 270,00	

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.	System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.	
IVAR Plastic Multi Press Leak (PMPL)	TH 16*		570460	365,00	IVT PRIPRESS	TH 16*		570460	365,00	
	TH 20*		570470	365,00		TH 20*		570470	365,00	
	TH 26*		570475	365,00		TH 26*		570475	365,00	
	TH 32		570480	365,00		TH 32		570480	365,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00		TH 40		570485	484,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00		TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00		TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 32 S (PR-2B)	Z8	574798 R	268,00		TH 26 S (PR-2B)**	Z8	574794 R	244,00	
	F 16*		570717	348,00		TH 32 S (PR-2B)	Z8	574798 R	268,00	
	F 20*		570727	348,00		J				
	F 26*		570730	376,00		Jäger - Aquatec	H 14*		570310	329,00
	F 32		570735	376,00		Aquapress H	H 16*		570320	329,00
	F 16 S (PR-2B)**	Z8	574728 R	244,00			H 17*		570330	329,00
	F 20 S (PR-2B)**	Z8	574730 R	244,00			H 18*		570340	329,00
	F 26 S (PR-2B)**	Z8	574732 R	244,00			H 20*		570350	329,00
	F 32 S (PR-2B)	Z8	574734 R	268,00			H 26*		570370	329,00
	H 16*		570320	329,00			H 32		570380	329,00
	H 20*		570350	329,00			U 40		570790	488,00
	H 26*		570370	329,00			U 50		570795	590,00
	H 32		570380	329,00			U 63 (PZ-S)		572365	1 270,00
	U 16*		570765	341,00		Jäger - Aquatec	M 15		570110	303,00
	U 20*		570775	341,00		C-Stahl - Press Typ M	M 18		570120	303,00
	U 26* ¹²⁾		570750	400,00			M 22		570130	303,00
	U 32		570785	400,00			M 28		570140	303,00
	B 16*		570850	398,00			M 35		570150	303,00
	B 20*		570860	398,00			M 42 (PR-3S)	Z2	572706 R	1 320,00
	B 26		570870	439,00			M 54 (PR-3S)	Z2	572708 R	1 320,00
	B 32		570880	439,00			M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	IVAR	TH 16*		570460		365,00	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	Plastic Multi Press	TH 20*		570470		365,00	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00
	PMP	TH 25*		570495		365,00	M 15 S (PR-2B)	Z8	574738 R	244,00
		TH 26*		570475		365,00	M 18 S (PR-2B)	Z8	574740 R	244,00
	TH 32		570480	365,00	M 22 S (PR-2B)	Z8	574742 R	244,00		
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	M 28 S (PR-2B)	Z8	574744 R	244,00		
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	M 35 S (PR-2B)	Z8	574746 R	268,00		
	TH 25 S (PR-2B)**	Z8	574792 R	244,00	Jäger - Aquatec	M 15	570110	303,00		
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	Edelstahl -	M 18	570120	303,00		
	TH 32 S (PR-2B)	Z8	574798 R	268,00	Press Typ M	M 22	570130	303,00		
	F 16*		570717	348,00		M 28	570140	303,00		
	F 20*		570727	348,00		M 35	570150	303,00		
	F 26*		570730	376,00		M 42 (PR-3S)	Z2	572706 R	1 320,00	
	F 32		570735	376,00		M 54 (PR-3S)	Z2	572708 R	1 320,00	
	F 16 S (PR-2B)**	Z8	574728 R	244,00		M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00	
	F 20 S (PR-2B)**	Z8	574730 R	244,00		M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	
	F 26 S (PR-2B)**	Z8	574732 R	244,00		M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00	
	F 32 S (PR-2B)	Z8	574734 R	268,00		M 15 S (PR-2B)	Z8	574738 R	244,00	
	H 16*		570320	329,00		M 18 S (PR-2B)	Z8	574740 R	244,00	
	H 20*		570350	329,00		M 22 S (PR-2B)	Z8	574742 R	244,00	
	H 25*		570360	329,00		M 28 S (PR-2B)	Z8	574744 R	244,00	
	H 26*		570370	329,00		M 35 S (PR-2B)	Z8	574746 R	268,00	
	H 32		570380	329,00	Jäger - Aquatec	V 15	570115	303,00		
	U 16*		570765	341,00	Kupfer -	V 18	570125	303,00		
	U 20*		570775	341,00	Press Typ V	V 22	570135	303,00		
	U 25*		570780	341,00		V 28	570145	303,00		
	U 26* ¹²⁾		570750	400,00		V 35	570155	303,00		
	U 32		570785	400,00		V 42	570165	710,00		
	B 16*		570850	398,00		V 42 (PR-2B)	Z2	572850 R	640,00	
	B 20*		570860	398,00		V 54	570175	730,00		
	B 26		570870	439,00		V 54 (PR-2B)	Z2	572851 R	690,00	
	B 32		570880	439,00		V 15 S (PR-2B)	Z8	574752 R	244,00	
IVT Edelstahl- Presssystem	M 15		570110	303,00		V 18 S (PR-2B)	Z8	574756 R	244,00	
	M 18 ¹⁾		570120	303,00		V 22 S (PR-2B)	Z8	574758 R	244,00	
	M 22		570130	303,00		V 28 S (PR-2B)	Z8	574760 R	244,00	
	M 28 ¹⁾		570140	303,00		V 35 S (PR-2B)	Z8	574762 R	268,00	
	M 35		570150	303,00						
	M 42 (PR-3S)	Z2	572706 R	1 320,00						
	M 54 (PR-3S)	Z2	572708 R	1 320,00						
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00						
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00						
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00						
	M 15 S (PR-2B)	Z8	574738 R	244,00						
	M 18 S (PR-2B)	Z8	574740 R	244,00						
	M 22 S (PR-2B)	Z8	574742 R	244,00						
	M 28 S (PR-2B)	Z8	574744 R	244,00						
	M 35 S (PR-2B)	Z8	574746 R	268,00						

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

³⁾ Driven by REMS Power-Press XL ACC, see page 188.

⁴⁾ Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

⁵⁾ For taking suitable pressing inserts.

⁶⁾ Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

⁷⁾ Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

⁸⁾ For making press joints for operating pressure ≤ PN 10.

⁹⁾ For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

¹⁰⁾ For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

¹¹⁾ Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

¹²⁾ Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.	
Jansen AG JANSEN COMISA	TH 14*		570455	365,00	
	TH 16*		570460	365,00	
	TH 20*		570470	365,00	
	TH 26*		570475	365,00	
	TH 32		570480	365,00	
	TH 40		570485	484,00	
	TH 50 (PZ-S)		572400	1 270,00	
	TH 63 (PZ-S)		572405	1 270,00	
	TH 14 S (PR-2B)**	Z8	574778 R	244,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	
	TH 32 S (PR-2B)	Z8	574798 R	268,00	
	Jaraflex- Presssystem	TH 14*		570455	365,00
		TH 16*		570460	365,00
TH 17*			570462	365,00	
TH 18*			570465	365,00	
TH 20*			570470	365,00	
TH 25*			570495	365,00	
TH 26*			570475	365,00	
TH 32			570480	365,00	
TH 40			570485	484,00	
TH 50 (PZ-S)			572400	1 270,00	
TH 63 (PZ-S)			572405	1 270,00	
TH 14 S (PR-2B)**		Z8	574778 R	244,00	
TH 16 S (PR-2B)**		Z8	574782 R	244,00	
TH 17 S (PR-2B)**		Z8	574784 R	244,00	
TH 18 S (PR-2B)**		Z8	574786 R	244,00	
TH 20 S (PR-2B)**	Z8	574788 R	244,00		
TH 25 S (PR-2B)**	Z8	574792 R	244,00		
TH 26 S (PR-2B)**	Z8	574794 R	244,00		
TH 32 S (PR-2B)	Z8	574798 R	268,00		
JUNGWOO JWPress	VUS ½" (OD 15,9 mm)		571770	366,00	
	VUS ¾" (OD 22,2 mm)		571775	366,00	
	VUS 1" (OD 28,6 mm)		571780	366,00	
	VUS 1½" (OD 34,9 mm)		571785	366,00	
	VUS 1½" (OD 41,3 mm)		571790	710,00	
	VUS 2" (OD 54,0 mm)		571795	730,00	
	VUSFz 2½" (PR-3B) (OD 66,7 mm)	Z5	572819 R	1 200,00	
	VUSFz 3" (PR-3B) (OD 79,4 mm)	Z5	572820 R	1 200,00	
VUSFz 4" (PR-3B) (OD 104,8 mm)	Z5	572821 R	1 270,00		

K

KAN KAN-therm Press LBP	U 14*		570760	341,00
	U 16*		570765	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
	U 26* ¹²⁾		570750	400,00
	U 32		570785	400,00
	U 40		570790	488,00
	TH 14*		570455	365,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 25*		570495	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	TH 14 S (PR-2B)**	Z8	574778 R	244,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 25 S (PR-2B)**	Z8	574792 R	244,00
TH 26 S (PR-2B)**	Z8	574794 R	244,00	
TH 32 S (PR-2B)	Z8	574798 R	268,00	
KAN KAN-therm Inox	M 15		570110	303,00
	M 18 ¹⁾		570120	303,00
	M 22		570130	303,00
	M 28 ¹⁾		570140	303,00
	M 35		570150	303,00
	M 42 (PZ-4G)		570160	980,00
	M 54 (PZ-4G)		570170	980,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
M 28 S (PR-2B)	Z8	574744 R	244,00	
M 35 S (PR-2B)	Z8	574746 R	268,00	
KAN KAN-therm Steel	M 12		570100	303,00
	M 15		570110	303,00
	M 18 ¹⁾		570120	303,00
	M 22		570130	303,00
	M 28 ¹⁾		570140	303,00
	M 35		570150	303,00
	M 42 (PZ-4G)		570160	980,00
	M 54 (PZ-4G)		570170	980,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	XP 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579108 R	2 280,00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00
	M 12 S (PR-2B)	Z8	574736 R	244,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
KAN KAN-therm UltraPRESS	U 14*		570760	341,00
	U 16*		570765	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
	U 26* ¹²⁾		570750	400,00
	U 32		570785	400,00
	U 40		570790	488,00
	TH 14*		570455	365,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 25*		570495	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
TH 63 (PZ-S)		572405	1 270,00	
TH 14 S (PR-2B)**	Z8	574778 R	244,00	
TH 16 S (PR-2B)**	Z8	574782 R	244,00	
TH 20 S (PR-2B)**	Z8	574788 R	244,00	
TH 25 S (PR-2B)**	Z8	574792 R	244,00	
TH 26 S (PR-2B)**	Z8	574794 R	244,00	
TH 32 S (PR-2B)	Z8	574798 R	268,00	
KE KELIT COPPERFIX Kupfer	M 15		570110	303,00
	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00
KE KELIT KELIT KELOX	U 16*		570765	341,00
	U 18*		570770	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
	U 32		570785	400,00
	U 40		570790	488,00
	U 50		570795	590,00
	U 63 (PZ-S)		572365	1 270,00
	U 63 (PR-3B)	Z4	572837 R	1 440,00
	U 75 (PR-3B)	Z4	572828 R	1 270,00
KE KELIT KELOX-PPSU-W	U 16*		570765	341,00
	U 18*		570770	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
	U 32		570785	400,00
	U 40		570790	488,00
	U 50		570795	590,00
	U 63 (PZ-S)		572365	1 270,00
	U 63 (PR-3B)	Z4	572837 R	1 440,00
	U 75 (PR-3B)	Z4	572828 R	1 270,00
KE KELIT KELOX-ULTRAX	U 16*		570765	341,00
	U 18*		570770	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
	U 32		570785	400,00
	U 40		570790	488,00
	U 50		570795	590,00
	U 63 (PZ-S)		572365	1 270,00
	U 63 (PR-3B)	Z4	572837 R	1 440,00
	U 75 (PR-3B)	Z4	572828 R	1 270,00
KE KELIT KELOX-ULTRAX-W	U 16*		570765	341,00
	U 18*		570770	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
	U 32		570785	400,00
	U 40		570790	488,00
	U 50		570795	590,00
	U 63 (PZ-S)		572365	1 270,00
	U 63 (PR-3B)	Z4	572837 R	1 440,00
	U 75 (PR-3B)	Z4	572828 R	1 270,00
KE KELIT KELOX-WINDOW-X	U 16*		570765	341,00
	U 18*		570770	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
	U 32		570785	400,00
	U 40		570790	488,00
	U 50		570795	590,00
	U 63 (PZ-S)		572365	1 270,00
	U 63 (PR-3B)	Z4	572837 R	1 440,00
	U 75 (PR-3B)	Z4	572828 R	1 270,00
KE KELIT steelFIX C-Stahl	M 15		570110	303,00
	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.	System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.		
KE KELIT steelFIX Edelstahl	M 15		570110	303,00	KISAN Kistal C	M 15		570110	303,00		
	M 18		570120	303,00		M 18		570120	303,00		
	M 22		570130	303,00		M 22		570130	303,00		
	M 28		570140	303,00		M 28		570140	303,00		
	M 35		570150	303,00		M 35		570150	303,00		
	M 42 (PR-3S)	Z2	572706 R	1 320,00		M 42 (PR-3S)	Z2	572706 R	1 320,00		
	M 54 (PR-3S)	Z2	572708 R	1 320,00		M 54 (PR-3S)	Z2	572708 R	1 320,00		
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00		M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00		
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00		M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00		
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00		M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00		
	M 15 S (PR-2B)	Z8	574738 R	244,00		M 15 S (PR-2B)	Z8	574738 R	244,00		
	M 18 S (PR-2B)	Z8	574740 R	244,00		M 18 S (PR-2B)	Z8	574740 R	244,00		
	M 22 S (PR-2B)	Z8	574742 R	244,00		M 22 S (PR-2B)	Z8	574742 R	244,00		
	M 28 S (PR-2B)	Z8	574744 R	244,00		M 28 S (PR-2B)	Z8	574744 R	244,00		
	M 35 S (PR-2B)	Z8	574746 R	268,00		M 35 S (PR-2B)	Z8	574746 R	268,00		
	KEMBLA KemPress (AUS)	VAU 15 (OD 12,7 mm)		572687		313,00	KISAN Kistal Inox	M 15		570110	303,00
		VAU 20 (OD 19,1 mm)		572689		313,00		M 18		570120	303,00
VAU 25 (OD 25,4 mm)			572691	313,00	M 22			570130	303,00		
VAU 32 (OD 31,8 mm)			572693	329,00	M 28			570140	303,00		
VAU 40 (OD 38,1 mm)			572695	488,00	M 35			570150	303,00		
VAU 50 (OD 50,8 mm)			572697	870,00	M 42 (PR-3S)	Z2		572706 R	1 320,00		
KEMBLA KemPress Gas (AUS)	VAU 15 (OD 12,7 mm)		572687	313,00	M 54 (PR-3S)	Z2	572708 R	1 320,00			
	VAU 20 (OD 19,1 mm)		572689	313,00	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00			
	VAU 25 (OD 25,4 mm)		572691	313,00	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00			
	VAU 32 (OD 31,8 mm)		572693	329,00	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00			
	VAU 40 (OD 38,1 mm)		572695	488,00	M 15 S (PR-2B)	Z8	574738 R	244,00			
	VAU 50 (OD 50,8 mm)		572697	870,00	M 18 S (PR-2B)	Z8	574740 R	244,00			
KISAN Kisan KD	KI 16*		571360	386,00	M 22 S (PR-2B)	Z8	574742 R	244,00			
	KI 20*		571370	386,00	M 28 S (PR-2B)	Z8	574744 R	244,00			
	KI 25*		571375	386,00	M 35 S (PR-2B)	Z8	574746 R	268,00			
	TH 16*		570460	365,00	L						
	TH 20*		570470	365,00	LEGEND-PRESS	VUS ½" (OD 15,9 mm)		571770	366,00		
	TH 25*		570495	365,00	press fitting	VUS ¾" (OD 22,2 mm)		571775	366,00		
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	system	VUS 1" (OD 28,6 mm)		571780	366,00		
	TH 20 S (PR-2B)**	Z8	574788 R	244,00		VUS 1¼" (OD 34,9 mm)		571785	366,00		
	TH 25 S (PR-2B)**	Z8	574792 R	244,00		VUS 1½" (OD 41,3 mm)		571790	710,00		
						VUS 2" (OD 54,0 mm)		571795	730,00		
KISAN Kisan WL	KI 16*		571360	386,00	VUSFz 2½" (PR-3B) (OD 66,7 mm)	Z5	572819 R	1 200,00			
	KI 20*		571370	386,00	VUSFz 3" (PR-3B) (OD 79,4 mm)	Z5	572820 R	1 200,00			
	KI 25*		571375	386,00	VUSFz 4" (PR-3B) (OD 104,8 mm)	Z5	572821 R	1 270,00			
	KI 32		571380	520,00	LK Systems	V 12	570107	303,00			
	TH 16*		570460	365,00	LK >B-Press	V 15	570115	303,00			
	TH 20*		570470	365,00		V 18	570125	303,00			
	TH 25*		570495	365,00		V 22	570135	303,00			
	TH 32		570480	365,00		V 28	570145	303,00			
	TH 16 S (PR-2B)**	Z8	574782 R	244,00		V 35	570155	303,00			
	TH 20 S (PR-2B)**	Z8	574788 R	244,00		V 42	570165	710,00			
KISAN Kisan WM	KI 16*		571360	386,00		V 54	570175	730,00			
	KI 20*		571370	386,00		V 12 S (PR-2B)	Z8	574748 R	244,00		
	KI 25*		571375	386,00		V 15 S (PR-2B)	Z8	574752 R	244,00		
	KI 32		571380	520,00		V 18 S (PR-2B)	Z8	574756 R	244,00		
	TH 16*		570460	365,00		V 22 S (PR-2B)	Z8	574758 R	244,00		
KISAN Kisan WR	U 20*		570775	341,00		V 28 S (PR-2B)	Z8	574760 R	244,00		
	U 25*		570780	341,00		V 35 S (PR-2B)	Z8	574762 R	268,00		
	U 32		570785	400,00	LK Systems	V 12	570107	303,00			
	U 40		570790	488,00	LK >B-Press	V 15	570115	303,00			
	U 50		570795	590,00	Elförsinkat	V 18	570125	303,00			
	U 63 (PZ-S)		572365	1 270,00		V 22	570135	303,00			
	U 75 (PR-3B)		572828 R	1 270,00		V 28	570145	303,00			
	TH 20*		570470	365,00		V 35	570155	303,00			
	TH 25*		570495	365,00		V 42	570165	710,00			
	TH 32		570480	365,00		V 54	570175	730,00			
	TH 40		570485	484,00		V 12 S (PR-2B)	Z8	574748 R	244,00		
	TH 50 (PZ-S)		572400	1 270,00		V 15 S (PR-2B)	Z8	574752 R	244,00		
	TH 63 (PZ-S)		572405	1 270,00		V 18 S (PR-2B)	Z8	574756 R	244,00		
	TH 20 S (PR-2B)**	Z8	574788 R	244,00		V 22 S (PR-2B)	Z8	574758 R	244,00		
	TH 25 S (PR-2B)**	Z8	574792 R	244,00		V 28 S (PR-2B)	Z8	574760 R	244,00		
	TH 32 S (PR-2B)	Z8	574798 R	268,00		V 35 S (PR-2B)	Z8	574762 R	268,00		

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

2) For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

3) Driven by REMS Power-Press XL ACC, see page 188.

4) Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

5) For taking suitable pressing inserts.

6) Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

7) Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

8) For making press joints for operating pressure ≤ PN 10.

9) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

10) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

11) Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

12) Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website: www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
LK Systems LK >B-Press Gas	V 15		570115	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 54		570175	730,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
V 28 S (PR-2B)	Z8	574760 R	244,00	
V 35 S (PR-2B)	Z8	574762 R	268,00	
LK Systems	TH 16*		570460	365,00
LK Universal	TH 20*		570470	365,00
	TH 25*		570495	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
M				
MAINCOR	U 16*		570765	341,00
MAINPRESS	U 20*		570775	341,00
	U 25*		570780	341,00
	U 32		570785	400,00
	U 40		570790	488,00
	U 50		570795	590,00
	U 63 (PZ-S)		572365	1 270,00
	U 63 (PR-3B)	Z4	572837 R	1 440,00
MAINCOR	U 16*		570765	341,00
MAINFLOR	U 20*		570775	341,00
Mair Heiztechnik M-Press	H 11,5*		570315	329,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
Ma.s.ter System PRESSMASTER	TH 14*		570455	365,00
	TH 16*		570460	365,00
	TH 18*		570465	365,00
	TH 20*		570470	365,00
	TH 25*		570495	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	TH 14 S (PR-2B)**	Z8	574778 R	244,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 18 S (PR-2B)**	Z8	574786 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 25 S (PR-2B)**	Z8	574792 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	H 14*		570310	329,00
	H 16*		570320	329,00
	H 18*		570340	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	H 40 (PZ-4G)		570390	1 110,00
	U 14*		570760	341,00
	U 16*		570765	341,00
	U 18*		570770	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
	U 32		570785	400,00
	U 40		570790	488,00
	U 50		570795	590,00
	U 63 (PR-3B)	Z4	572837 R	1 440,00
	U 63 (PZ-S)		572365	1 270,00
Meier Tobler Metalplast - Stramax Serie MM	H 16*		570320	329,00
	H 20*		570350	329,00
	H 25*		570360	329,00
	H 32		570380	329,00
	Rfz 16*		571325	380,00
	Rfz 20*		571330	380,00
	Rfz 25		571335	380,00
	Rfz 32		571340	380,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 25*		570495	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 25 S (PR-2B)**	Z8	574792 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	U 16*		570765	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
	U 32		570785	400,00
	U 40		570790	488,00
	U 50		570795	590,00
	U 63 (PZ-S)		572365	1 270,00
	U 63 (PR-3B)	Z4	572837 R	1 440,00
	U 63 (PR-3B)	Z4	572828 R	1 270,00

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
METALGRUP	U 16*		570765	341,00
Permatubo	U 18*		570770	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
	U 32		570785	400,00
	U 40		570790	488,00
	U 50		570795	590,00
	U 63 (PR-3B)	Z4	572837 R	1 440,00
	U 63 (PZ-S)		572365	1 270,00
METALGRUP	Rfz 16*		571325	380,00
PexGrup	Rfz 20*		571330	380,00
	Rfz 25		571335	380,00
	Rfz 32		571340	380,00
METALGRUP	U 16*		570765	341,00
MultiGrup	U 18*		570770	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
	U 32		570785	400,00
Mueller Streamline	VUS ½" (OD 15,9 mm)		571770	366,00
PRS Copper Press	VUS ¾" (OD 22,2 mm)		571775	366,00
	VUS 1" (OD 28,6 mm)		571780	366,00
	VUS 1¼" (OD 34,9 mm)		571785	366,00
	VUS 1½" (OD 41,3 mm)		571790	710,00
	VUS 2" (OD 54,0 mm)		571795	730,00
	VUSFz 2½" (PR-3B) (OD 66,7 mm)	Z5	572819 R	1 200,00
	VUSFz 3" (PR-3B) (OD 79,4 mm)	Z5	572820 R	1 200,00
	VUSFz 4" (PR-3B) (OD 104,8 mm)	Z5	572821 R	1 270,00
MULTITHERM	TH 16*		570460	365,00
PRESSSYSTEM	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	THz 75 (PR-3B)	Z4	572829 R	1 200,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
Multicapas Industrial	Rfz 16*		571325	380,00
AIS PEX	Rfz 20*		571330	380,00
	Rfz 25		571335	380,00
	Rfz 32		571340	380,00
	U 16*		570765	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
	U 32		570785	400,00
Multicapas Industrial	H 16*		570320	329,00
AIS XPRT	H 20*		570350	329,00
	H 25*		570360	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	Rfz 16*		571325	380,00
	Rfz 20*		571330	380,00
	Rfz 25		571335	380,00
	Rfz 32		571340	380,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 25*		570495	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	THz 75 (PR-3B)	Z4	572829 R	1 200,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 25 S (PR-2B)**	Z8	574792 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	U 16*		570765	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
	U 32		570785	400,00
	U 40		570790	488,00
	U 50		570795	590,00
	U 63 (PZ-S)		572365	1 270,00
	U 63 (PR-3B)	Z4	572837 R	1 440,00
	U 75 (PR-3B)	Z4	572828 R	1 270,00
Multicapas Industrial	U 16*		570765	341,00
multitubo systems MC	U 18*		570770	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
	U 32		570785	400,00
	U 40		570790	488,00
	U 50		570795	590,00
	U 63 (PZ-S)		572365	1 270,00
	U 63 (PR-3B)	Z4	572837 R	1 440,00
	U 75 (PR-3B)	Z4	572828 R	1 270,00

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
Nussbaum Optipress-Gaz	V 15		570115	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	Vfz 64,0 (PR-3B)	Z5	572815 R	1 200,00
	Vfz 76,1 (PR-3B)	Z5	572816 R	1 200,00
	Vfz 88,9 (PR-3B)	Z5	572817 R	1 270,00
	Vfz 108,0 (PR-3B)	Z5	572818 R	1 270,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
V 22 S (PR-2B)	Z8	574758 R	244,00	
V 28 S (PR-2B)	Z8	574760 R	244,00	
V 35 S (PR-2B)	Z8	574762 R	268,00	
Nussbaum Optipress-Therm	V 15		570115	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	Vfz 64,0 (PR-3B)	Z5	572815 R	1 200,00
	Vfz 76,1 (PR-3B)	Z5	572816 R	1 200,00
	Vfz 88,9 (PR-3B)	Z5	572817 R	1 270,00
	Vfz 108,0 (PR-3B)	Z5	572818 R	1 270,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
V 22 S (PR-2B)	Z8	574758 R	244,00	
V 28 S (PR-2B)	Z8	574760 R	244,00	
V 35 S (PR-2B)	Z8	574762 R	268,00	
O				
Oventrop Cofit P	H 16 A*		570620	421,00
	H 20 A*		570650	421,00
	H 26 A*		570670	421,00
	H 32 A		570680	421,00
	H 40 A		570690	740,00
	U 50		570795	590,00
Oventrop Cofit PD	U 63 (PR-3B)	Z4	572837 R	1 440,00
	U 63 (PZ-S)		572365	1 270,00
	H 16 A*		570620	421,00
Oventrop Cofit PDK	H 20 A*		570650	421,00
	H 26 A*		570670	421,00
Oventrop Cofit PD-HT	H 16 A*		570620	421,00
	H 20 A*		570650	421,00
	H 25 A*		570660	421,00
Oventrop Cofit PDK-HT	H 32 A		570680	421,00
	H 16 A*		570620	421,00
Oventrop Cofit PDK-HT	H 20 A*		570650	421,00
	P			
PBTab SERTIPRESS	Rfz 12*		571320	380,00
	Rfz 16*		571325	380,00
	Rfz 20*		571330	380,00
	Rfz 25*		571335	380,00
PBTab SERTI-STEEL	M 15		570110	303,00
	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
	Pegler Yorkshire	> Aalberts integrated piping systems		
PERFEXIM PERFECT SYSTEM	U 16*		570765	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
	U 32		570785	400,00
PERFEXIM PERFECT SYSTEM PLUS	U 16*		570765	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
	U 32		570785	400,00
	U 40		570790	488,00
	U 50		570795	590,00
	U 63 (PZ-S)		572365	1 270,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 25*		570495	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
TH 20 S (PR-2B)**	Z8	574788 R	244,00	
TH 25 S (PR-2B)**	Z8	574792 R	244,00	
TH 32 S (PR-2B)	Z8	574798 R	268,00	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.	
PERFILTUBO PERFILALUPEX	U 16*		570765	341,00	
	U 18*		570770	341,00	
	U 20*		570775	341,00	
	U 25*		570780	341,00	
	U 32		570785	400,00	
	U 40		570790	488,00	
	U 50		570795	590,00	
	U 63 (PR-3B)	Z4	572837 R	1 440,00	
	U 63 (PZ-S)		572365	1 270,00	
	U 75 (PR-3B)	Z4	572828 R	1 270,00	
PERFILTUBO PERFILPRESS	M 15		570110	303,00	
	M 18		570120	303,00	
	M 22		570130	303,00	
	M 28		570140	303,00	
	M 35		570150	303,00	
	M 42 (PR-3S)	Z2	572706 R	1 320,00	
	M 54 (PR-3S)	Z2	572708 R	1 320,00	
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00	
	M 15 S (PR-2B)	Z8	574738 R	244,00	
	M 18 S (PR-2B)	Z8	574740 R	244,00	
	M 22 S (PR-2B)	Z8	574742 R	244,00	
	M 28 S (PR-2B)	Z8	574744 R	244,00	
	M 35 S (PR-2B)	Z8	574746 R	268,00	
PEXTUBE PexTube	Rfz 16*		571325	380,00	
	Rfz 20*		571330	380,00	
	Rfz 25		571337	419,00	
Pipelife C-PRESS	Rfz 32		571342	419,00	
	M 15		570110	303,00	
	M 18		570120	303,00	
	M 22		570130	303,00	
	M 28		570140	303,00	
	M 35		570150	303,00	
	M 42 (PR-3S)	Z2	572706 R	1 320,00	
	M 54 (PR-3S)	Z2	572708 R	1 320,00	
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00	
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00	
	M 15 S (PR-2B)	Z8	574738 R	244,00	
	M 18 S (PR-2B)	Z8	574740 R	244,00	
M 22 S (PR-2B)	Z8	574742 R	244,00		
M 28 S (PR-2B)	Z8	574744 R	244,00		
M 35 S (PR-2B)	Z8	574746 R	268,00		
Pipelife RADOPRESS	TH 16*		570460	365,00	
	TH 18*		570465	365,00	
	TH 20*		570470	365,00	
	TH 26*		570475	365,00	
	TH 32		570480	365,00	
	TH 40		570485	484,00	
	TH 50 (PZ-S)		572400	1 270,00	
	TH 63 (PZ-S)		572405	1 270,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 18 S (PR-2B)**	Z8	574786 R	244,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	
	TH 32 S (PR-2B)	Z8	574798 R	268,00	
Pipetec Connect	TH 16*		570460	365,00	
	TH 20*		570470	365,00	
	TH 26*		570475	365,00	
	TH 32		570480	365,00	
	TH 40		570485	484,00	
	TH 50 (PZ-S)		572400	1 270,00	
	TH 63 (PZ-S)		572405	1 270,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	
	TH 32 S (PR-2B)	Z8	574798 R	268,00	
	PLASTICA ALFA Multypex	TH 16*		570460	365,00
		TH 20*		570470	365,00
TH 26*			570475	365,00	
TH 32			570480	365,00	
TH 16 S (PR-2B)**		Z8	574782 R	244,00	
TH 20 S (PR-2B)**		Z8	574788 R	244,00	
TH 26 S (PR-2B)**		Z8	574794 R	244,00	
TH 32 S (PR-2B)		Z8	574798 R	268,00	
PLASTICA ALFA Multypex Air		TH 16*		570460	365,00
		TH 20*		570470	365,00
		TH 26*		570475	365,00
		TH 32		570480	365,00
		TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	
	TH 32 S (PR-2B)	Z8	574798 R	268,00	
	PLASTICA ALFA Multypex Alfa Gas	TH 16*		570460	365,00
		TH 20*		570470	365,00
		TH 26*		570475	365,00
		TH 16 S (PR-2B)**	Z8	574782 R	244,00
		TH 20 S (PR-2B)**	Z8	574788 R	244,00
TH 26 S (PR-2B)**		Z8	574794 R	244,00	
PLASTICA ALFA Multypex Alfa Gas protek		TH 16*		570460	365,00
		TH 20*		570470	365,00
		TH 26*		570475	365,00
		TH 16 S (PR-2B)**	Z8	574782 R	244,00
		TH 20 S (PR-2B)**	Z8	574788 R	244,00
		TH 26 S (PR-2B)**	Z8	574794 R	244,00
		PLASTICA ALFA Multypex Plus	TH 16*		570460
	TH 20*			570470	365,00
	TH 26*			570475	365,00
	TH 32			570480	365,00
	TH 16 S (PR-2B)**		Z8	574782 R	244,00
	TH 20 S (PR-2B)**		Z8	574788 R	244,00
	TH 26 S (PR-2B)**		Z8	574794 R	244,00
TH 32 S (PR-2B)	Z8		574798 R	268,00	

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.	System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
PLASTICA ALFA Multypex Thermo	TH 16*		570460	365,00	POLYSAN Handelsoges. m.b.H. & Co KG (Krems/Öster- reich)	M 15		570110	303,00
	TH 20*		570470	365,00		M 18		570120	303,00
	TH 26*		570475	365,00		M 22		570130	303,00
	TH 32		570480	365,00		M 28		570140	303,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00		M 35		570150	303,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00		POLYSAN- C-Stahl-Press- System M	M 42 (PR-3S)		572706 R
TH 26 S (PR-2B)**	Z8	574794 R	244,00	M 54 (PR-3S)			572708 R	1 320,00	
TH 32 S (PR-2B)	Z8	574798 R	268,00	M 76.1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579101 R	2 280,00	
				M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579110 R	2 660,00	
				M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579111 R	2 660,00	
				M 15 S (PR-2B)	Z8		574738 R	244,00	
PLASTICA ALFA Multypex Thermo Plus	TH 16*		570460	365,00	POLYSAN Handelsoges. m.b.H. & Co KG (Krems/Öster- reich)	M 15		570110	303,00
	TH 20*		570470	365,00		M 18		570120	303,00
	TH 26*		570475	365,00		M 22		570130	303,00
	TH 32		570480	365,00		M 28		570140	303,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00		M 35		570150	303,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00		POLYSAN- Edelstahl Press-System 1.4520	M 42 (PR-3S)	Z2	572706 R
TH 26 S (PR-2B)**	Z8	574794 R	244,00	M 54 (PR-3S)	Z2		572708 R	1 320,00	
TH 32 S (PR-2B)	Z8	574798 R	268,00	M 76.1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579101 R	2 280,00	
				M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579110 R	2 660,00	
				M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579111 R	2 660,00	
				M 15 S (PR-2B)	Z8		574738 R	244,00	
PLÁSTICOS FERRO FERROPLAST GPF MULT Pressfitting MULTICAPA	U 16*		570765	341,00	POLYSAN Edelstahl Press-System Gas	M 15		570110	303,00
	U 20*		570775	341,00		M 18		570120	303,00
	U 25*		570780	341,00		M 22		570130	303,00
	U 32		570785	400,00		M 28		570140	303,00
	U 16*		570765	341,00		M 35		570150	303,00
	U 20*		570775	341,00		POLYSAN- Edelstahl Press-System Wasser	M 42 (PR-3S)	Z2	572706 R
U 25*		570780	341,00	M 54 (PR-3S)	Z2		572708 R	1 320,00	
U 32		570785	400,00	M 76.1 XL (PR-3S)	Z7 XL 45 kN ⁴⁾		579101 R	2 280,00	
				M 88,9 G XL (PR-3S) ⁷⁾	Z7 XL 45 kN ⁴⁾		579110 R	2 660,00	
				M 108,0 G XL (PR-3S) ⁷⁾	Z7 XL 45 kN ⁴⁾		579111 R	2 660,00	
				M 15 S (PR-2B)	Z8		574738 R	244,00	
PLÁSTICOS FERRO FERROPLAST GPF PRESS Pressfitting PEX y MULTICAPA	RFz 16*		571325	380,00	POLYSAN Handelsoges. m.b.H. & Co KG (Krems/Öster- reich)	M 15		570110	303,00
	RFz 20*		571330	380,00		M 18		570120	303,00
	RFz 25		571335	380,00		M 22		570130	303,00
	RFz 32		571340	380,00		M 28		570140	303,00
	K16/P18*		572600	380,00		M 35		570150	303,00
	K1/20*		572605	380,00		POLYSAN- Edelstahl Press-System Gas	M 42 (PR-3S)	Z2	572706 R
K1/25*		572610	380,00	M 54 (PR-3S)	Z2		572708 R	1 320,00	
K32		572615	380,00	M 76.1 XL (PR-3S)	Z7 XL 45 kN ⁴⁾		579101 R	2 280,00	
K1/40		572620	380,00	M 88,9 G XL (PR-3S) ⁷⁾	Z7 XL 45 kN ⁴⁾		579110 R	2 660,00	
K1/50		572625	630,00	M 108,0 G XL (PR-3S) ⁷⁾	Z7 XL 45 kN ⁴⁾		579111 R	2 660,00	
				M 15 S (PR-2B)	Z8		574738 R	244,00	
PLUMBING PLUS EZIPEX Crimp (AUS)	K16/P18*		572600	380,00	POLYSAN Edelstahl Press-System Wasser	M 15		570110	303,00
	K1/20*		572605	380,00		M 18		570120	303,00
	K1/25*		572610	380,00		M 22		570130	303,00
	K32		572615	380,00		M 28		570140	303,00
	K1/40		572620	380,00		M 35		570150	303,00
	K1/50		572625	630,00		POLYSAN- Edelstahl Press-System Wasser	M 42 (PR-3S)	Z2	572706 R
				M 54 (PR-3S)	Z2		572708 R	1 320,00	
				M 76.1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579101 R	2 280,00	
				M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579110 R	2 660,00	
				M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579111 R	2 660,00	
				M 15 S (PR-2B)	Z8		574738 R	244,00	
PLUMBING PLUS EZIPEX Gas (AUS)	VAU 15 (OD 12,7 mm)		572687	313,00	POLYSAN Edelstahl Press-System Wasser	M 15		570110	303,00
	VAU 20 (OD 19,1 mm)		572689	313,00		M 18		570120	303,00
	VAU 25 (OD 25,4 mm)		572691	313,00		M 22		570130	303,00
	VAU 32 (OD 31,8 mm)		572693	329,00		M 28		570140	303,00
	VAU 40 (OD 38,1 mm)		572695	488,00		M 35		570150	303,00
	VAU 50 (OD 50,8 mm)		572697	870,00		POLYSAN- Edelstahl Press-System Wasser	M 42 (PR-3S)	Z2	572706 R
VAUFz 65 (PR-3B) (OD 63,5 mm)	Z5	572839 R	1 200,00	M 54 (PR-3S)	Z2		572708 R	1 320,00	
VAUFz 80 (PR-3B) (OD 76,2 mm)	Z5	572840 R	1 200,00	M 76.1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579101 R	2 280,00	
VAUFz 100 (PR-3B) (OD 101,6 mm)	Z5	572841 R	1 270,00	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579110 R	2 660,00	
				M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579111 R	2 660,00	
				M 15 S (PR-2B)	Z8		574738 R	244,00	
PLUMBING PLUS EZIPEX Solar (AUS)	VAU 15 (OD 12,7 mm)		572687	313,00	POLYSAN Edelstahl Press-System Wasser	M 15		570110	303,00
	VAU 20 (OD 19,1 mm)		572689	313,00		M 18		570120	303,00
	VAU 25 (OD 25,4 mm)		572691	313,00		M 22		570130	303,00
	VAU 32 (OD 31,8 mm)		572693	329,00		M 28		570140	303,00
	VAU 40 (OD 38,1 mm)		572695	488,00		M 35		570150	303,00
	VAU 50 (OD 50,8 mm)		572697	870,00		POLYSAN- Edelstahl Press-System Wasser	M 42 (PR-3S)	Z2	572706 R
VAUFz 65 (PR-3B) (OD 63,5 mm)	Z5	572839 R	1 200,00	M 54 (PR-3S)	Z2		572708 R	1 320,00	
VAUFz 80 (PR-3B) (OD 76,2 mm)	Z5	572840 R	1 200,00	M 76.1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579101 R	2 280,00	
VAUFz 100 (PR-3B) (OD 101,6 mm)	Z5	572841 R	1 270,00	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579110 R	2 660,00	
				M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579111 R	2 660,00	
				M 15 S (PR-2B)	Z8		574738 R	244,00	
PLUMBING PLUS EZIPEX Water (AUS)	VAU 15 (OD 12,7 mm)		572687	313,00	POLYSAN Edelstahl Press-System Wasser	M 15		570110	303,00
	VAU 20 (OD 19,1 mm)		572689	313,00		M 18		570120	303,00
	VAU 25 (OD 25,4 mm)		572691	313,00		M 22		570130	303,00
	VAU 32 (OD 31,8 mm)		572693	329,00		M 28		570140	303,00
	VAU 40 (OD 38,1 mm)		572695	488,00		M 35		570150	303,00
	VAU 50 (OD 50,8 mm)		572697	870,00		POLYSAN- Edelstahl Press-System Wasser	M 42 (PR-3S)	Z2	572706 R
VAUFz 65 (PR-3B) (OD 63,5 mm)	Z5	572839 R	1 200,00	M 54 (PR-3S)	Z2		572708 R	1 320,00	
VAUFz 80 (PR-3B) (OD 76,2 mm)	Z5	572840 R	1 200,00	M 76.1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579101 R	2 280,00	
VAUFz 100 (PR-3B) (OD 101,6 mm)	Z5	572841 R	1 270,00	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579110 R	2 660,00	
				M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579111 R	2 660,00	
				M 15 S (PR-2B)	Z8		574738 R	244,00	
POLYPIPE POLYSURE	TH 10*		570467	365,00	POLYSAN Edelstahl Press-System Wasser	M 15		570110	303,00
	TH 15*		570457	365,00		M 18		570120	303,00
	TH 22*		570472	365,00		M 22		570130	303,00
	TH 28		570477	365,00		M 28		570140	303,00
						M 35		570150	303,00
						POLYSAN- Edelstahl Press-System Wasser	M 42 (PR-3S)	Z2	572706 R
				M 54 (PR-3S)	Z2		572708 R	1 320,00	
				M 76.1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579101 R	2 280,00	
				M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579110 R	2 660,00	
				M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579111 R	2 660,00	
				M 15 S (PR-2B)	Z8		574738 R	244,00	

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

³⁾ Driven by REMS Power-Press XL ACC, see page 188.

⁴⁾ Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

⁵⁾ For taking suitable pressing inserts.

⁶⁾ Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

⁷⁾ Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

⁸⁾ For making press joints for operating pressure ≤ PN 10.

⁹⁾ For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

¹⁰⁾ For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

¹¹⁾ Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

¹²⁾ Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.	
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Osterreich)	TH 14*		570455	365,00	
	TH 16*		570460	365,00	
	TH 17*		570462	365,00	
	TH 18*		570465	365,00	
	TH 20*		570470	365,00	
	POLYSAN-Henco-Press-System	TH 26*		570475	365,00
		HE 32		571900	437,00
		HEz 40		571904	640,00
		TH 14 S (PR-2B)**	Z8	574778 R	244,00
		TH 16 S (PR-2B)**	Z8	574782 R	244,00
TH 17 S (PR-2B)**		Z8	574784 R	244,00	
TH 18 S (PR-2B)**		Z8	574786 R	244,00	
TH 20 S (PR-2B)**		Z8	574788 R	244,00	
TH 26 S (PR-2B)**		Z8	574794 R	244,00	
POLYSAN (España) „Rainbow“		U 16*		570765	341,00
	U 18*		570770	341,00	
	U 20*		570775	341,00	
	U 25*		570780	341,00	
	U 32		570785	400,00	
	U 40		570790	488,00	
	U 50		570795	590,00	
	U 63 (PR-3B)	Z4	572837 R	1 440,00	
Prandelli Multyrama Pf	U 63 (PZ-S)		572365	1 270,00	
	H 14*		570310	329,00	
	H 16*		570320	329,00	
	H 18*		570340	329,00	
	H 20*		570350	329,00	
	H 26*		570370	329,00	
	H 32		570380	329,00	
	U 40		570790	488,00	
	U 50		570795	590,00	
	U 63 (PR-3B)	Z4	572837 R	1 440,00	
Prandelli Multyrama Pfm	H 16*		570320	329,00	
	H 18*		570340	329,00	
	H 20*		570350	329,00	
	H 26*		570370	329,00	
	H 32		570380	329,00	
	TH 16*		570460	365,00	
	TH 18*		570465	365,00	
	TH 20*		570470	365,00	
	TH 26*		570475	365,00	
	TH 32		570480	365,00	
	TH 40		570485	484,00	
	TH 50 (PZ-S)		572400	1 270,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 18 S (PR-2B)**	Z8	574786 R	244,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	
	TH 32 S (PR-2B)	Z8	574798 R	268,00	
	U 16*		570765	341,00	
	U 18*		570770	341,00	
	U 20*		570775	341,00	
U 40		570790	488,00		
U 50		570795	590,00		
U 63 (PR-3B)	Z4	572837 R	1 440,00		
PURMO Cleverfit Radial	F 16*		570717	348,00	
	F 20*		570727	348,00	
	F 26*		570730	376,00	
	F 32		570735	376,00	
	F 16 S (PR-2B)**	Z8	574728 R	244,00	
	F 20 S (PR-2B)**	Z8	574730 R	244,00	
	F 26 S (PR-2B)**	Z8	574732 R	244,00	
	F 32 S (PR-2B)	Z8	574734 R	268,00	
	H 16*		570320	329,00	
	H 20*		570350	329,00	
	H 26*		570370	329,00	
	H 32		570380	329,00	
	TH 14*		570455	365,00	
	TH 16*		570460	365,00	
	TH 17*		570462	365,00	
	TH 20*		570470	365,00	
	TH 26*		570475	365,00	
	TH 32		570480	365,00	
	TH 40		570485	484,00	
	TH 50 (PZ-S)		572400	1 270,00	
	TH 63 (PZ-S)		572405	1 270,00	
	TH 14 S (PR-2B)**	Z8	574778 R	244,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 17 S (PR-2B)**	Z8	574784 R	244,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	
	TH 32 S (PR-2B)	Z8	574798 R	268,00	
	U 16*		570765	341,00	
	U 20*		570775	341,00	
	U 32		570785	400,00	
VP 16*		570910	364,00		
VP 20*		570915	364,00		
VP 25		570920	364,00		
R					
Raccorderie Metalliche aesPRES ¹⁾	M 15		570110	303,00	
	M 18		570120	303,00	
	M 22		570130	303,00	
	M 28		570140	303,00	
	M 35		570150	303,00	
	M 42 (PR-3S)	Z2	572706 R	1 320,00	
	M 54 (PR-3S)	Z2	572708 R	1 320,00	
	M 15 S (PR-2B)	Z8	574738 R	244,00	
	M 18 S (PR-2B)	Z8	574740 R	244,00	
	M 22 S (PR-2B)	Z8	574742 R	244,00	
	M 28 S (PR-2B)	Z8	574744 R	244,00	
	M 35 S (PR-2B)	Z8	574746 R	268,00	
	M 76.1 XL (PR-3S) ⁸⁾	Z2	572706 R	1 320,00	
	M 88.9 G XL (PR-3S) ⁸⁾	Z2	572708 R	1 320,00	
	M 108.0 G XL (PR-3S) ⁸⁾	Z2	572708 R	1 320,00	
Raccorderie Metalliche MARINEPRES ¹⁾	M 15		570110	303,00	
	M 18		570120	303,00	
	M 22		570130	303,00	
	M 28		570140	303,00	
	M 35		570150	303,00	
	M 42 (PR-3S)	Z2	572706 R	1 320,00	
	M 54 (PR-3S)	Z2	572708 R	1 320,00	
	M 76.1 XL (PR-3S) ⁸⁾	Z2	572708 R	1 320,00	
	M 88.9 G XL (PR-3S) ⁸⁾	Z2	572708 R	1 320,00	
	M 108.0 G XL (PR-3S) ⁸⁾	Z2	572708 R	1 320,00	
	M 15 S (PR-2B)	Z8	574738 R	244,00	
	M 18 S (PR-2B)	Z8	574740 R	244,00	
	M 22 S (PR-2B)	Z8	574742 R	244,00	
	M 28 S (PR-2B)	Z8	574744 R	244,00	
	M 35 S (PR-2B)	Z8	574746 R	268,00	
Raccorderie Metalliche steelPRES ¹⁾	M 15		570110	303,00	
	M 18		570120	303,00	
	M 22		570130	303,00	
	M 28		570140	303,00	
	M 35		570150	303,00	
	M 42 (PR-3S)	Z2	572706 R	1 320,00	
	M 54 (PR-3S)	Z2	572708 R	1 320,00	
	M 76.1 XL (PR-3S) ⁸⁾	Z2	572708 R	1 320,00	
	M 88.9 G XL (PR-3S) ⁸⁾	Z2	572708 R	1 320,00	
	M 108.0 G XL (PR-3S) ⁸⁾	Z2	572708 R	1 320,00	
	M 15 S (PR-2B)	Z8	574738 R	244,00	
	M 18 S (PR-2B)	Z8	574740 R	244,00	
	M 22 S (PR-2B)	Z8	574742 R	244,00	
	M 28 S (PR-2B)	Z8	574744 R	244,00	
	M 35 S (PR-2B)	Z8	574746 R	268,00	
RBM Tita-fix	B 14*		570845	398,00	
	B 16*		570850	398,00	
	B 18*		570855	398,00	
	B 20*		570860	398,00	
	B 26		570870	439,00	
	F 16*		570717	348,00	
	F 18*		570720	348,00	
	F 20*		570727	348,00	
	F 16 S (PR-2B)**	Z8	574728 R	244,00	
	F 20 S (PR-2B)**	Z8	574730 R	244,00	
	H 14*		570310	329,00	
	H 16*		570320	329,00	
	H 18*		570340	329,00	
	H 20*		570350	329,00	
	H 26*		570370	329,00	
H 32		570380	329,00		
TH 14*		570455	365,00		
TH 16*		570460	365,00		
TH 18*		570465	365,00		
TH 20*		570470	365,00		
TH 26*		570475	365,00		
TH 32		570480	365,00		
TH 40		570485	484,00		
TH 50 (PZ-S)		572400	1 270,00		
TH 63 (PZ-S)		572405	1 270,00		
TH 16 S (PR-2B)**	Z8	574782 R	244,00		
TH 20 S (PR-2B)**	Z8	574788 R	244,00		
TH 26 S (PR-2B)**	Z8	574794 R	244,00		
TH 32 S (PR-2B)	Z8	574798 R	268,00		
U 14*		570760	341,00		
U 16*		570765	341,00		
U 18*		570770	341,00		
U 20*		570775	341,00		
RBM Tita-gas	TH 16*		570460	365,00	
	TH 20*		570470	365,00	
	TH 26*		570475	365,00	
	TH 32		570480	365,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	
	TH 32 S (PR-2B)	Z8	574798 R	268,00	
	Redi Nicoll Fluxo	TH 14*		570455	365,00
		TH 16*		570460	365,00
		TH 18*		570465	365,00
		TH 20*		570470	365,00
		TH 26*		570475	365,00
		TH 32		570480	365,00
		TH 40		570485	484,00
TH 50 (PZ-S)			572400	1 270,00	
TH 63 (PZ-S)			572405	1 270,00	
THz 75 (PR-3B)		Z4	572829 R	1 200,00	
TH 16 S (PR-2B)**		Z8	574782 R	244,00	
TH 20 S (PR-2B)**		Z8	574788 R	244,00	
TH 26 S (PR-2B)**		Z8	574794 R	244,00	
TH 32 S (PR-2B)		Z8	574798 R	268,00	
Redi Nicoll Fluxo Gas		TH 16*		570460	365,00
	TH 20*		570470	365,00	
	TH 26*		570475	365,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
Raccorderie Metalliche inoxPRES ¹⁾	M 15		570110	303,00
	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 76.1 XL (PR-3S) ⁸⁾	Z2	572706 R	1 320,00
	M 88.9 G XL (PR-3S) ⁸⁾	Z2	572708 R	1 320,00
	M 108.0 G XL (PR-3S) ⁸⁾	Z2	572708 R	1 320,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
Raccorderie Metalliche MARINEPRES ¹⁾	M 15		570110	303,00
	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 76.1 XL (PR-3S) ⁸⁾	Z2	572708 R	1 320,00
	M 88.9 G XL (PR-3S) ⁸⁾	Z2	572708 R	1 320,00
	M 108.0 G XL (PR-3S) ⁸⁾	Z2	572708 R	1 320,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
Raccorderie Metalliche steelPRES ¹⁾	M 15		570110	303,00
	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 76.1 XL (PR-3S) ⁸⁾	Z2	572708 R	1 320,00
	M 88.9 G XL (PR-3S) ⁸⁾			

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.	System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.
RIFENG U PRESS FITTING (F5)	U 14*		570760	341,00	TURBO INOX GAS	M 15		570110	303,00
	U 16*		570765	341,00		M 18		570120	303,00
	U 18*		570770	341,00		M 22		570130	303,00
	U 20*		570775	341,00		M 28		570140	303,00
	U 25*		570780	341,00		M 35		570150	303,00
	U 32		570785	400,00		M 42 (PR-3S)	Z2	572706 R	1 320,00
	U 40		570790	488,00		M 54 (PR-3S)	Z2	572708 R	1 320,00
	U 50		570795	590,00		M 15 S (PR-2B)	Z8	574738 R	244,00
	U 63 (PZ-S)		572365	1 270,00		M 18 S (PR-2B)	Z8	574740 R	244,00
	U 63 (PR-3B)	Z4	572837 R	1 440,00		M 22 S (PR-2B)	Z8	574742 R	244,00
	U 75 (PR-3B)	Z4	572828 R	1 270,00		M 28 S (PR-2B)	Z8	574744 R	244,00
						M 35 S (PR-2B)	Z8	574746 R	268,00
RIFENG TH PRESS FITTING (F9)	TH 16*		570460	365,00	Rubinetterie	M 15		570110	303,00
	TH 20*		570470	365,00	Bresciane	M 18		570120	303,00
	TH 25*		570495	365,00	Bonomi	M 22		570130	303,00
	TH 26*		570475	365,00	TURBO STEEL	M 28		570140	303,00
	TH 32		570480	365,00	M 35		570150	303,00	
	TH 40		570485	484,00	M 42 (PR-3S)	Z2	572706 R	1 320,00	
	TH 50 (PZ-S)		572400	1 270,00	M 54 (PR-3S)	Z2	572708 R	1 320,00	
	TH 63 (PZ-S)		572405	1 270,00	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00	
					M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	
					M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00	
RIQUIER A SERTIR	Rfz 12*		571320	380,00	M 15 S (PR-2B)	Z8	574738 R	244,00	
	Rfz 16*		571325	380,00	M 18 S (PR-2B)	Z8	574740 R	244,00	
	Rfz 20*		571330	380,00	M 22 S (PR-2B)	Z8	574742 R	244,00	
	Rfz 25		571335	380,00	M 28 S (PR-2B)	Z8	574744 R	244,00	
					M 35 S (PR-2B)	Z8	574746 R	268,00	
					Rubinetterie	B 14*		570845	398,00
					Bresciane	B 16*		570850	398,00
RIQUIER Système multicouche	TH 16*		570460	365,00	Bonomi	B 18*		570855	398,00
	TH 20*		570470	365,00	TURBO PRESS	B 20*		570860	398,00
	TH 26*		570475	365,00	B 26		570870	439,00	
	TH 32		570480	365,00	B 32		570880	439,00	
	TH 40		570485	484,00	H 14*		570310	329,00	
	TH 50 (PZ-S)		572400	1 270,00	H 16*		570320	329,00	
	TH 63 (PZ-S)		572405	1 270,00	H 18*		570340	329,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	H 20*		570350	329,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	H 26*		570370	329,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	H 32		570380	329,00	
	TH 32 S (PR-2B)	Z8	574798 R	268,00	TH 14*		570455	365,00	
	U 16*		570765	341,00	TH 16*		570460	365,00	
	U 20*		570775	341,00	TH 18*		570465	365,00	
	U 32		570785	400,00	TH 20*		570470	365,00	
	U 40		570790	488,00	TH 26*		570475	365,00	
U 50		570795	590,00	TH 32		570480	365,00		
Roth PressCheck	RN 14*		572672	341,00	TH 40		570485	484,00	
	RN 16		572670	341,00	TH 50 (PZ-S)		572400	1 270,00	
	RN 17*		572674	341,00	TH 63 (PZ-S)		572405	1 270,00	
	RN 20*		572676	341,00	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	RN 25/26		572678	341,00	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	RN 32		572680	400,00	TH 26 S (PR-2B)**	Z8	574794 R	244,00	
	RN 40 (PR-3S)	Z2	572714 R	1 320,00	TH 32 S (PR-2B)	Z8	574798 R	268,00	
	RN 50 (PR-3S)	Z2	572716 R	1 320,00	U 14*		570760	341,00	
	RNz 63 (PR-3B)	Z4	572836 R	1 440,00	U 16*		570765	341,00	
					U 18*		570770	341,00	
					U 20*		570775	341,00	
					U 26* ¹²⁾		570750	400,00	
				U 32		570785	400,00		
Rubinetterie	M 15		570110	303,00	Rubinetterie	TH 16*		570460	365,00
Bresciane	M 18		570120	303,00	Bresciane	TH 20*		570470	365,00
Bonomi	M 22		570130	303,00	Bonomi	TH 26*		570475	365,00
TURBO CuNi	M 28		570140	303,00	TURBO PRESS	TH 32		570480	365,00
	M 35		570150	303,00	GAS	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00		TH 20 S (PR-2B)**	Z8	574788 R	244,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00		TH 26 S (PR-2B)**	Z8	574794 R	244,00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00		TH 32 S (PR-2B)	Z8	574798 R	268,00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00					
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00					
	M 15 S (PR-2B)	Z8	574738 R	244,00					
	M 18 S (PR-2B)	Z8	574740 R	244,00					
	M 22 S (PR-2B)	Z8	574742 R	244,00					
	M 28 S (PR-2B)	Z8	574744 R	244,00					
	M 35 S (PR-2B)	Z8	574746 R	268,00					

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

2) For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

3) Driven by REMS Power-Press XL ACC, see page 188.

4) Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

5) For taking suitable pressing inserts.

6) Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

7) Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

8) For making press joints for operating pressure ≤ PN 10.

9) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

10) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

11) Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

12) Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website: www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.	
S					
SA.MI PLASTIC	TH 14*		570455	365,00	
	TH 16*		570460	365,00	
	TH 18*		570465	365,00	
	TH 20*		570470	365,00	
	TH 26*		570475	365,00	
	TH 32		570480	365,00	
	TH 40		570485	484,00	
	TH 50 (PZ-S)		572400	1 270,00	
	TH 63 (PZ-S)		572405	1 270,00	
	TH 14 S (PR-2B)**	Z8	574778 R	244,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 18 S (PR-2B)**	Z8	574786 R	244,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	
	TH 32 S (PR-2B)**	Z8	574798 R	268,00	
	SA.MI PLASTIC Multistrato Gas	TH 16*		570460	365,00
		TH 20*		570470	365,00
		TH 26*		570475	365,00
		TH 32		570480	365,00
		TH 16 S (PR-2B)**	Z8	574782 R	244,00
		TH 20 S (PR-2B)**	Z8	574788 R	244,00
		TH 26 S (PR-2B)**	Z8	574794 R	244,00
		TH 32 S (PR-2B)**	Z8	574798 R	268,00
SANHA 3fit-Press Pb-free Serie 25000		B 16*		570850	398,00
		B 20*		570860	398,00
		B 26		570870	439,00
		B 32		570880	439,00
		F 16*		570717	348,00
	F 20*		570727	348,00	
	F 26*		570730	376,00	
	F 32		570735	376,00	
	Fz 40		570742	402,00	
	Fz 50		570747	610,00	
	F 63 (PZ-S)		572385	1 270,00	
	F 16 S (PR-2B)**	Z8	574728 R	244,00	
	F 20 S (PR-2B)**	Z8	574730 R	244,00	
	F 26 S (PR-2B)**	Z8	574732 R	244,00	
	F 32 S (PR-2B)**	Z8	574734 R	268,00	
	H 16*		570320	329,00	
	H 20*		570350	329,00	
	H 26*		570370	329,00	
	H 32		570380	329,00	
	H 40 (PZ-4G)		570390	1 110,00	
	TH 16*		570460	365,00	
	TH 20*		570470	365,00	
	TH 26*		570475	365,00	
	TH 32		570480	365,00	
	TH 40		570485	484,00	
	TH 50 (PZ-S)		572400	1 270,00	
	TH 63 (PZ-S)		572405	1 270,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	
	TH 32 S (PR-2B)**	Z8	574798 R	268,00	
	U 16*		570765	341,00	
	U 20*		570775	341,00	
U 26* ¹²⁾		570750	400,00		
U 32		570785	400,00		
U 40		570790	488,00		
U 50		570795	590,00		
U 63 (PR-3B)	Z4	572837 R	1 440,00		
U 63 (PZ-S)		572365	1 270,00		
SANHA 3fit-Press PPSU Serie 35000	B 16*		570850	398,00	
	B 20*		570860	398,00	
	B 26		570870	439,00	
	B 32		570880	439,00	
	F 16*		570717	348,00	
	F 20*		570727	348,00	
	F 26*		570730	376,00	
	F 32		570735	376,00	
	F 16 S (PR-2B)**	Z8	574728 R	244,00	
	F 20 S (PR-2B)**	Z8	574730 R	244,00	
	F 26 S (PR-2B)**	Z8	574732 R	244,00	
	F 32 S (PR-2B)**	Z8	574734 R	268,00	
	H 16*		570320	329,00	
	H 20*		570350	329,00	
	H 26*		570370	329,00	
	H 32		570380	329,00	
	TH 16*		570460	365,00	
	TH 20*		570470	365,00	
	TH 26*		570475	365,00	
	TH 32		570480	365,00	
	TH 40		570485	484,00	
	TH 50 (PZ-S)		572400	1 270,00	
	TH 63 (PZ-S)		572405	1 270,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	
	TH 32 S (PR-2B)**	Z8	574798 R	268,00	
	U 16*		570765	341,00	
	U 20*		570775	341,00	
	U 26* ¹²⁾		570750	400,00	
	U 32		570785	400,00	
	SANHA Heavy Steel Press	VMP ½" G (ØD 21,3 mm)		571766 R	421,00
		VMPz ¾" (ØD 26,7 mm)		571764	421,00
VMPz 1" (ØD 33,7 mm)			571767	421,00	
VMPz 1¼" (PZ-S) (ØD 42,4 mm)			572413	1 380,00	
VMPz 1½" (PR-3B) (ØD 48,3 mm)		Z5	572844 R	940,00	
VMPz 2" (PR-3B) (ØD 60,3 mm)		Z5	572845 R	940,00	
SANHA Heavy Steel Press Gas ⁹⁾		VMP ½" G (ØD 21,3 mm) ¹¹⁾		571766 R	421,00
		VMPz ¾" (ØD 26,7 mm)		571764	421,00
		VMPz 1" (ØD 33,7 mm)		571767	421,00
		VMPz 1¼" (PZ-S) (ØD 42,4 mm)		572413	1 380,00
	VMPz 1½" (PR-3B) (ØD 48,3 mm)	Z5	572844 R	940,00	
	VMPz 2" (PR-3B) (ØD 60,3 mm)	Z5	572845 R	940,00	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
SANHA-NiroSan Gas Presssystem Serie 17000	SA 15		570935	364,00
	SA 18		570940	364,00
	SA 22		570945	364,00
	SA 28		570950	364,00
	SA 35		570955	364,00
	M 15		570110	303,00
	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 76.1 XL (PR-3S)	Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	M 88.9 G XL (PR-3S) ⁷⁾	Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	M 108.0 G XL (PR-3S) ⁷⁾	Z7 XL 45 kN ⁴⁾	579111 R	2 660,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
	V 15		570115	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
V 35 S (PR-2B)	Z8	574762 R	268,00	
SANHA-NiroSan Industry Presssystem Serie 18000	SA 15		570935	364,00
	SA 18		570940	364,00
	SA 22		570945	364,00
	SA 28		570950	364,00
	SA 35		570955	364,00
	M 15		570110	303,00
	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	XP 64.0 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579100 R	2 070,00
	M 76.1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	M 88.9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	M 108.0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
	V 15		570115	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
V 28 S (PR-2B)	Z8	574760 R	244,00	
V 35 S (PR-2B)	Z8	574762 R	268,00	
SANHA-NiroSan-Presssystem Serie 9000	SA 15		570935	364,00
	SA 18		570940	364,00
	SA 22		570945	364,00
	SA 28		570950	364,00
	SA 35		570955	364,00
	M 15		570110	303,00
	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	XP 64.0 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579100 R	2 070,00
	M 76.1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	M 88.9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	M 108.0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
	V 15		570115	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
V 28 S (PR-2B)	Z8	574760 R	244,00	
V 35 S (PR-2B)	Z8	574762 R	268,00	

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.	System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.		
SANHA-NiroSan SF Presssystem Serie 19000 (silicone free)	SA 15		570935	364,00	SANHA NiroTherm Industry Serie 98000	SA 15		570935	364,00		
	SA 18		570940	364,00		SA 18		570940	364,00		
	SA 22		570945	364,00		SA 22		570945	364,00		
	SA 28		570950	364,00		SA 28		570950	364,00		
	SA 35		570955	364,00		SA 35		570955	364,00		
	M 15		570110	303,00		M 15		570110	303,00		
	M 18		570120	303,00		M 18		570120	303,00		
	M 22		570130	303,00		M 22		570130	303,00		
	M 28		570140	303,00		M 28		570140	303,00		
	M 35		570150	303,00		M 35		570150	303,00		
	M 42 (PR-3S)	Z2	572706 R	1 320,00		M 42 (PR-3S)	Z2	572706 R	1 320,00		
	M 54 (PR-3S)	Z2	572708 R	1 320,00		M 54 (PR-3S)	Z2	572708 R	1 320,00		
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00		M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00		
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00		M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00		
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00		M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00		
	M 15 S (PR-2B)	Z8	574738 R	244,00		M 15 S (PR-2B)	Z8	574738 R	244,00		
	M 18 S (PR-2B)	Z8	574740 R	244,00		M 18 S (PR-2B)	Z8	574740 R	244,00		
	M 22 S (PR-2B)	Z8	574742 R	244,00		M 22 S (PR-2B)	Z8	574742 R	244,00		
	M 28 S (PR-2B)	Z8	574744 R	244,00		M 28 S (PR-2B)	Z8	574744 R	244,00		
	M 35 S (PR-2B)	Z8	574746 R	268,00		M 35 S (PR-2B)	Z8	574746 R	268,00		
	V 15		570115	303,00		V 15		570115	303,00		
	V 18		570125	303,00		V 18		570125	303,00		
	V 22		570135	303,00		V 22		570135	303,00		
	V 28		570145	303,00		V 28		570145	303,00		
	V 35		570155	303,00		V 35		570155	303,00		
	V 42		570165	710,00		V 42		570165	710,00		
	V 42 (PR-2B)	Z2	572850 R	640,00		V 42 (PR-2B)	Z2	572850 R	640,00		
	V 54		570175	730,00		V 54		570175	730,00		
	V 54 (PR-2B)	Z2	572851 R	690,00		V 54 (PR-2B)	Z2	572851 R	690,00		
	V 15 S (PR-2B)	Z8	574752 R	244,00		V 15 S (PR-2B)	Z8	574752 R	244,00		
	V 18 S (PR-2B)	Z8	574756 R	244,00		V 18 S (PR-2B)	Z8	574756 R	244,00		
	V 22 S (PR-2B)	Z8	574758 R	244,00		V 22 S (PR-2B)	Z8	574758 R	244,00		
	V 28 S (PR-2B)	Z8	574760 R	244,00		V 28 S (PR-2B)	Z8	574760 R	244,00		
	V 35 S (PR-2B)	Z8	574762 R	268,00		V 35 S (PR-2B)	Z8	574762 R	268,00		
	SANHA NiroTherm Serie 91000	SA 15		570935		364,00	SANHA-Press Chrom Serie 16000	SA 12		570930	530,00
		SA 18		570940		364,00		SA 15		570935	364,00
		SA 22		570945		364,00		SA 18		570940	364,00
		SA 28		570950		364,00		SA 22		570945	364,00
		SA 35		570955		364,00		SA 28		570950	364,00
		M 15		570110		303,00		M 12		570100	303,00
M 18			570120	303,00	M 15			570110	303,00		
M 22			570130	303,00	M 18			570120	303,00		
M 28			570140	303,00	M 22			570130	303,00		
M 35			570150	303,00	M 28			570140	303,00		
M 42 (PR-3S)		Z2	572706 R	1 320,00	M 12 S (PR-2B)	Z8		574736 R	244,00		
M 54 (PR-3S)		Z2	572708 R	1 320,00	M 15 S (PR-2B)	Z8		574738 R	244,00		
M 76,1 XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00	M 18 S (PR-2B)	Z8		574740 R	244,00		
M 88,9 G XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	M 22 S (PR-2B)	Z8		574742 R	244,00		
M 108,0 G XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00	M 28 S (PR-2B)	Z8		574744 R	244,00		
M 15 S (PR-2B)		Z8	574738 R	244,00	V 12			570107	303,00		
M 18 S (PR-2B)		Z8	574740 R	244,00	V 15			570115	303,00		
M 22 S (PR-2B)		Z8	574742 R	244,00	V 18			570125	303,00		
M 28 S (PR-2B)		Z8	574744 R	244,00	V 22			570135	303,00		
M 35 S (PR-2B)		Z8	574746 R	268,00	V 28			570145	303,00		
V 15			570115	303,00	V 12 S (PR-2B)	Z8		574748 R	244,00		
V 18			570125	303,00	V 15 S (PR-2B)	Z8		574752 R	244,00		
V 22			570135	303,00	V 18 S (PR-2B)	Z8		574756 R	244,00		
V 28			570145	303,00	V 22 S (PR-2B)	Z8		574758 R	244,00		
V 35			570155	303,00	V 28 S (PR-2B)	Z8		574760 R	244,00		
V 42			570165	710,00	V 28 S (PR-2B)	Z8		574760 R	244,00		
V 42 (PR-2B)		Z2	572850 R	640,00							
V 54			570175	730,00							
V 54 (PR-2B)		Z2	572851 R	690,00							
V 15 S (PR-2B)		Z8	574752 R	244,00							
V 18 S (PR-2B)		Z8	574756 R	244,00							
V 22 S (PR-2B)		Z8	574758 R	244,00							
V 28 S (PR-2B)		Z8	574760 R	244,00							
V 35 S (PR-2B)		Z8	574762 R	268,00							

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

³⁾ Driven by REMS Power-Press XL ACC, see page 188.

⁴⁾ Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

⁵⁾ For taking suitable pressing inserts.

⁶⁾ Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

⁷⁾ Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

⁸⁾ For making press joints for operating pressure ≤ PN 10.

⁹⁾ For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

¹⁰⁾ For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

¹¹⁾ Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

¹²⁾ Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website: www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press)
and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.	
SANHA-Press GAS Pressfittings Serie 10000/ Serie 11000	SA 12		570930	530,00	
	SA 14		570932	530,00	
	SA 15		570935	364,00	
	SA 16		570937	364,00	
	SA 18		570940	364,00	
	SA 22		570945	364,00	
	SA 28		570950	364,00	
	SA 35		570955	364,00	
	M 12		570100	303,00	
	M 15		570110	303,00	
	M 18		570120	303,00	
	M 22		570130	303,00	
	M 28		570140	303,00	
	M 35		570150	303,00	
	M 42 (PR-3S)	Z2	572706 R	1 320,00	
	M 54 (PR-3S)	Z2	572708 R	1 320,00	
	M 12 S (PR-2B)	Z8	574736 R	244,00	
	M 15 S (PR-2B)	Z8	574738 R	244,00	
	M 18 S (PR-2B)	Z8	574740 R	244,00	
	M 22 S (PR-2B)	Z8	574742 R	244,00	
	M 28 S (PR-2B)	Z8	574744 R	244,00	
	M 35 S (PR-2B)	Z8	574746 R	268,00	
	V 12		570107	303,00	
	V 14		570112	303,00	
	VG 14		570132	303,00	
	V 15		570115	303,00	
	V 16		570117	303,00	
	VG 16		570137	303,00	
	V 18		570125	303,00	
	V 22		570135	303,00	
	V 28		570145	303,00	
	V 35		570155	303,00	
	V 42		570165	710,00	
	V 42 (PR-2B)	Z2	572850 R	640,00	
	V 54		570175	730,00	
	V 54 (PR-2B)	Z2	572851 R	690,00	
	V 12 S (PR-2B)	Z8	574748 R	244,00	
	VG 14 S (PR-2B)	Z8	574750 R	244,00	
	V 15 S (PR-2B)	Z8	574752 R	244,00	
	VG 16 S (PR-2B)	Z8	574754 R	244,00	
	V 18 S (PR-2B)	Z8	574756 R	244,00	
	V 22 S (PR-2B)	Z8	574758 R	244,00	
	V 28 S (PR-2B)	Z8	574760 R	244,00	
	V 35 S (PR-2B)	Z8	574762 R	268,00	
	SANHA-Press Pressfittings Serie 6000	SA 12		570930	530,00
		SA 14		570932	530,00
		SA 15		570935	364,00
SA 16			570937	364,00	
SA 18			570940	364,00	
SA 22			570945	364,00	
SA 28			570950	364,00	
SA 35			570955	364,00	
M 12			570100	303,00	
M 15			570110	303,00	
M 18			570120	303,00	
M 22			570130	303,00	
M 28			570140	303,00	
M 35			570150	303,00	
M 42 (PR-3S)		Z2	572706 R	1 320,00	
M 54 (PR-3S)		Z2	572708 R	1 320,00	
XP 64,0 XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579100 R	2 070,00	
XP 66,7 XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579108 R	2 280,00	
M 66,7 XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579107 R	2 280,00	
M 76,1 XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00	
M 88,9 G XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	
M 108,0 G XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00	
M 12 S (PR-2B)		Z8	574736 R	244,00	
M 15 S (PR-2B)		Z8	574738 R	244,00	
M 18 S (PR-2B)		Z8	574740 R	244,00	
M 22 S (PR-2B)		Z8	574742 R	244,00	
M 28 S (PR-2B)		Z8	574744 R	244,00	
M 35 S (PR-2B)		Z8	574746 R	268,00	
V 12			570107	303,00	
V 14			570112	303,00	
VG 14			570132	303,00	
V 15			570115	303,00	
V 16			570117	303,00	
VG 16			570137	303,00	
V 18			570125	303,00	
V 22			570135	303,00	
V 28			570145	303,00	
V 35			570155	303,00	
V 42			570165	710,00	
V 42 (PR-2B)		Z2	572850 R	640,00	
V 54			570175	730,00	
V 54 (PR-2B)		Z2	572851 R	690,00	
V 12 S (PR-2B)		Z8	574748 R	244,00	
VG 14 S (PR-2B)		Z8	574750 R	244,00	
V 15 S (PR-2B)		Z8	574752 R	244,00	
VG 16 S (PR-2B)		Z8	574754 R	244,00	
V 18 S (PR-2B)		Z8	574756 R	244,00	
V 22 S (PR-2B)	Z8	574758 R	244,00		
V 28 S (PR-2B)	Z8	574760 R	244,00		
V 35 S (PR-2B)	Z8	574762 R	268,00		

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
SANHA-Press SOLAR Pressfittings Serie 12000/ Serie 13000	SA 12		570930	530,00
	SA 15		570935	364,00
	SA 18		570940	364,00
	SA 22		570945	364,00
	SA 28		570950	364,00
	SA 35		570955	364,00
	M 12		570100	303,00
	M 15		570110	303,00
	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	XP 64,0 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579100 R	2 070,00
	XP 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579108 R	2 280,00
	M 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579107 R	2 280,00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00
	M 12 S (PR-2B)	Z8	574736 R	244,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
	V 12		570107	303,00
	V 15		570115	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
	V 12		570107	303,00
	V 15		570115	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	V 12 S (PR-2B)	Z8	574748 R	244,00
	VG 14 S (PR-2B)	Z8	574750 R	244,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
VG 16 S (PR-2B)	Z8	574754 R	244,00	
V 18 S (PR-2B)	Z8	574756 R	244,00	
V 22 S (PR-2B)	Z8	574758 R	244,00	
V 28 S (PR-2B)	Z8	574760 R	244,00	
V 35 S (PR-2B)	Z8	574762 R	268,00	
SANHA PURAPRESS Serie 8000	SA 12		570930	530,00
	SA 14		570932	530,00
	SA 15		570935	364,00
	SA 16		570937	364,00
	SA 18		570940	364,00
	SA 22		570945	364,00
	SA 28		570950	364,00
	SA 35		570955	364,00
	M 12		570100	303,00
	M 15 ¹⁾		570110	303,00
	M 18 ¹⁾		570120	303,00
	M 22 ¹⁾		570130	303,00
	M 28 ¹⁾		570140	303,00
	M 35 ¹⁾		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	XP 64,0 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579100 R	2 070,00
	XP 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579108 R	2 280,00
	M 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579107 R	2 280,00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00
	M 12 S (PR-2B)	Z8	574736 R	244,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
	V 12		570107	303,00
	V 14		570112	303,00
	VG 14		570132	303,00
	V 15		570115	303,00
	V 16		570117	303,00
	VG 16		570137	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	V 12 S (PR-2B)	Z8	574748 R	244,00
	VG 14 S (PR-2B)	Z8	574750 R	244,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	VG 16 S (PR-2B)	Z8	574754 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
V 22 S (PR-2B)	Z8	574758 R	244,00	
V 28 S (PR-2B)	Z8	574760 R	244,00	
V 35 S (PR-2B)	Z8	574762 R	268,00	

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
SANHA-Therm Serie 24000	SA 12		570930	530,00
	SA 15		570935	364,00
	SA 18		570940	364,00
	SA 22		570945	364,00
	SA 28		570950	364,00
	SA 35		570955	364,00
	M 12		570100	303,00
	M 15		570110	303,00
	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	XP 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579108 R	2 280,00
	M 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579107 R	2 280,00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579111 R	2 660,00
	M 12 S (PR-2B)	Z8	574736 R	244,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
	V 12		570107	303,00
	V 15		570115	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	V 12 S (PR-2B)	Z8	574748 R	244,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
V 35 S (PR-2B)	Z8	574762 R	268,00	
SANHA-Therm Industry Serie 28000	SA 12		570930	530,00
	SA 15		570935	364,00
	SA 18		570940	364,00
	SA 22		570945	364,00
	SA 28		570950	364,00
	SA 35		570955	364,00
	M 12		570100	303,00
	M 15		570110	303,00
	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	XP 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579108 R	2 280,00
	M 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579107 R	2 280,00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579111 R	2 660,00
	M 12 S (PR-2B)	Z8	574736 R	244,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
	V 12		570107	303,00
	V 15		570115	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	V 12 S (PR-2B)	Z8	574748 R	244,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
V 35 S (PR-2B)	Z8	574762 R	268,00	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.	
SANITOP PERMATUBO INOX	M 15		570110	303,00	
	M 18 ¹⁾		570120	303,00	
	M 22		570130	303,00	
	M 28 ¹⁾		570140	303,00	
	M 35		570150	303,00	
	M 35 (PR-3S)	Z2	572727 R	1 320,00	
	M 42 (PZ-4G)		570160	980,00	
	M 54 (PZ-4G)		570170	980,00	
	M 42 (PR-3S)	Z2	572706 R	1 320,00	
	M 54 (PR-3S)	Z2	572708 R	1 320,00	
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579101 R	2 280,00	
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579110 R	2 660,00	
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579111 R	2 660,00	
	M 15 S (PR-2B)	Z8	574738 R	244,00	
	M 18 S (PR-2B)	Z8	574740 R	244,00	
	M 22 S (PR-2B)	Z8	574742 R	244,00	
	M 28 S (PR-2B)	Z8	574744 R	244,00	
	M 35 S (PR-2B)	Z8	574746 R	268,00	
	SANPRO THPRESS	TH 16*		570460	365,00
		TH 20*		570470	365,00
TH 26*			570475	365,00	
TH 32			570480	365,00	
TH 16 S (PR-2B)**		Z8	574782 R	244,00	
TH 20 S (PR-2B)**		Z8	574788 R	244,00	
TH 26 S (PR-2B)**	Z8	574794 R	244,00		
TH 32 S (PR-2B)	Z8	574798 R	268,00		
SATEC SK ViTerm	TH 16*		570460	365,00	
	TH 18*		570465	365,00	
	TH 20*		570470	365,00	
	TH 26*		570475	365,00	
	TH 32		570480	365,00	
	U 40		570790	488,00	
	U 50		570795	590,00	
U 63 (PZ-S)		572365	1 270,00		
SAVEUR REFLEX PEX Water	TH 16*		570460	365,00	
	TH 20*		570470	365,00	
	TH 25*		570480	365,00	
SAVEUR REFLEX PEX-AL-PEX Gas	TH 16*		570460	365,00	
	TH 20*		570470	365,00	
	TH 25*		570495	365,00	
	TH 32		570480	365,00	
Schütz duo-flex tri-o-flex	TH 14*		570455	365,00	
	TH 16*		570460	365,00	
	TH 17*		570462	365,00	
	TH 20*		570470	365,00	
	TH 25*		570495	365,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
TH 20 S (PR-2B)**	Z8	574788 R	244,00		
Schwer Fittings AQUApress	M 12		570100	303,00	
	M 15		570110	303,00	
	M 18		570120	303,00	
	M 22		570130	303,00	
	M 28		570140	303,00	
	M 35		570150	303,00	
	M 42 (PZ-4G)		570160	980,00	
	M 54 (PZ-4G)		570170	980,00	
	M 42 (PR-3S)	Z2	572706 R	1 320,00	
	M 54 (PR-3S)	Z2	572708 R	1 320,00	
	M 12 S (PR-2B)	Z8	574736 R	244,00	
	M 15 S (PR-2B)	Z8	574738 R	244,00	
M 18 S (PR-2B)	Z8	574740 R	244,00		
M 22 S (PR-2B)	Z8	574742 R	244,00		
M 28 S (PR-2B)	Z8	574744 R	244,00		
M 35 S (PR-2B)	Z8	574746 R	268,00		
Seppelfricke	> Aalberts integrated piping systems				
	SESTA SESTA GAS	TH 14*		570455	365,00
		TH 16*		570460	365,00
		TH 20*		570470	365,00
		TH 26*		570475	365,00
TH 32			570480	365,00	

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

³⁾ Driven by REMS Power-Press XL ACC, see page 188.

⁴⁾ Driven by REMS Akku-Press XL 45kN 22V ACC, see page 196.

⁵⁾ For taking suitable pressing inserts.

⁶⁾ Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

⁷⁾ Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

⁸⁾ For making press joints for operating pressure ≤ PN 10.

⁹⁾ For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

¹⁰⁾ For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

¹¹⁾ Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

¹²⁾ Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website: www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.	
SESTA Sistema multistrato	H 16*		570320	329,00	
	H 20*		570350	329,00	
	TH 14*		570455	365,00	
	TH 16*		570460	365,00	
	TH 18*		570465	365,00	
	TH 20*		570470	365,00	
	TH 26*		570475	365,00	
	TH 32		570480	365,00	
	TH 40		570485	484,00	
	TH 50 (PZ-S)		572400	1 270,00	
	TH 63 (PZ-S)		572405	1 270,00	
	U 16*		570765	341,00	
	U 20*		570775	341,00	
	SIGMA LI Premium	TH 16*		570460	365,00
		TH 20*		570470	365,00
		TH 25*		570495	365,00
		TH 32		570480	365,00
TH 16 S (PR-2B)**		Z8	574782 R	244,00	
TH 20 S (PR-2B)**		Z8	574788 R	244,00	
TH 25 S (PR-2B)**		Z8	574792 R	244,00	
TH 32 S (PR-2B)		Z8	574798 R	268,00	
U 16*			570765	341,00	
U 20*			570775	341,00	
U 25*			570780	341,00	
U 32		570785	400,00		
SLOVARM PEX-THERM	U 16*		570765	341,00	
	U 20*		570775	341,00	
	H 26*		570370	329,00	
	U 32		570785	400,00	
	H 16*		570320	329,00	
	H 20*		570350	329,00	
	H 26*		570370	329,00	
	H 32		570380	329,00	
	STANDARD HIDRAULICA MultiStandard	H 16*		570320	329,00
		H 20*		570350	329,00
H 25*			570360	329,00	
H 32			570380	329,00	
RFz 16*			571325	380,00	
RFz 20*			571330	380,00	
RFz 25			571335	380,00	
RFz 32			571340	380,00	
TH 16*			570460	365,00	
TH 20*			570470	365,00	
TH 25*			570495	365,00	
TH 32			570480	365,00	
TH 16 S (PR-2B)**		Z8	574782 R	244,00	
TH 20 S (PR-2B)**		Z8	574788 R	244,00	
TH 25 S (PR-2B)**		Z8	574792 R	244,00	
TH 32 S (PR-2B)		Z8	574798 R	268,00	
U 16*			570765	341,00	
U 18*			570770	341,00	
U 20*			570775	341,00	
U 25*			570780	341,00	
U 32			570785	400,00	
U 40			570790	488,00	
U 50			570795	590,00	
U 63 (PR-3B)	Z4	572837 R	1 440,00		
U 63 (PZ-S)		572365	1 270,00		
steeltrade Presssystem Edelstahl Kontur M	M 15		570110	303,00	
	M 18 ¹⁾		570120	303,00	
	M 22		570130	303,00	
	M 28 ¹⁾		570140	303,00	
	M 35		570150	303,00	
	M 42 (PR-3S)	Z2	572706 R	1 320,00	
	M 54 (PR-3S)	Z2	572708 R	1 320,00	
	M 76,1 XL (PR-3S)	Z6 XL ²⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00	
	M 88,9 G XL (PR-3S)	Z6 XL ²⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00	
	M 108,0 G XL (PR-3S)	Z6 XL ²⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00	
	M 15 S (PR-2B)	Z8	574738 R	244,00	
	M 18 S (PR-2B)	Z8	574740 R	244,00	
	M 22 S (PR-2B)	Z8	574742 R	244,00	
	M 28 S (PR-2B)	Z8	574744 R	244,00	
	M 35 S (PR-2B)	Z8	574746 R	268,00	
	STELBI Polikraft	H 16*		570320	329,00
		H 20*		570350	329,00
		H 26*		570370	329,00
		TH 16*		570460	365,00
		TH 20*		570470	365,00
TH 26*			570475	365,00	
TH 32			570480	365,00	
TH 40			570485	484,00	
TH 50 (PZ-S)			572400	1 270,00	
TH 63 (PZ-S)			572405	1 270,00	
TH 16 S (PR-2B)**		Z8	574782 R	244,00	
TH 20 S (PR-2B)**		Z8	574788 R	244,00	
TH 26 S (PR-2B)**		Z8	574794 R	244,00	
TH 32 S (PR-2B)		Z8	574798 R	268,00	
U 16*			570765	341,00	
U 20*			570775	341,00	
U 26* ¹²⁾			570750	400,00	
STELBI Stelgas		TH 16*		570460	365,00
		TH 20*		570470	365,00
		TH 26*		570475	365,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
STH Westco COPPER PRESS	M 15		570110	303,00
	M 22		570130	303,00
	M 28 ¹⁾		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
T				
TDM BRASS Serie 1600	H 16*		570320	329,00
	H 18*		570340	329,00
	H 20*		570350	329,00
	H 25*		570360	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	TH 16*		570460	365,00
	TH 18*		570465	365,00
	TH 20*		570470	365,00
	TH 25*		570495	365,00
	TH 26*		570475	365,00
	THL 32		570487	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 18 S (PR-2B)**	Z8	574786 R	244,00
TH 20 S (PR-2B)**	Z8	574788 R	244,00	
TH 25 S (PR-2B)**	Z8	574792 R	244,00	
TH 26 S (PR-2B)**	Z8	574794 R	244,00	
U 16*		570765	341,00	
U 18*		570770	341,00	
U 20*		570775	341,00	
U 25*		570780	341,00	
U 26* ¹²⁾		570750	400,00	
U 32		570785	400,00	
TDM BRASS Serie 2600	H 16*		570320	329,00
	H 18*		570340	329,00
	H 20*		570350	329,00
	H 25*		570360	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	TH 16*		570460	365,00
	TH 18*		570465	365,00
	TH 20*		570470	365,00
	TH 25*		570495	365,00
	TH 26*		570475	365,00
	THL 32		570487	365,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 18 S (PR-2B)**	Z8	574786 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 25 S (PR-2B)**	Z8	574792 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
U 16*		570765	341,00	
U 18*		570770	341,00	
U 20*		570775	341,00	
U 25*		570780	341,00	
U 26* ¹²⁾		570750	400,00	
U 32		570785	400,00	
TDM BRASS Serie 1700 gas	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	THL 32		570487	365,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
TH 26 S (PR-2B)**	Z8	574794 R	244,00	
TermoConcept TC-PRESS	Basic E01 ¹⁾		571855	600,00
THERMOLUTZ	H 14*		570310	329,00
	H 16*		570320	329,00
	TH 20*		570470	365,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
TE-SA TE-SA press serie 800	TH 14*		570455	365,00
	TH 16*		570460	365,00
	TH 18*		570465	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	TH 14 S (PR-2B)**	Z8	574778 R	244,00
TH 16 S (PR-2B)**	Z8	574782 R	244,00	
TH 18 S (PR-2B)**	Z8	574786 R	244,00	
TH 20 S (PR-2B)**	Z8	574788 R	244,00	
TH 26 S (PR-2B)**	Z8	574794 R	244,00	
TH 32 S (PR-2B)	Z8	574798 R	268,00	
THERMACOME ACOPEX ALU	H 16*		570320	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	U 16*		570765	341,00
	U 20*		570775	341,00
U 32		570785	400,00	

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press)
and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.	System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.	
TIEMME 1650 AL-COBRAPEX	TH 14*		570455	365,00	TRA MULTITRAPRESS	U 16*		570765	341,00	
	TH 16*		570460	365,00		U 18*		570770	341,00	
	TH 18*		570465	365,00		U 20*		570775	341,00	
	TH 20*		570470	365,00		U 25*		570780	341,00	
	TH 25*		570495	365,00		U 32		570785	400,00	
	TH 26*		570475	365,00		U 40		570790	488,00	
	THL 32		570487	365,00		U 50		570795	590,00	
	TH 40		570485	484,00		U 63 (PR-3B)	Z4	572837 R	1 440,00	
	TH 50 (PZ-S)		572400	1 270,00		U 63 (PZ-S)		572365	1 270,00	
	TH 63 (PZ-S)		572405	1 270,00		TRA TRAPRESS	H 12*		570300	329,00
	THz 75 (PR-3B)	Z4	572829 R	1 200,00			H 16*		570320	329,00
	TH 14 S (PR-2B)**	Z8	574778 R	244,00			H 20*		570350	329,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00			H 25*		570360	329,00
	TH 18 S (PR-2B)**	Z8	574786 R	244,00			H 32		570380	329,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00			RFz 12*		571320	380,00
	TH 25 S (PR-2B)**	Z8	574792 R	244,00			RFz 16*		571325	380,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00			RFz 20*		571330	380,00
							RFz 25		571335	380,00
							RFz 32		571340	380,00
	TIEMME 1700 COBRAPEX	RFz 12*		571320		380,00	Tradelink TradePex Crimp Water	K16/P18*		572600
RFz 16*			571325	380,00	K/20*			572605	380,00	
RFz 20*			571330	380,00	K/25*			572610	380,00	
RFz 25			571335	380,00	K32			572615	380,00	
RFz 32			571340	380,00	K1/40			572620	380,00	
TH 40			570485	484,00	K1/50			572625	630,00	
TH 50 (PZ-S)			572400	1 270,00	Tradelink TradePex Crimp Gas	K16/P18*			572600	380,00
TH 63 (PZ-S)			572405	1 270,00		K/20*			572605	380,00
				K/25*			572610	380,00		
				K32			572615	380,00		
TIEMME 1650 AL-COBRAPEX GAS	TH 16*		570460	365,00	TUBIPLAST ITALY MULTILAYER PIPE	K1/40		572620	380,00	
	TH 20*		570470	365,00		K1/50		572625	630,00	
	TH 26*		570475	365,00		TH 16*		570460	365,00	
	THL 32		570487	365,00		TH 18*		570465	365,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00		TH 20*		570470	365,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00		TH 26*		570475	365,00	
TH 26 S (PR-2B)**	Z8	574794 R	244,00	TH 32		570480	365,00			
TIGRE ALPEX GÁS	TH 16*		570460	365,00	TH 40		570485	484,00		
	TH 20*		570470	365,00	TH 50 (PZ-S)		572400	1 270,00		
	TH 26*		570475	365,00	TH 63 (PZ-S)		572405	1 270,00		
	TH 32		570480	365,00	TH 16 S (PR-2B)**	Z8	574782 R	244,00		
	TKM Systemtechnik	TH 14*		570455	365,00	TH 18 S (PR-2B)**	Z8	574786 R	244,00	
		TH 16*		570460	365,00	TH 20 S (PR-2B)**	Z8	574788 R	244,00	
		TH 20*		570470	365,00	TH 26 S (PR-2B)**	Z8	574794 R	244,00	
		TH 26*		570475	365,00	TH 32 S (PR-2B)	Z8	574798 R	268,00	
TH 32			570480	365,00	H 16*		570320	329,00		
TH 40			570485	484,00	H 18*		570340	329,00		
TH 50 (PZ-S)			572400	1 270,00	H 20*		570350	329,00		
TH 63 (PZ-S)			572405	1 270,00	H 26*		570370	329,00		
TRA Multi TRA+	H 16*		570320	329,00	H 32		570380	329,00		
	H 20*		570350	329,00	U 16*		570765	341,00		
	H 25*		570360	329,00	U 18*		570770	341,00		
	H 26*		570370	329,00	U 20*		570775	341,00		
	H 32		570380	329,00	U 26* ¹²⁾		570750	400,00		
	H 40 (PZ-46)		570390	1 110,00	U 32		570785	400,00		
	TH 16*		570460	365,00	TUBIPLAST ITALY MULTILAYER PIPE GAS SYSTEM	TH 16*		570460	365,00	
	TH 20*		570470	365,00		TH 18*		570465	365,00	
	TH 25*		570495	365,00		TH 20*		570470	365,00	
	TH 26*		570475	365,00		TH 26*		570475	365,00	
	TH 32		570480	365,00		TH 32		570480	365,00	
	TH 40		570485	484,00		TH 16 S (PR-2B)**	Z8	574782 R	244,00	
	TH 50 (PZ-S)		572400	1 270,00		TH 18 S (PR-2B)**	Z8	574786 R	244,00	
	TH 63 (PZ-S)		572405	1 270,00		TH 20 S (PR-2B)**	Z8	574788 R	244,00	
	THz 75 (PR-3B)	Z4	572829 R	1 200,00		TH 26 S (PR-2B)**	Z8	574794 R	244,00	
	TH 16 S (PR-2B)**	Z8	574782 R	244,00		TH 32 S (PR-2B)	Z8	574798 R	268,00	
	TH 20 S (PR-2B)**	Z8	574788 R	244,00	TWEETOP	U 16*		570765	341,00	
	TH 25 S (PR-2B)**	Z8	574792 R	244,00		U 20*		570775	341,00	
	TH 26 S (PR-2B)**	Z8	574794 R	244,00		U 25*		570780	341,00	
	TH 32 S (PR-2B)	Z8	574798 R	268,00		U 32		570785	400,00	
	U 16*		570765	341,00		U 40		570790	488,00	
	U 20*		570775	341,00		U 50		570795	590,00	
	U 25*		570780	341,00		U 63 (PR-3B)	Z4	572837 R	1 440,00	
	U 26* ¹²⁾		570750	400,00		U 63 (PZ-S)		572365	1 270,00	
	U 32		570785	400,00		U 75 (PR-3B)	Z4	572828 R	1 270,00	
	U 40		570790	488,00						
U 50		570795	590,00							

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

³⁾ Driven by REMS Power-Press XL ACC, see page 188.

⁴⁾ Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

⁵⁾ For taking suitable pressing inserts.

⁶⁾ Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

⁷⁾ Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

⁸⁾ For making press joints for operating pressure ≤ PN 10.

⁹⁾ For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

¹⁰⁾ For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

¹¹⁾ Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

¹²⁾ Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
U				
UNICAL AG	U 16*		570765	341,00
MAX-MULTIPEX	U 20*		570775	341,00
	H 26*		570370	329,00
	U 26* ⁽¹²⁾		570750	400,00
	U 32		570785	400,00
UNIDELTA DELTAPRESS	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	H 16*		570320	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	H 40 (PZ-4G)		570390	1 110,00
	U 16*		570765	341,00
	U 20*		570775	341,00
	U 32		570785	400,00
	U 40		570790	488,00
	U 50		570795	590,00
	U 63 (PZ-S)		572365	1 270,00
UNIDELTA DELTAPRESS GAS	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	H 16*		570320	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	U 16*		570765	341,00
	U 20*		570775	341,00
	U 32		570785	400,00
Uponor	UP 14*		572630	341,00
	UP 16*		572632	341,00
	UP 20*		572636	341,00
	UP 25		572638	341,00
	UP 32		572640	400,00
	U 40		570790	488,00
	U 50		570795	590,00
	U 63 (PR-3B)	Z4	572837 R	1 440,00
	U 63 (PZ-S)		572365	1 270,00
	U 75 (PR-3B)	Z4	572828 R	1 270,00
V				
Valsir Bravopress	B 16*		570850	398,00
	B 20*		570860	398,00
	B 26		570870	439,00
	B 32		570880	439,00
	F 16*		570717	348,00
	F 20*		570727	348,00
	F 26*		570730	376,00
	F 16 S (PR-2B)**	Z8	574728 R	244,00
	F 20 S (PR-2B)**	Z8	574730 R	244,00
	F 26 S (PR-2B)**	Z8	574732 R	244,00
	H 16*		570320	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	H 32 V		570685	421,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	U 16*		570765	341,00
	U 20*		570775	341,00
	U 26* ⁽¹²⁾		570750	400,00
	U 32		570785	400,00
Valsir PEXAL	H 14*		570310	329,00
	H 16*		570320	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	H 32 V		570685	421,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	U 16*		570765	341,00
	U 20*		570775	341,00
	U 26* ⁽¹²⁾		570750	400,00
	U 32		570785	400,00
	U 40		570790	488,00
	U 50		570795	590,00
	U 63 (PR-3B)	Z4	572837 R	1 440,00
	U 63 (PZ-S)		572365	1 270,00
	U 75 (PR-3B)	Z4	572828 R	1 270,00

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
Van Marcke NV SYSTEMPEX	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	THz 75 (PR-3B)	Z4	572829 R	1 200,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
Van Marcke NV Tubipress	M 12		570100	303,00
	M 15		570110	303,00
	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PZ-4G)		570160	980,00
	M 54 (PZ-4G)		570170	980,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 76,1 XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579111 R	2 660,00
	M 12 S (PR-2B)	Z8	574736 R	244,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
Variotherm System TH	TH 11,6*		570482	365,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 11,6 S (PR-2B)**	Z8	574774 R	244,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
VESBO CARBON	M 15		570110	303,00
	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 76,1 XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579111 R	2 660,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
VESBO INOX	M 15		570110	303,00
	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 76,1 XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579111 R	2 660,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
VESBO MULTIPRESS TH-U	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	U 16*		570765	341,00
	U 20*		570775	341,00
	U 26* ⁽¹²⁾		570750	400,00
	U 32		570785	400,00
VESBO VPREMIUM	U 16*		570765	341,00
	U 20*		570775	341,00
	U 25*		570780	341,00
	U 32		570785	400,00
	U 40		570790	488,00
	U 50		570795	590,00
	U 63 (PZ-S)		572365	1 270,00
Viega Fonterra	VX 12*		571630	421,00
	VP 14/15*		570905	364,00
	VP 16/17*		570910	364,00
	VP 20*		570915	364,00
	VP 25 ⁽²⁾		570920	364,00
Viega MegaPress (ASTM) ⁽¹⁰⁾	VMP 3/8" (OD 17,2 mm)		571740	421,00
	VMP 1/2" G (OD 21,3 mm)		571766 R	421,00
	VMPz 3/8" (OD 26,9 mm)		571764	421,00
	VMPz 1" (OD 33,7 mm)		571767	421,00
	VMPz 1 1/4" (PZ-S) (OD 42,4 mm)		572413	1 380,00
	VMPz 1 1/2" (PR-3B) (OD 48,3 mm)	Z5	572844 R	940,00
	VMPz 2" (PR-3B) (OD 60,3 mm)	Z5	572845 R	940,00

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.	System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.	
Viega MegaPress 304 FKM (ASTM) ¹⁰⁾	VMP ½" G (OD 21,3 mm)		571766 R	421,00	Viega Profipress	V 12		570107	303,00	
	VMPz ¾" (OD 26,9 mm)		571764	421,00		VG 14		570132	303,00	
	VMPz 1" (OD 33,7 mm)		571767	421,00		V 15		570115	303,00	
	VMPz 1¼" (PZ-S) (OD 42,4 mm)		572413	1 380,00		VG 16		570137	303,00	
	VMPz 1½" (PR-3B) (OD 48,3 mm)	25	572844 R	940,00		V 18		570125	303,00	
	VMPz 2" (PR-3B) (OD 60,3 mm)	25	572845 R	940,00		V 22		570135	303,00	
Viega MegaPress 316 (ASTM) ¹⁰⁾	VMP ½" G (OD 21,3 mm)		571766 R	421,00		V 28		570145	303,00	
	VMPz ¾" (OD 26,9 mm)		571764	421,00		V 35		570155	303,00	
	VMPz 1" (OD 33,7 mm)		571767	421,00		V 42		570165	710,00	
	VMPz 1¼" (PZ-S) (OD 42,4 mm)		572413	1 380,00		V 42 (PR-2B)	22	572850 R	640,00	
	VMPz 1½" (PR-3B) (OD 48,3 mm)	25	572844 R	940,00		V 54		570175	730,00	
	VMPz 2" (PR-3B) (OD 60,3 mm)	25	572845 R	940,00		V 54 (PR-2B)	22	572851 R	690,00	
Viega MegaPress 316 FKM (ASTM) ¹⁰⁾	VMP ½" G (OD 21,3 mm)		571766 R	421,00		Vfz 64,0 (PR-3B) ⁶⁾	25	572815 R	1 200,00	
	VMPz ¾" (OD 26,9 mm)		571764	421,00		Vfz 66,7 (PR-3B)	25	572846 R	1 200,00	
	VMPz 1" (OD 33,7 mm)		571767	421,00		Vfz 76,1 (PR-3B) ⁶⁾	25	572816 R	1 200,00	
	VMPz 1¼" (PZ-S) (OD 42,4 mm)		572413	1 380,00		Vfz 88,9 (PR-3B) ⁶⁾	25	572817 R	1 270,00	
	VMPz 1½" (PR-3B) (OD 48,3 mm)	25	572844 R	940,00		Vfz 108,0 (PR-3B) ⁶⁾	25	572818 R	1 270,00	
	VMPz 2" (PR-3B) (OD 60,3 mm)	25	572845 R	940,00		V 12 S (PR-2B)	28	574748 R	244,00	
Viega MegaPress CuNi (ASTM) ¹⁰⁾	VMP ½" G (OD 21,3 mm)		571766 R	421,00		VG 14 S (PR-2B)	28	574750 R	244,00	
	VMPz ¾" (OD 26,9 mm)		571764	421,00		V 15 S (PR-2B)	28	574752 R	244,00	
	VMPz 1" (OD 33,7 mm)		571767	421,00		V 18 S (PR-2B)	28	574754 R	244,00	
	VMPz 1¼" (PZ-S) (OD 42,4 mm)		572413	1 380,00		V 22 S (PR-2B)	28	574756 R	244,00	
	VMPz 1½" (PR-3B) (OD 48,3 mm)	25	572844 R	940,00		V 28 S (PR-2B)	28	574760 R	244,00	
	VMPz 2" (PR-3B) (OD 60,3 mm)	25	572845 R	940,00		V 35 S (PR-2B)	28	574762 R	268,00	
Viega MegaPress FKM (ASTM) ¹⁰⁾	VMP ½" G (OD 21,3 mm)		571766 R	421,00		Viega Profipress G	V 12		570107	303,00
	VMPz ¾" (OD 26,9 mm)		571764	421,00			VG 14		570132	303,00
	VMPz 1" (OD 33,7 mm)		571767	421,00			V 15		570115	303,00
	VMPz 1¼" (PZ-S) (OD 42,4 mm)		572413	1 380,00			VG 16		570137	303,00
	VMPz 1½" (PR-3B) (OD 48,3 mm)	25	572844 R	940,00			V 18		570125	303,00
	VMPz 2" (PR-3B) (OD 60,3 mm)	25	572845 R	940,00			V 22		570135	303,00
Viega Megapress (EN) ⁹⁾	VMP ¾" (OD 17,2 mm)		571740	421,00	V 28			570145	303,00	
	VMP ½" G (OD 21,3 mm)		571766 R	421,00	V 35			570155	303,00	
	VMPz ¾" (OD 26,9 mm)		571764	421,00	V 42			570165	710,00	
	VMPz 1" (OD 33,7 mm)		571767	421,00	V 42 (PR-2B)		22	572850 R	640,00	
	VMPz 1¼" (PZ-S) (OD 42,4 mm)		572413	1 380,00	V 54			570175	730,00	
	VMPz 1½" (PR-3B) (OD 48,3 mm)	25	572844 R	940,00	V 54 (PR-2B)		22	572851 R	690,00	
Viega Megapress S (EN) ⁹⁾	VMPz 2" (PR-3B) (OD 60,3 mm)	25	572845 R	940,00	Vfz 64,0 (PR-3B) ⁶⁾		25	572815 R	1 200,00	
	VMP ¾" (OD 17,2 mm)		571740	421,00	V 12 S (PR-2B)		28	574748 R	244,00	
	VMP ½" G (OD 21,3 mm)		571766 R	421,00	VG 14 S (PR-2B)		28	574750 R	244,00	
	VMPz ¾" (OD 26,9 mm)		571764	421,00	V 15 S (PR-2B)		28	574752 R	244,00	
	VMPz 1" (OD 33,7 mm)		571767	421,00	VG 16 S (PR-2B)		28	574754 R	244,00	
	VMPz 1¼" (PZ-S) (OD 42,4 mm)		572413	1 380,00	V 18 S (PR-2B)		28	574756 R	244,00	
Viega Megapress S XL (EN) ⁹⁾	VMPz 1½" (PR-3B) (OD 48,3 mm)	25	572844 R	940,00	V 22 S (PR-2B)		28	574758 R	244,00	
	VMPz 2" (PR-3B) (OD 60,3 mm)	25	572845 R	940,00	V 28 S (PR-2B)		28	574760 R	244,00	
	VMPz 2½" XL (PR-3B) EN (OD 76,1 mm)	27 XL 45 kN ⁴⁾	579112 R	1 200,00	V 35 S (PR-2B)		28	574762 R	268,00	
	VMPz 3" XL (PR-3B) (OD 88,9 mm)	27 XL 45 kN ⁴⁾	579113 R	1 200,00	Viega Profipress S		V 12		570107	303,00
	VMPz 4" XL (PR-3B) (OD 114,3 mm)	27 XL 45 kN ⁴⁾	579114 R	1 270,00			V 15		570115	303,00
	VX 16*		571635	421,00			V 18		570125	303,00
VX 20*		571640	421,00	V 22				570135	303,00	
VX 25*		571645	421,00	V 28				570145	303,00	
Viega Pexfit	VX 16*		571635	421,00			V 35		570155	303,00
	VX 20*		571640	421,00			V 12 S (PR-2B)	28	574748 R	244,00
	VX 25*		571645	421,00			V 15 S (PR-2B)	28	574752 R	244,00
	VX 25*		571645	421,00			V 18 S (PR-2B)	28	574756 R	244,00
Viega Pexfit G	VX 16*		571635	421,00		V 22 S (PR-2B)	28	574758 R	244,00	
	VX 20*		571640	421,00		V 28 S (PR-2B)	28	574760 R	244,00	
	VX 25*		571645	421,00		V 35 S (PR-2B)	28	574762 R	268,00	
	V 12		570107	303,00		Viega Profipress Therm	V 12		570107	303,00
	V 15		570115	303,00			V 15		570115	303,00
	V 18		570125	303,00			V 18		570125	303,00
V 22		570135	303,00	V 22				570135	303,00	
V 28		570145	303,00	V 12 S (PR-2B)			28	574748 R	244,00	
V 35		570155	303,00	V 15 S (PR-2B)			28	574752 R	244,00	
Viega Prestabo	V 42		570165	710,00		V 18 S (PR-2B)	28	574756 R	244,00	
	V 42 (PR-2B)	22	572850 R	640,00		V 22 S (PR-2B)	28	574758 R	244,00	
	V 54		570175	730,00		V 28 S (PR-2B)	28	574760 R	244,00	
	V 54 (PR-2B)	22	572851 R	690,00		V 35 S (PR-2B)	28	574762 R	268,00	
	Vfz 64,0 (PR-3B) ⁶⁾	25	572815 R	1 200,00		Viega ProPress (ASTM) ¹⁰⁾	VUS ½" (OD 15,9 mm)		571770	366,00
	Vfz 66,7 (PR-3B) ⁶⁾	25	572816 R	1 200,00			VUS ¾" (OD 22,2 mm)		571775	366,00
	Vfz 76,1 (PR-3B) ⁶⁾	25	572817 R	1 270,00			VUS 1" (OD 28,6 mm)		571780	366,00
	Vfz 88,9 (PR-3B) ⁶⁾	25	572818 R	1 270,00			VUS 1¼" (OD 34,9 mm)		571785	366,00
	Vfz 108,0 (PR-3B) ⁶⁾	25	572819 R	1 270,00			VUS 1½" (OD 41,3 mm)		571790	710,00
	V 12 S (PR-2B)	28	574748 R	244,00			VUS 2" (OD 54,0 mm)		571795	730,00
	V 15 S (PR-2B)	28	574752 R	244,00		XL-C/XL-S	VUSFz 2½" (PR-3B) (OD 66,7 mm)	25	572819 R	1 200,00
	V 18 S (PR-2B)	28	574756 R	244,00		XL-C/XL-S	VUSFz 3" (PR-3B) (OD 79,4 mm)	25	572820 R	1 200,00
	V 22 S (PR-2B)	28	574758 R	244,00	XL-C/XL-S	VUSFz 4" (PR-3B) (OD 104,8 mm)	25	572821 R	1 270,00	
	V 28 S (PR-2B)	28	574760 R	244,00						
	V 35 S (PR-2B)	28	574762 R	268,00						

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

2) For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

3) Driven by REMS Power-Press XL ACC, see page 188.

4) Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

5) For taking suitable pressing inserts.

6) Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

7) Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

8) For making press joints for operating pressure ≤ PN 10.

9) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

10) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

11) Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

12) Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
Viega ProPress 304 FKM (ASTM) ⁽³⁾	VUS ½" (OD 15,9 mm)		571770	366,00
	VUS ¾" (OD 22,2 mm)		571775	366,00
	VUS 1" (OD 28,6 mm)		571780	366,00
	VUS 1½" (OD 34,9 mm)		571785	366,00
	VUS 1½" (OD 41,3 mm)		571790	710,00
	VUS 2" (OD 54,0 mm)		571795	730,00
XL-C/XL-S	VUSFz 2½" (PR-3B) (OD 66,7 mm)	Z5	572819 R	1 200,00
	VUSFz 3" (PR-3B) (OD 79,4 mm)	Z5	572820 R	1 200,00
	VUSFz 4" (PR-3B) (OD 104,8 mm)	Z5	572821 R	1 270,00
Viega ProPress 316 (ASTM) ⁽³⁾	VUS ½" (OD 15,9 mm)		571770	366,00
	VUS ¾" (OD 22,2 mm)		571775	366,00
	VUS 1" (OD 28,6 mm)		571780	366,00
	VUS 1½" (OD 34,9 mm)		571785	366,00
	VUS 1½" (OD 41,3 mm)		571790	710,00
	VUS 2" (OD 54,0 mm)		571795	730,00
XL-C/XL-S	VUSFz 2½" (PR-3B) (OD 66,7 mm)	Z5	572819 R	1 200,00
	VUSFz 3" (PR-3B) (OD 79,4 mm)	Z5	572820 R	1 200,00
	VUSFz 4" (PR-3B) (OD 104,8 mm)	Z5	572821 R	1 270,00
Viega ProPress WATER System AUS	VAU 15 (OD 12,7 mm)		572687	313,00
	VAU 20 (OD 19,1 mm)		572689	313,00
	VAU 25 (OD 25,4 mm)		572691	313,00
	VAU 32 (OD 31,8 mm)		572693	329,00
	VAU 40 (OD 38,1 mm)		572695	488,00
	VAU 50 (OD 50,8 mm)		572697	870,00
Viega ProPressG GAS System AUS	VAU 15 (OD 12,7 mm)		572687	313,00
	VAU 20 (OD 19,1 mm)		572689	313,00
	VAU 25 (OD 25,4 mm)		572691	313,00
	VAU 32 (OD 31,8 mm)		572693	329,00
	VAU 40 (OD 38,1 mm)		572695	488,00
	VAU 50 (OD 50,8 mm)		572697	870,00
Viega Raxinox	VRX 16		571750	384,00
	VRX 20		571752	384,00
Viega Raxofix	VRX 16		571750	384,00
	VRX 20		571752	384,00
	VRX 25		571754	421,00
	VRX 32		571756	421,00
	VRX 40		571758	590,00
	VRX 50		571760	690,00
Viega Sanfix ⁽²⁾	VP 16/17 ⁽³⁾		570910	364,00
	VP 20 ⁽³⁾		570915	364,00
Viega Sanfix Fosta ⁽³⁾	VP 25 ⁽³⁾		570920	364,00
	VP 32		570925	402,00
	VP 40 (PZ-4G)		570970	970,00
	VPz 50 (PZ-S)		572350	1 270,00
	VPz 63 (PZ-S)		572355	1 270,00
Viega Sanpress	V 12		570107	303,00
	V 15		570115	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	VR 76,1 (PR-3B) ⁽⁴⁾	Z5	572822 R	1 200,00
	VR 88,9 (PR-3B) ⁽⁴⁾	Z5	572823 R	1 270,00
	VR 108,0 (PR-3B) ⁽⁴⁾	Z5	572824 R	1 270,00
	V 12 S (PR-2B)	Z8	574748 R	244,00
V 15 S (PR-2B)	Z8	574752 R	244,00	
V 18 S (PR-2B)	Z8	574756 R	244,00	
V 22 S (PR-2B)	Z8	574758 R	244,00	
V 28 S (PR-2B)	Z8	574760 R	244,00	
V 35 S (PR-2B)	Z8	574762 R	268,00	
Viega Sanpress Inox	V 15		570115	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	Vfz 64,0 (PR-3B) ⁽⁴⁾	Z5	572815 R	1 200,00
	Vfz 76,1 (PR-3B) ⁽⁴⁾	Z5	572816 R	1 200,00
	Vfz 88,9 (PR-3B) ⁽⁴⁾	Z5	572817 R	1 270,00
	Vfz 108,0 (PR-3B) ⁽⁴⁾	Z5	572818 R	1 270,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
V 18 S (PR-2B)	Z8	574756 R	244,00	
V 22 S (PR-2B)	Z8	574758 R	244,00	
V 28 S (PR-2B)	Z8	574760 R	244,00	
V 35 S (PR-2B)	Z8	574762 R	268,00	
Viega Sanpress Inox G	V 15		570115	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	Vfz 64,0 (PR-3B) ⁽⁴⁾	Z5	572815 R	1 200,00
	Vfz 76,1 (PR-3B) ⁽⁴⁾	Z5	572816 R	1 200,00
	Vfz 88,9 (PR-3B) ⁽⁴⁾	Z5	572817 R	1 270,00
	Vfz 108,0 (PR-3B) ⁽⁴⁾	Z5	572818 R	1 270,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
V 18 S (PR-2B)	Z8	574756 R	244,00	
V 22 S (PR-2B)	Z8	574758 R	244,00	
V 28 S (PR-2B)	Z8	574760 R	244,00	
V 35 S (PR-2B)	Z8	574762 R	268,00	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	лв.
Viega Smartpress	VX 16"		571635	421,00
	VX 20"		571640	421,00
	VX 25"		571645	421,00
Viega Temponox	V 15		570115	303,00
	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	Vfz 76,1 (PR-3B) ⁽⁴⁾	Z5	572816 R	1 200,00
	Vfz 88,9 (PR-3B) ⁽⁴⁾	Z5	572817 R	1 270,00
Vfz 108,0 (PR-3B) ⁽⁴⁾	Z5	572818 R	1 270,00	
Viessmann	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
	V 35 S (PR-2B)	Z8	574762 R	268,00
	TH 14"		570455	365,00
	TH 16"		570460	365,00
	TH 20"		570470	365,00
Vogel & Noot EASYTEC	TH 26"		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	VSH	> Aalberts integrated piping systems		

W

Watts MTR Art press	TH 16"		570460	365,00
	TH 20"		570470	365,00
	TH 26"		570475	365,00
Watts Radiant	TH 32		570480	365,00
	US ¾"		571450	415,00
	US ½"		571455	415,00
	US ¾"		571460	415,00
	US 1"		571465	415,00
Watts RadiantPEX	US 1 ¼"		571470	415,00
	US 1 ½"		571475	415,00
	US ¾"		571450	415,00
	US ½"		571455	415,00
	US ¾"		571460	415,00
Watts RadiantPEX-AL	US 1"		571465	415,00
	US 1 ¼"		571470	415,00
	US 1 ½"		571475	415,00
	U 16 (½")		570765	341,00
	U 20 (¾")		570775	341,00
Wavin Tigris K1/M1	U 25 (¾")		570780	341,00
	U 32 (1")		570785	400,00
Wavin Tigris K5/M5	U 50		570795	590,00
	U 63 (PR-3B)	Z4	572837 R	1 440,00
	U 63 (PZ-S)		572365	1 270,00
	U 75 (PR-3B)	Z4	572828 R	1 270,00
	B 16"		570850	398,00
	B 20"		570860	398,00
	B 32		570880	439,00
	H 16"		570320	329,00
	H 20"		570350	329,00
	H 25"		570360	329,00
	H 32		570380	329,00
	H 40 (PZ-4G)		570390	1 110,00
	TH 16"		570460	365,00
	TH 20"		570470	365,00
TH 25"		570495	365,00	
TH 32		570480	365,00	
TH 40		570485	484,00	
TH 16 S (PR-2B)**	Z8	574782 R	244,00	
TH 20 S (PR-2B)**	Z8	574788 R	244,00	
TH 25 S (PR-2B)**	Z8	574792 R	244,00	
TH 32 S (PR-2B)	Z8	574798 R	268,00	
U 16"		570765	341,00	
U 20"		570775	341,00	
U 25"		570780	341,00	
U 32		570785	400,00	
U 40		570790	488,00	
UP 16"		572632	341,00	
UP 20"		572636	341,00	
UP 25		572638	341,00	
UP 32		572640	400,00	

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press)
and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.
WEECON	M 15		570110	303,00
PRESS-C-Stahl	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PZ-4G)		570160	980,00
	M 54 (PZ-4G)		570170	980,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 76,1 XL (PR-3S)	Z6 XL ²⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
WEECON	M 15		570110	303,00
PRESS-Edelstahl	M 18		570120	303,00
	M 22		570130	303,00
	M 28		570140	303,00
	M 35		570150	303,00
	M 42 (PZ-4G)		570160	980,00
	M 54 (PZ-4G)		570170	980,00
	M 42 (PR-3S)	Z2	572706 R	1 320,00
	M 54 (PR-3S)	Z2	572708 R	1 320,00
	M 76,1 XL (PR-3S)	Z6 XL ²⁾ / Z7 XL 45 kN ⁴⁾	579101 R	2 280,00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	2 660,00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	2 660,00
	M 15 S (PR-2B)	Z8	574738 R	244,00
	M 18 S (PR-2B)	Z8	574740 R	244,00
	M 22 S (PR-2B)	Z8	574742 R	244,00
	M 28 S (PR-2B)	Z8	574744 R	244,00
	M 35 S (PR-2B)	Z8	574746 R	268,00
WEECON	V 15		570115	303,00
PRESS-Kupfer	V 18		570125	303,00
	V 22		570135	303,00
	V 28		570145	303,00
	V 35		570155	303,00
	V 42		570165	710,00
	V 42 (PR-2B)	Z2	572850 R	640,00
	V 54		570175	730,00
	V 54 (PR-2B)	Z2	572851 R	690,00
	V 15 S (PR-2B)	Z8	574752 R	244,00
	V 18 S (PR-2B)	Z8	574756 R	244,00
	V 22 S (PR-2B)	Z8	574758 R	244,00
	V 28 S (PR-2B)	Z8	574760 R	244,00
	V 35 S (PR-2B)	Z8	574762 R	268,00
WEM	U 16*		570765	341,00
WIELAND-WERKE cuprotherm CTX ²⁾	TH 14 ²⁾		570455	365,00
	TH 16 ²⁾		570460	365,00
WKS-Press	TH 14*		570455	365,00
	TH 16*		570460	365,00
	TH 17*		570462	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
WÜRTH	TH 16*		570460	365,00
Würth	TH 20*		570470	365,00
	TH 26*		570475	365,00
	HE 32		571900	437,00
	HEz 40		571904	640,00

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	лв.
X				
XtraConnect	F 16*		570717	348,00
	F 20*		570727	348,00
	F 26*		570730	376,00
	F 32		570735	376,00
	F 16 S (PR-2B)**	Z8	574728 R	244,00
	F 20 S (PR-2B)**	Z8	574730 R	244,00
	F 26 S (PR-2B)**	Z8	574732 R	244,00
	F 32 S (PR-2B)	Z8	574734 R	268,00
	H 16*		570320	329,00
	H 20*		570350	329,00
	H 26*		570370	329,00
	H 32		570380	329,00
	TH 16*		570460	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
	U 16*		570765	341,00
	U 20*		570775	341,00
(DN 26)	U 25*		570780	341,00
	U 32		570785	400,00
	VP 16*		570910	364,00
	VP 20*		570915	364,00
	VP 32		570925	402,00
Z				
ZEWOTHERM	TH 12*		570452	365,00
Zewo Press Premium	TH 16*		570460	365,00
	TH 17*		570462	365,00
	TH 18*		570465	365,00
	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 40		570485	484,00
	TH 50 (PZ-S)		572400	1 270,00
	TH 63 (PZ-S)		572405	1 270,00
	TH 12 S (PR-2B)**	Z8	574776 R	244,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 17 S (PR-2B)**	Z8	574784 R	244,00
	TH 18 S (PR-2B)**	Z8	574786 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
ZEWOTHERM	TH 16*		570460	365,00
Zewo Press PPSU	TH 20*		570470	365,00
	TH 26*		570475	365,00
	TH 32		570480	365,00
	TH 16 S (PR-2B)**	Z8	574782 R	244,00
	TH 20 S (PR-2B)**	Z8	574788 R	244,00
	TH 26 S (PR-2B)**	Z8	574794 R	244,00
	TH 32 S (PR-2B)	Z8	574798 R	268,00
ZURN	US ¾**		571450	415,00
INDUSTRIES	US ½**		571455	415,00
ZURN PEX	US ¾**		571460	415,00
	US 1**		571465	415,00
	US 1 ¼**		571470	415,00
	US 1 ½**		571475	415,00
	US 2**		571477	560,00

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

³⁾ Driven by REMS Power-Press XL ACC, see page 188.

⁴⁾ Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

⁵⁾ For taking suitable pressing inserts.

⁶⁾ Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

⁷⁾ Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

⁸⁾ For making press joints for operating pressure ≤ PN 10.

⁹⁾ For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

¹⁰⁾ For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

¹¹⁾ Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

¹²⁾ Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

Accessories

For REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

Description	Art.-No.	лв.
Adapter tongs Z8 for driving REMS pressing rings S (PR-2B)	574702R	283,00
Adapter tongs Z2 for driving REMS pressing rings M 35–54 (PR-3S), V 42–54 (PR-2B), RN 40–50 (PR-3S)	572795R	283,00
Adapter tongs Z4 for driving REMS pressing rings F 75 (PR-3B), TH 63–75 (PR-3B), U 63–75 (PR-3B), RN 63 (PR-3B)	572801RX	610,00
Adapter tongs Z5 for driving REMS pressing rings VFz/VR 64–108 (PR-3B), VMPz 1½–2" (PR-3B), VUSFz 2½–4" (PR-3B), VAUFz 65–100 (PR-3B)	572802RX	610,00
Adapter tongs Z6 XL for driving REMS pressing rings 64.0–108.0 XL (PR-3S), 2½–4" XL (PR-3S) with REMS Power-Press XL ACC	579120R	740,00
Adapter tongs Z7 XL 45 kN for driving REMS pressing rings 64.0–108.0 XL (PR-3S), 2½–4" XL (PR-3S), 2½–4" XL (PR-3B) with REMS Akku-Press XL 45 kN 22V ACC	579123R	780,00
Steel case with insert for 6 pressing tongs (up to Ø 35 mm/1" and pressing tongs U 40, U 50, TH 40, F 40, F 50, G 40, VUS 1½")/cropping tongs and compartment for pipe cutter up to 42 mm	570295R	189,00
Steel case with insert for 2 pressing tongs (M 42 (PZ-4G), M 54 (PZ-4G), V 42, V 54, H 40 A, VUS 1½", VUS 2")	570290R	189,00
Steel case with insert for adapter tongs Z2 and pressing rings M 42 (PR-3S) and M 54 (PR-3S) or pressing rings SA 42 (PR-3S) and SA 54 (PR-3S).	572810R	189,00
Steel case with insert for adapter tongs Z5 and 4 pressing rings VFz 64.0–108.0/VR 76.1–108.0/VUSFz 2½–4" (PR-3B) or for adapter tongs Z5 and 1 pressing tong VMPz 1½ (PZ-S) and 2 pressing rings VMPz 1½–2" (PR-3B)	572809R	216,00
Steel case with insert for adapter tongs Mini Z8 and adapter tongs Z8 as well as 6 REMS pressing rings S (PR-2B)	574516R	189,00
L-Boxx system case with inlay for Mini Z8 adapter tongs and Z8 adapter tongs as well as 14 REMS S pressing rings (PR-2B)	574704R	287,00
L-Boxx system case with inserts for 8 pressing tongs (2B) and 6 pressing rings S (PR-2B)	571136R	287,00
L-Boxx system case with inserts for 3 different pressing rings VMPz 2½–4" XL (PR-3B)	571137R	287,00
XL-Boxx system case with inserts for 3 different pressing rings 64.0–108.0 XL (PR-3S) or 2½–4" XL (PR-3S)	579603R	486,00
Steel case with inserts for adapter tongs Z2 and pressing rings V 42 (PR-2B) and V 54 (PR-2B)	572813R	108,00

