

for all common pressfitting systems

**Select REMS pressing tongs/
REMS pressing rings yourself!**

Find the desired press fitting system in the table below and choose the size of pressing tongs/pressing rings that you require. Please note that pressfitting systems for gas installation may only be pressed with the pressing tongs/pressing rings which are highlighted in yellow in the table.

Highly durable pressing tongs/pressing rings made of tenacious, specially hardened special steel. Pressing contours of REMS pressing tongs/pressing rings are system-specific and correspond with the respective pressfitting system. Thus perfect system-conformity, safe press jointing. Pressing jaws of pressing tongs/pressing rings manufactured on CNC production centres ensure high-precision machining of pressing contour. Low production tolerances as a result.

Driven by REMS radial presses 32 kN and suitable radial presses of other makes with 32 kN thrust force or, if the system requires, by REMS Akku-Press XL 45 kN 22V ACC with 45 kN thrust force, see the table below. Adapter tongs (page 238) required for driving REMS (PR) pressing rings. All pressing tongs marked with * have an optional connection for manual drive through the radial press REMS Eco-Press. All pressing rings S (PR-2B) marked with ** can also be driven with the manual radial press REMS Eco-Press (page 185) using the adapter tong Z8.

Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

REMS pressing tongs (PZ-2B)

REMS pressing tongs (PZ-2B) with 2 swivellable monoblock pressing jaws. Most sold standard version. REMS ACz, Fz, RFz, RFz, VMPz pressing tongs with teeth prevent formation of burr on the pressfitting (Patent EP 2 027 971).

REMS pressing tongs (PZ-4G)

REMS pressing tongs (PZ-4G) with two pivoted, parallel aligned pressing segments for linear pressing of midsize dimensions.

REMS pressing tongs (PZ-S)

REMS pressing tongs (S) with one fixed and two pivoted pressing segments, for midsize dimensions. REMS VMPz pressing tongs with teeth prevent formation of burr on the pressfitting.

REMS pressing rings (PR-3S)

REMS pressing ring (PR-3S) with 3 pressing segments, 2 swivel guided, for large dimension complex pressings. Ideal pressing through radially controlled movement of pressing segments. Adapter tongs required, see page 238.

REMS pressing rings (PR-3B)

REMS pressing rings (PR-3B) with 3 pressing segments for high quality, large dimension pressings Optimum pressing by radially controlled movement of the pressing segments. Adapter tongs required, see page 238. REMS VAUFz, VFz, VMPz, VUSFz pressing rings with teeth prevent formation of burr on the pressfitting.

REMS pressing ring (PR-2B)

REMS pressing ring (PR-2B) with 2 pressing jaws, for secure engagement of the pressing jaws in tight spaces, for midsize dimensions. Adapter tongs required for driving the REMS (PR-2B) pressing rings, see page 238.

REMS pressing ring S (PR-2B)

REMS pressing ring S (PR-2B), continuously swivellable, with 2 pressing jaws, for secure engagement of the pressing jaws in places of difficult access. Adapter tongs required for driving the REMS S (PR-2B) pressing rings, see page 238.

Traceability according to EN 1775:2007

REMS pressing tongs/pressing rings with pressing contour F, M, V, SA, B, RN and UP have worked a specific marking into the pressing contour which leaves a lasting impression on the pressed fitting after the pressing process. This enables the user to check again whether the most suitable pressing tongs or the suitable pressing ring have been used to make the pressfit connection even after the pressing process.

With this traceability REMS fulfils the recommendations of the European standard EN 1775:2007 for the installation of pressfitting systems for gas.

Confirmation of suitability


See page 239.

Hold-Harmless and Indemnification Agreement

See page 240.



REMS pressing tongs (PZ-2B)



REMS pressing tongs (PZ-4G)



REMS pressing tongs (PZ-S)



REMS pressing rings (PR-3S)



REMS pressing rings (PR-3B)



REMS pressing rings (PR-2B)




REMS pressing ring S (PR-2B), continuously swivellable



REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes



Pressing tongs with teeth prevent formation of burr on the pressfitting. Patent EP 2 027 971

Example REMS pressing tongs M: "M" imprint on pressed fitting for traceability according to EN 1775:2007

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	€	System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	€	
AC-FIX PRESS (Global Piping Systems)	H 12*		570300	174.00	AHLSELL A-press elförzinkad V	V 12		570107	160.00	
	H 16*		570320	174.00		V 15		570115	160.00	
	H 20*		570350	174.00		V 18		570125	160.00	
	H 25*		570360	174.00		V 22		570135	160.00	
	H 32		570380	174.00		V 28		570145	160.00	
	RFz 12*		571320	200.00		V 35		570155	160.00	
	RFz 16*		571325	200.00		V 42		570165	371.00	
	RFz 20*		571330	200.00		V 54		570175	382.00	
	RFz 25		571335	200.00		V 12 S (PR-2B)	Z8	574748 R	129.00	
	RFz 32		571340	200.00		V 15 S (PR-2B)	Z8	574752 R	129.00	
	U 16*		570765	180.00		V 18 S (PR-2B)	Z8	574756 R	129.00	
	U 20*		570775	180.00		V 22 S (PR-2B)	Z8	574758 R	129.00	
	U 25*		570780	180.00		V 28 S (PR-2B)	Z8	574760 R	129.00	
	U 32		570785	211.00		V 35 S (PR-2B)	Z8	574762 R	142.00	
	VX 16*		571635	222.00		AHLSELL	M 12		570100	160.00
	VX 20*		571640	222.00		A-press koppar M	M 15		570110	160.00
	AC-FIX PRESS DUO (Global Piping Systems)	RFz 16*		571325		200.00	M 18		570120	160.00
		RFz 20*		571330		200.00	M 22		570130	160.00
		RFz 25		571335		200.00	M 28		570140	160.00
		RFz 32		571340		200.00	M 35		570150	160.00
TH 16*			570460	192.00	M 42 (PR-3S)	Z2	572706 R	700.00		
TH 20*			570470	192.00	M 54 (PR-3S)	Z2	572708 R	700.00		
TH 25*			570495	192.00	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00		
TH 26*			570475	192.00	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00		
TH 32			570480	192.00	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00		
TH 16 S (PR-2B)**		Z8	574782 R	129.00	M 15 S (PR-2B)	Z8	574738 R	129.00		
TH 20 S (PR-2B)**		Z8	574788 R	129.00	M 18 S (PR-2B)	Z8	574740 R	129.00		
TH 25 S (PR-2B)**		Z8	574792 R	129.00	M 22 S (PR-2B)	Z8	574742 R	129.00		
TH 26 S (PR-2B)**		Z8	574794 R	129.00	M 28 S (PR-2B)	Z8	574744 R	129.00		
TH 32 S (PR-2B)		Z8	574798 R	142.00	M 35 S (PR-2B)	Z8	574746 R	142.00		
U 16*			570765	180.00	AHLSELL	V 12		570107	160.00	
U 20*			570775	180.00	A-press koppar V	V 15		570115	160.00	
U 25*			570780	180.00	V 18		570125	160.00		
U 32			570785	211.00	V 22		570135	160.00		
AC-FIX PRESS-MULTI (Global Piping Systems)		H 16*		570320	174.00	V 28		570145	160.00	
		H 18*		570340	174.00	V 35		570155	160.00	
	H 20*		570350	174.00	V 42		570165	371.00		
	H 25*		570360	174.00	V 54		570175	382.00		
	H 32		570380	174.00	V 12 S (PR-2B)	Z8	574748 R	129.00		
	RFz 16*		571325	200.00	V 15 S (PR-2B)	Z8	574752 R	129.00		
	RFz 20*		571330	200.00	V 18 S (PR-2B)	Z8	574756 R	129.00		
	RFz 25		571335	200.00	V 22 S (PR-2B)	Z8	574758 R	129.00		
	RFz 32		571340	200.00	V 28 S (PR-2B)	Z8	574760 R	129.00		
	U 16*		570765	180.00	V 35 S (PR-2B)	Z8	574762 R	142.00		
	U 18*		570770	180.00	AHLSELL	M 15		570110	160.00	
	U 20*		570775	180.00	A-press rostfritt	M 18		570120	160.00	
	U 25*		570780	180.00	M 22		570130	160.00		
	U 32		570785	211.00	M 28		570140	160.00		
	ACOME MT	Acz 12*		572642	200.00	M 35		570150	160.00	
		Acz 16*		572644	200.00	M 42 (PR-3S)	Z2	572706 R	700.00	
		Acz 20*		572646	200.00	M 54 (PR-3S)	Z2	572708 R	700.00	
		Acz 25		572648	200.00	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	
						M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
	AHLSELL A-press elförzinkad M	M 12		570100	160.00	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
M 15			570110	160.00	M 15 S (PR-2B)	Z8	574738 R	129.00		
M 18			570120	160.00	M 18 S (PR-2B)	Z8	574740 R	129.00		
M 22			570130	160.00	M 22 S (PR-2B)	Z8	574742 R	129.00		
M 28			570140	160.00	M 28 S (PR-2B)	Z8	574744 R	129.00		
M 35			570150	160.00	M 35 S (PR-2B)	Z8	574746 R	142.00		
M 42 (PR-3S)		Z2	572706 R	700.00	AIRBEL	M 15		570110	160.00	
M 54 (PR-3S)		Z2	572708 R	700.00	PRESSCLIM	M 18		570120	160.00	
M 76,1 XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	M 22		570130	160.00		
M 88,9 G XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	M 28		570140	160.00		
M 108,0 G XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	M 35		570150	160.00		
M 12 S (PR-2B)		Z8	574736 R	129.00	M 42 (PR-3S)	Z2	572706 R	700.00		
M 15 S (PR-2B)		Z8	574738 R	129.00	M 54 (PR-3S)	Z2	572708 R	700.00		
M 18 S (PR-2B)		Z8	574740 R	129.00	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00		
M 22 S (PR-2B)		Z8	574742 R	129.00	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00		
M 28 S (PR-2B)	Z8	574744 R	129.00	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00			
M 35 S (PR-2B)	Z8	574746 R	142.00	M 15 S (PR-2B)	Z8	574738 R	129.00			

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

2) For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

3) Driven by REMS Power-Press XL ACC, see page 188.

4) Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

5) For taking suitable pressing inserts.

6) Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

7) Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

8) For making press joints for operating pressure ≤ PN 10.

9) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

10) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

11) Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

12) Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	€	
AIRBEL	M 15		570110	160.00	
SERTINOX	M 18		570120	160.00	
	M 22		570130	160.00	
	M 28		570140	160.00	
	M 35		570150	160.00	
	M 42 (PR-3S)	Z2	572706 R	700.00	
	M 54 (PR-3S)	Z2	572708 R	700.00	
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1.200.00	
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1.400.00	
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1.400.00	
	M 15 S (PR-2B)	Z8	574738 R	129.00	
	M 18 S (PR-2B)	Z8	574740 R	129.00	
	M 22 S (PR-2B)	Z8	574742 R	129.00	
	M 28 S (PR-2B)	Z8	574744 R	129.00	
	M 35 S (PR-2B)	Z8	574746 R	142.00	
	ALB	TH 16*		570460	192.00
	Sistema Multicapa para calefacción y sanitario	TH 18*		570465	192.00
TH 20*			570470	192.00	
TH 26*			570475	192.00	
TH 32			570480	192.00	
TH 40			570485	255.00	
TH 50 (PZ-S)			572400	670.00	
TH 63 (PZ-S)			572405	670.00	
TH 16 S (PR-2B)**		Z8	574782 R	129.00	
TH 18 S (PR-2B)**		Z8	574786 R	129.00	
TH 20 S (PR-2B)**		Z8	574788 R	129.00	
TH 26 S (PR-2B)**		Z8	574794 R	129.00	
TH 32 S (PR-2B)		Z8	574798 R	142.00	
H 16*			570320	174.00	
H 18*			570340	174.00	
H 20*			570350	174.00	
H 26*			570370	174.00	
H 32			570380	174.00	
H 40 (PZ-4G)			570390	590.00	
U 16*			570765	180.00	
U 18*			570770	180.00	
U 20*			570775	180.00	
U 26* ¹²⁾		570750	211.00		
U 32		570785	211.00		
U 40		570790	257.00		
ALB	TH 16*		570460	192.00	
Sistema Multicapa para Gas	TH 20*		570470	192.00	
	TH 26*		570475	192.00	
	TH 32		570480	192.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00	
	TH 32 S (PR-2B)	Z8	574798 R	142.00	
	H 16*		570320	174.00	
	H 20*		570350	174.00	
	H 26*		570370	174.00	
	H 32		570380	174.00	
	U 16*		570765	180.00	
	U 20*		570775	180.00	
	U 26* ¹²⁾		570750	211.00	
	U 32		570785	211.00	
	ALTECH Altech	Rfz 12*		571320	200.00
	Rfz 16*		571325	200.00	
	Rfz 20*		571330	200.00	
	Rfz 25		571335	200.00	
APE MULTYGAS Serie AP Gas	TH 16*		570460	192.00	
TH 20*		570470	192.00		
TH 26*		570475	192.00		
TH 32		570480	192.00		
TH 16 S (PR-2B)**	Z8	574782 R	129.00		
TH 20 S (PR-2B)**	Z8	574788 R	129.00		
TH 26 S (PR-2B)**	Z8	574794 R	129.00		
TH 32 S (PR-2B)	Z8	574798 R	142.00		
APE Serie AP	B 16*		570850	210.00	
B 20*		570860	210.00		
B 26		570870	231.00		
B 32		570880	231.00		
H 16*		570320	174.00		
H 20*		570350	174.00		
H 26*		570370	174.00		
H 32		570380	174.00		
TH 16*		570460	192.00		
TH 18*		570465	192.00		
TH 20*		570470	192.00		
TH 26*		570475	192.00		
TH 32		570480	192.00		
TH 16 S (PR-2B)**	Z8	574782 R	129.00		
TH 18 S (PR-2B)**	Z8	574786 R	129.00		
TH 20 S (PR-2B)**	Z8	574788 R	129.00		
TH 26 S (PR-2B)**	Z8	574794 R	129.00		
TH 32 S (PR-2B)	Z8	574798 R	142.00		
U 16*		570765	180.00		
U 20*		570775	180.00		

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	€
APE Serie APL	H 16*		570320	174.00
	H 18*		570340	174.00
	H 20*		570350	174.00
	H 25*		570360	174.00
	H 26*		570370	174.00
	H 32		570380	174.00
	TH 16*		570460	192.00
	TH 18*		570465	192.00
	TH 20*		570470	192.00
	TH 25*		570495	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 18 S (PR-2B)**	Z8	574786 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 25 S (PR-2B)**	Z8	574792 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
TH 32 S (PR-2B)	Z8	574798 R	142.00	
U 16*		570765	180.00	
U 18*		570770	180.00	
U 20*		570775	180.00	
AQUATECHNIK Press-fitting metal	H 16*		570320	174.00
H 20*		570350	174.00	
H 26*		570370	174.00	
H 32		570380	174.00	
TH 16*		570460	192.00	
TH 20*		570470	192.00	
TH 26*		570475	192.00	
TH 32		570480	192.00	
TH 40		570485	255.00	
TH 50 (PZ-S)		572400	670.00	
TH 63 (PZ-S)		572405	670.00	
TH 16 S (PR-2B)**	Z8	574782 R	129.00	
TH 20 S (PR-2B)**	Z8	574788 R	129.00	
TH 26 S (PR-2B)**	Z8	574794 R	129.00	
TH 32 S (PR-2B)	Z8	574798 R	142.00	
U 16*		570765	180.00	
U 20*		570775	180.00	
U 26* ¹²⁾		570750	211.00	
U 32		570785	211.00	
AQUATECHNIK Universal	B 16*		570850	210.00
B 20*		570860	210.00	
B 26		570870	231.00	
B 32		570880	231.00	
F 16*		570717	183.00	
F 20*		570727	183.00	
F 26*		570730	198.00	
F 32		570735	198.00	
F 16 S (PR-2B)**	Z8	574728 R	129.00	
F 20 S (PR-2B)**	Z8	574730 R	129.00	
F 26 S (PR-2B)**	Z8	574732 R	129.00	
F 32 S (PR-2B)	Z8	574734 R	142.00	
H 16*		570320	174.00	
H 20*		570350	174.00	
H 26*		570370	174.00	
H 32		570380	174.00	
TH 16*		570460	192.00	
TH 20*		570470	192.00	
TH 26*		570475	192.00	
TH 32		570480	192.00	
TH 16 S (PR-2B)**	Z8	574782 R	129.00	
TH 20 S (PR-2B)**	Z8	574788 R	129.00	
TH 26 S (PR-2B)**	Z8	574794 R	129.00	
TH 32 S (PR-2B)	Z8	574798 R	142.00	
U 16*		570765	180.00	
U 20*		570775	180.00	
U 26* ¹²⁾		570750	211.00	
U 32		570785	211.00	
ARKA DUROsystem	H 16*		570320	174.00
H 20*		570350	174.00	
H 25*		570360	174.00	
H 26*		570370	174.00	
H 32		570380	174.00	
TH 16*		570460	192.00	
TH 20*		570470	192.00	
TH 25*		570495	192.00	
TH 26*		570475	192.00	
TH 32		570480	192.00	
TH 16 S (PR-2B)**	Z8	574782 R	129.00	
TH 20 S (PR-2B)**	Z8	574788 R	129.00	
TH 25 S (PR-2B)**	Z8	574792 R	129.00	
TH 26 S (PR-2B)**	Z8	574794 R	129.00	
TH 32 S (PR-2B)	Z8	574798 R	142.00	
U 16*		570765	180.00	
U 20*		570775	180.00	
Aschl NIR	M 15		570110	160.00
M 18		570120	160.00	
M 22		570130	160.00	
M 28		570140	160.00	
M 35		570150	160.00	
M 42 (PR-3S)	Z2	572706 R	700.00	
M 54 (PR-3S)	Z2	572708 R	700.00	
M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1.200.00	
M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1.400.00	
M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1.400.00	
M 15 S (PR-2B)	Z8	574738 R	129.00	
M 18 S (PR-2B)	Z8	574740 R	129.00	
M 22 S (PR-2B)	Z8	574742 R	129.00	
M 28 S (PR-2B)	Z8	574744 R	129.00	
M 35 S (PR-2B)	Z8	574746 R	142.00	

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	€	System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	€
ASSOTHERM IPC-RAC Carbon Steel	M 15		570110	160.00	ASSOTHERM IPR-RRR Copper	M 15		570110	160.00
	M 18		570120	160.00		M 18		570120	160.00
	M 22		570130	160.00		M 22		570130	160.00
	M 28		570140	160.00		M 28		570140	160.00
	M 35		570150	160.00		M 35		570150	160.00
	M 42 (PZ-4G)		570160	520.00		M 42 (PZ-4G)		570160	520.00
	M 54 (PZ-4G)		570170	520.00		M 54 (PZ-4G)		570170	520.00
	M 42 (PR-3S)	Z2	572706 R	700.00		M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00		M 54 (PR-3S)	Z2	572708 R	700.00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579101 R	1,200.00		M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579101 R	1,200.00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579110 R	1,400.00		M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579110 R	1,400.00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579111 R	1,400.00		M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579111 R	1,400.00
	M 15 S (PR-2B)	Z8	574738 R	129.00		M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00		M 18 S (PR-2B)	Z8	574740 R	129.00
	M 22 S (PR-2B)	Z8	574742 R	129.00		M 22 S (PR-2B)	Z8	574742 R	129.00
	M 28 S (PR-2B)	Z8	574744 R	129.00		M 28 S (PR-2B)	Z8	574744 R	129.00
M 35 S (PR-2B)	Z8	574746 R	142.00	M 35 S (PR-2B)	Z8	574746 R	142.00		
ASSOTHERM IPI-RAX Inox	M 15		570110	160.00	ASSOTHERM IPR-RRR Copper Gas	M 15		570110	160.00
	M 18		570120	160.00		M 18		570120	160.00
	M 22		570130	160.00		M 22		570130	160.00
	M 28		570140	160.00		M 28		570140	160.00
	M 35		570150	160.00		M 35		570150	160.00
	M 42 (PZ-4G)		570160	520.00		M 15 S (PR-2B)	Z8	574738 R	129.00
	M 54 (PZ-4G)		570170	520.00		M 18 S (PR-2B)	Z8	574740 R	129.00
	M 42 (PR-3S)	Z2	572706 R	700.00		M 22 S (PR-2B)	Z8	574742 R	129.00
	M 54 (PR-3S)	Z2	572708 R	700.00		M 28 S (PR-2B)	Z8	574744 R	129.00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579101 R	1,200.00		M 35 S (PR-2B)	Z8	574746 R	142.00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579110 R	1,400.00		ASTM F 1807 (Fittings with Copper Crimp Ring for PEX tubing)	US 3/8"	571450	219.00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579111 R	1,400.00			US 1/2"	571455	219.00
	M 15 S (PR-2B)	Z8	574738 R	129.00			US 3/4"	571460	219.00
	M 18 S (PR-2B)	Z8	574740 R	129.00			US 1"	571465	219.00
	M 22 S (PR-2B)	Z8	574742 R	129.00			US 1 1/4"	571470	219.00
	M 28 S (PR-2B)	Z8	574744 R	129.00			US 1 1/2"	571475	219.00
M 35 S (PR-2B)	Z8	574746 R	142.00		US 2"	571477	294.00		
ASSOTHERM IPI-RAX Inox Gas	M 15		570110	160.00	ATUSA ITALIA	M 15		570110	160.00
	M 18		570120	160.00	INSTALPRESS	M 18		570120	160.00
	M 22		570130	160.00	CARBON STEEL	M 22		570130	160.00
	M 28		570140	160.00	PRESS FITTINGS	M 28		570140	160.00
	M 35		570150	160.00		M 35		570150	160.00
	M 42 (PZ-4G)		570160	520.00	M 42 (PR-3S)	Z2	572706 R	700.00	
	M 54 (PZ-4G)		570170	520.00	M 54 (PR-3S)	Z2	572708 R	700.00	
	M 42 (PR-3S)	Z2	572706 R	700.00	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579101 R	1,200.00	
	M 54 (PR-3S)	Z2	572708 R	700.00	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579110 R	1,400.00	
	M 76,1 XL (PR-3S)	Z7 XL 45kN ⁴⁾	579101 R	1,200.00	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579111 R	1,400.00	
	M 88,9 G XL (PR-3S) ⁷⁾	Z7 XL 45kN ⁴⁾	579110 R	1,400.00	M 15 S (PR-2B)	Z8	574738 R	129.00	
	M 108,0 G XL (PR-3S) ⁷⁾	Z7 XL 45kN ⁴⁾	579111 R	1,400.00	M 18 S (PR-2B)	Z8	574740 R	129.00	
	M 15 S (PR-2B)	Z8	574738 R	129.00	M 22 S (PR-2B)	Z8	574742 R	129.00	
	M 18 S (PR-2B)	Z8	574740 R	129.00	M 28 S (PR-2B)	Z8	574744 R	129.00	
	M 22 S (PR-2B)	Z8	574742 R	129.00	M 35 S (PR-2B)	Z8	574746 R	142.00	
	M 28 S (PR-2B)	Z8	574744 R	129.00	ATUSA ITALIA	M 15		570110	160.00
M 35 S (PR-2B)	Z8	574746 R	142.00	INSTALPRESS	M 18		570120	160.00	
ASSOTHERM IPM-Multistrato	H 16*		570320	174.00	STAINLESS STEEL	M 22		570130	160.00
	H 20*		570350	174.00	PRESS FITTINGS	M 28		570140	160.00
	H 26*		570370	174.00		M 35		570150	160.00
	H 32		570380	174.00	M 42 (PR-3S)	Z2	572706 R	700.00	
	TH 16*		570460	192.00	M 54 (PR-3S)	Z2	572708 R	700.00	
	TH 20*		570470	192.00	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579101 R	1,200.00	
	TH 26*		570475	192.00	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579110 R	1,400.00	
	TH 32		570480	192.00	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579111 R	1,400.00	
	THL 32		570487	192.00	M 15 S (PR-2B)	Z8	574738 R	129.00	
	TH 40		570485	255.00	M 18 S (PR-2B)	Z8	574740 R	129.00	
	TH 50 (PZ-S)		572400	670.00	M 22 S (PR-2B)	Z8	574742 R	129.00	
	TH 63 (PZ-S)		572405	670.00	M 28 S (PR-2B)	Z8	574744 R	129.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	M 35 S (PR-2B)	Z8	574746 R	142.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00	AUSTEC	TH 16*		570460	192.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00	PEX-B, PEX-AL-PEX (AUS)	TH 20*		570470	192.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00		TH 25*		570495	192.00
	U 16*		570765	180.00		TH 32		570480	192.00
	U 20*		570775	180.00		U 16*		570765	180.00
	U 26* ¹²⁾		570750	211.00		U 20*		570775	180.00
	U 32		570785	211.00		U 25*		570780	180.00
						U 32		570785	211.00

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

2) For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

3) Driven by REMS Power-Press XL ACC, see page 188.

4) Driven by REMS Akku-Press XL 45kN 22V ACC, see page 196.

5) For taking suitable pressing inserts.

6) Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

7) Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

8) For making press joints for operating pressure ≤ PN 10.

9) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

10) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

11) Only use pressing tongs identified by "VMP 1/2" G" on the pressing jaws for gas installations.

12) Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website: www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	€
AUSTEC PEX-AL-PEX GAS (AUS)	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 25*		570495	192.00
	TH 32		570480	192.00
	U 16*		570765	180.00
	U 20*		570775	180.00
	U 25*		570780	180.00
	U 32		570785	211.00
AYOR FIXOCONNECT Press	H 12*		570300	174.00
	H 16*		570320	174.00
	H 20*		570350	174.00
	H 25*		570360	174.00
	Rfz 12*		571320	200.00
	Rfz 16*		571325	200.00
	Rfz 20*		571330	200.00
	Rfz 25		571335	200.00
	U 16*		570765	180.00
	U 20*		570775	180.00
	U 25*		570780	180.00
	AYOR FIXOMULTIX	H 16*		570320
H 20*			570350	174.00
H 26*			570370	174.00
H 32			570380	174.00
TH 16*			570460	192.00
TH 20*			570470	192.00
TH 26*			570475	192.00
TH 32			570480	192.00
TH 16 S (PR-2B)**		Z8	574782 R	129.00
TH 20 S (PR-2B)**		Z8	574788 R	129.00
TH 26 S (PR-2B)**		Z8	574794 R	129.00
TH 32 S (PR-2B)		Z8	574798 R	142.00
U 16*			570765	180.00
U 20*			570775	180.00
U 32			570785	211.00
U 40			570790	257.00
U 50			570795	308.00
U 63 (PR-3B)	Z4	572837 R	760.00	
U 63 (PZ-S)		572365	670.00	
U 75 (PR-3B)	Z4	572828 R	670.00	
AYOR SOMATHERM FOR YOU -1	H 16*		570320	174.00
	H 20*		570350	174.00
	H 26*		570370	174.00
	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
	U 16*		570765	180.00
U 20*		570775	180.00	
AYOR SOMATHERM FOR YOU -2	H 12*		570300	174.00
	H 16*		570320	174.00
	H 20*		570350	174.00
	H 25*		570360	174.00
	Rfz 12*		571320	200.00
	Rfz 16*		571325	200.00
	Rfz 20*		571330	200.00
	Rfz 25		571335	200.00
	U 16*		570765	180.00
	U 20*		570775	180.00
	U 25*		570780	180.00

B

Bampi BALPEX serie LP	TH 16*		570460	192.00
	TH 18*		570465	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 50 (PZ-S)		572400	670.00
	TH 63 (PZ-S)		572405	670.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 18 S (PR-2B)**	Z8	574786 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00
	U 16*		570765	180.00
	U 18*		570770	180.00
	U 20*		570775	180.00
	U 26* ⁽¹²⁾		570750	211.00
	U 32		570785	211.00
	U 40		570790	257.00
	U 50		570795	308.00
	U 63 (PR-3B)	Z4	572837 R	760.00
U 63 (PZ-S)		572365	670.00	
Bampi BALPEX serie MP	TH 16*		570460	192.00
	TH 18*		570465	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 50 (PZ-S)		572400	670.00
	TH 63 (PZ-S)		572405	670.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 18 S (PR-2B)**	Z8	574786 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	€
Bampi BALPEX Gas	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00
BARBI EASYPRESS (Industrial Blansol)	H 12*		570300	174.00
	H 16*		570320	174.00
	H 20*		570350	174.00
	H 25*		570360	174.00
	H 32		570380	174.00
	Rfz 12*		571320	200.00
	Rfz 16*		571325	200.00
	Rfz 20*		571330	200.00
	Rfz 25		571335	200.00
	U 16*		570765	180.00
	U 20*		570775	180.00
U 25*		570780	180.00	
U 32		570785	211.00	
BARBI MULTIPEX (Industrial Blansol)	H 14*		570310	174.00
	H 16*		570320	174.00
	H 18*		570340	174.00
	H 20*		570350	174.00
	H 25*		570360	174.00
	H 26*		570370	174.00
	H 32		570380	174.00
	Rfz 16*		571325	200.00
	Rfz 18*		571327	200.00
	Rfz 20*		571330	200.00
	Rfz 25		571335	200.00
	Rfz 32		571340	200.00
	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
TH 20 S (PR-2B)**	Z8	574788 R	129.00	
TH 26 S (PR-2B)**	Z8	574794 R	129.00	
TH 32 S (PR-2B)	Z8	574798 R	142.00	
U 16*		570765	180.00	
U 18*		570770	180.00	
U 20*		570775	180.00	
U 25*		570780	180.00	
U 32		570785	211.00	
U 40		570790	257.00	
U 50		570795	308.00	
U 63 (PR-3B)	Z4	572837 R	760.00	
U 63 (PZ-S)		572365	670.00	
BEGETUBE/ IVAR	B 14*		570845	210.00
	B 16*		570850	210.00
	B 18*		570855	210.00
	B 20*		570860	210.00
	B 26		570870	231.00
	B 32		570880	231.00
	Fz 40		570742	212.00
	Fz 50		570747	321.00
	F 63 (PZ-S)		572385	670.00
	Fz 75 (PR-3B)	Z4	572830 R	630.00
Béné inox Série 41	M 15		570110	160.00
	M 18		570120	160.00
	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	M 76,1 XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579101 R	1.200.00
	M 88,9 G XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579110 R	1.400.00
	M 108,0 G XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579111 R	1.400.00
Brass Form Master-Al-Pex	H 16*		570320	174.00
	H 18*		570340	174.00
	H 20*		570350	174.00
	TH 16*		570460	192.00
	TH 18*		570465	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 18 S (PR-2B)**	Z8	574786 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00
	U 16*		570765	180.00
U 18*		570770	180.00	
U 20*		570775	180.00	
Brass & Fittings PRESSMAN MultiPress	Rfz 16*		571325	200.00
	Rfz 18*		571327	200.00
	Acz 20*		572646	200.00
	Rfz 25		571335	200.00
	Rfz 32		571340	200.00
Brass & Fittings PRESSMAN RetiPress	Rfz 16*		571325	200.00
	Rfz 18*		571327	200.00
	Acz 20*		572646	200.00
	Rfz 25		571335	200.00
	Rfz 32		571340	200.00

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	€
BRASSTECH MULTitermoSAN Brasspress	B 16*		570850	210.00
	B 20*		570860	210.00
	B 26		570870	231.00
	B 32		570880	231.00
	F 16*		570717	183.00
	F 20*		570727	183.00
	F 26*		570730	198.00
	F 16 S (PR-2B)**	Z8	574728 R	129.00
	F 20 S (PR-2B)**	Z8	574730 R	129.00
	F 26 S (PR-2B)**	Z8	574732 R	129.00
	H 16*		570320	174.00
	H 18*		570340	174.00
	H 20*		570350	174.00
	H 26*		570370	174.00
	TH 16*		570460	192.00
	TH 18*		570465	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 50 (PZ-S)		572400	670.00
	TH 63 (PZ-S)		572405	670.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 18 S (PR-2B)**	Z8	574786 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00
	U 16*		570765	180.00
	U 18*		570770	180.00
	U 20*		570775	180.00
	U 26* ¹²⁾		570750	211.00
	U 32		570785	211.00
C				
Cello Products -B- Press	VUS ½" (OD 15,9 mm)		571770	193.00
	VUS ¾" (OD 22,2 mm)		571775	193.00
	VUS 1" (OD 28,6 mm)		571780	193.00
	VUS 1¼" (OD 34,9 mm)		571785	193.00
	VUS 1½" (OD 41,3 mm)		571790	371.00
	VUS 2" (OD 54,0 mm)		571795	382.00
CGR DYNAFLU multicouche	H 16*		570320	174.00
	H 20*		570350	174.00
	H 26*		570370	174.00
	H 32		570380	174.00
	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 50 (PZ-S)		572400	670.00
	TH 63 (PZ-S)		572405	670.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00
	U 16*		570765	180.00
	U 20*		570775	180.00
	U 26* ¹²⁾		570750	211.00
	U 32		570785	211.00
	U 40		570790	257.00
U 50		570795	308.00	
U 63 (PR-3B)	Z4	572837 R	760.00	
U 63 (PZ-S)		572365	670.00	
CGR DYNAFLU PER	H 12*		570300	174.00
	H 16*		570320	174.00
	H 20*		570350	174.00
	H 25*		570360	174.00
	RFz 12*		571320	200.00
	RFz 16*		571325	200.00
	RFz 20*		571330	200.00
	RFz 25		571335	200.00

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	€	
CHIALI CHIALIPEX	TH 16*		570460	192.00	
	TH 20*		570470	192.00	
	TH 26*		570475	192.00	
	TH 32		570480	192.00	
	TH 40		570485	255.00	
	TH 50 (PZ-S)		572400	670.00	
	TH 63 (PZ-S)		572405	670.00	
	Climatrix Climatrix Rhinopex	H 16*		570320	174.00
		H 20*		570350	174.00
		U 16*		570765	180.00
		U 20*		570775	180.00
		U 26* ¹²⁾		570750	211.00
		TH 14*		570455	192.00
	TH 16*		570460	192.00	
	TH 18*		570465	192.00	
TH 20*		570470	192.00		
TH 26*		570475	192.00		
TH 32		570480	192.00		
TH 16 S (PR-2B)**	Z8	574782 R	129.00		
TH 20 S (PR-2B)**	Z8	574788 R	129.00		
TH 26 S (PR-2B)**	Z8	574794 R	129.00		
TH 32 S (PR-2B)	Z8	574798 R	142.00		
Climatrix Variotherm	TH 11,6*		570482	192.00	
	TH 16*		570460	192.00	
System TH	TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	TH 16*		570460	192.00	
ClouSet	TH 18*		570465	192.00	
	TH 20*		570470	192.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	TH 18 S (PR-2B)**	Z8	574786 R	129.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	RFz 12*		571320	200.00	
	RFz 16*		571325	200.00	
	RFz 20*		571330	200.00	
Comap PEX Press	RFz 25		571335	200.00	
	TH 14*		570455	192.00	
	TH 16*		570460	192.00	
	TH 18*		570465	192.00	
	TH 20*		570470	192.00	
	TH 26*		570475	192.00	
	TH 32		570480	192.00	
	THL 32		570487	192.00	
	TH 40		570485	255.00	
	TH 50 (PZ-S)		572400	670.00	
	TH 63 (PZ-S)		572405	670.00	
	THz 75 (PR-3B)	Z4	572829 R	630.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00	
	TH 32 S (PR-2B)	Z8	574798 R	142.00	
	U 14*		570760	180.00	
	U 16*		570765	180.00	
	U 18*		570770	180.00	
	U 20*		570775	180.00	
U 32		570785	211.00		
U 40		570790	257.00		
U 50		570795	308.00		
U 63 (PR-3B)	Z4	572837 R	760.00		
U 63 (PZ-S)		572365	670.00		
Comap Multiskin	U 75 (PR-3B)	Z4	572828 R	670.00	
	H 14*		570310	174.00	
	H 16*		570320	174.00	
	H 18*		570340	174.00	
	H 20*		570350	174.00	
	H 26*		570370	174.00	
	H 32		570380	174.00	
	H 40		570390	192.00	

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

2) For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

3) Driven by REMS Power-Press XL ACC, see page 188.

4) Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

5) For taking suitable pressing inserts.

6) Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

7) Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

8) For making press joints for operating pressure ≤ PN 10.

9) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

10) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

11) Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

12) Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website: www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	£	
Comap Multiskin Gas	TH 16*		570460	192.00	
	TH 20*		570470	192.00	
	TH 26*		570475	192.00	
	TH 32		570480	192.00	
	THL 32		570487	192.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00	
	TH 32 S (PR-2B)	Z8	574798 R	142.00	
	U 16*		570765	180.00	
	U 20*		570775	180.00	
	U 32		570785	211.00	
	H 16*		570320	174.00	
	H 20*		570350	174.00	
	H 26*		570370	174.00	
	H 32		570380	174.00	
	COMISA Press System	TH 14*		570455	192.00
		TH 16*		570460	192.00
		TH 18*		570465	192.00
TH 20*			570470	192.00	
TH 25*			570495	192.00	
TH 26*			570475	192.00	
TH 32			570480	192.00	
TH 40			570485	255.00	
TH 50 (PZ-S)			572400	670.00	
TH 63 (PZ-S)			572405	670.00	
TH 16 S (PR-2B)**		Z8	574782 R	129.00	
TH 18 S (PR-2B)**		Z8	574786 R	129.00	
TH 20 S (PR-2B)**		Z8	574788 R	129.00	
TH 25 S (PR-2B)**		Z8	574792 R	129.00	
TH 26 S (PR-2B)**		Z8	574794 R	129.00	
TH 32 S (PR-2B)		Z8	574798 R	142.00	
H 14*			570310	174.00	
H 16*			570320	174.00	
H 18*			570340	174.00	
H 20*			570350	174.00	
H 26*			570370	174.00	
H 32			570380	174.00	
B 14*			570845	210.00	
B 16*			570850	210.00	
B 18*			570855	210.00	
B 20*		570860	210.00		
B 26		570870	231.00		
B 32		570880	231.00		
COMISA Press System Gas	TH 16*		570460	192.00	
	TH 20*		570470	192.00	
	TH 26*		570475	192.00	
	TH 32		570480	192.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00	
	TH 32 S (PR-2B)	Z8	574798 R	142.00	
	CONEL CONNECT INOX	M 15		570110	160.00
M 18			570120	160.00	
M 22			570130	160.00	
M 42 (PR-3S)		Z2	572706 R	700.00	
M 54 (PR-3S)		Z2	572708 R	700.00	
V 15			570115	160.00	
V 18			570125	160.00	
V 22			570135	160.00	
V 42 (PR-2B)		Z2	572850 R	333.00	
V 54 (PR-2B)		Z2	572851 R	360.00	
CONEL CONNECT MULTI	F 16*		570717	183.00	
	F 20*		570727	183.00	
	F 26*		570730	198.00	
	F 32		570735	198.00	
	F 16 S (PR-2B)**	Z8	574728 R	129.00	
	F 20 S (PR-2B)**	Z8	574730 R	129.00	
	F 26 S (PR-2B)**	Z8	574732 R	129.00	
	F 32 S (PR-2B)**	Z8	574734 R	142.00	
	H 16*		570320	174.00	
	H 20*		570350	174.00	
	H 26*		570370	174.00	
	H 32		570380	174.00	
	TH 16*		570460	192.00	
	TH 20*		570470	192.00	
	TH 26*		570475	192.00	
	TH 32		570480	192.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00	
	TH 32 S (PR-2B)**	Z8	574798 R	142.00	
	(DN 26)	U 16*		570765	180.00
		U 20*		570775	180.00
		U 25*		570780	180.00
		U 32		570785	211.00
		VP 16*		570910	192.00
VP 20*			570915	192.00	
VP 32			570925	212.00	
CONEL CONNECT MV2		F 16*		570717	183.00
		F 20*		570727	183.00
		F 26*		570730	198.00
	F 32		570735	198.00	
	F 16 S (PR-2B)**	Z8	574728 R	129.00	
	F 20 S (PR-2B)**	Z8	574730 R	129.00	
	F 26 S (PR-2B)**	Z8	574732 R	129.00	
	F 32 S (PR-2B)**	Z8	574734 R	142.00	
	TH 16*		570460	192.00	
	TH 20*		570470	192.00	
TH 26*		570475	192.00		
TH 32		570480	192.00		
TH 16 S (PR-2B)**	Z8	574782 R	129.00		
TH 20 S (PR-2B)**	Z8	574788 R	129.00		
TH 26 S (PR-2B)**	Z8	574794 R	129.00		
TH 32 S (PR-2B)**	Z8	574798 R	142.00		

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	£
Conex Bänninger <A> Press Inox (304)	M 15		570110	160.00
	M 18		570120	160.00
	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 35 (PR-3S)	Z2	572727 R	700.00
	M 42 (PZ-46)		570160	520.00
	M 54 (PZ-46)		570170	520.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
M 22 S (PR-2B)	Z8	574742 R	129.00	
M 28 S (PR-2B)	Z8	574744 R	129.00	
M 35 S (PR-2B)	Z8	574746 R	142.00	
Conex Bänninger <A> Press Inox (316L)	M 15		570110	160.00
	M 18		570120	160.00
	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 35 (PR-3S)	Z2	572727 R	700.00
	M 42 (PZ-46)		570160	520.00
	M 54 (PZ-46)		570170	520.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
M 22 S (PR-2B)	Z8	574742 R	129.00	
M 28 S (PR-2B)	Z8	574744 R	129.00	
M 35 S (PR-2B)	Z8	574746 R	142.00	
Conex Bänninger >B< Flex	F 16*		570717	183.00
	F 18*		570720	183.00
	F 20*		570727	183.00
	F 32		570735	198.00
	F 16 S (PR-2B)**	Z8	574728 R	129.00
	F 20 S (PR-2B)**	Z8	574730 R	129.00
	F 32 S (PR-2B)	Z8	574734 R	142.00
	H 16*		570320	174.00
	H 18*		570340	174.00
	H 20*		570350	174.00
	H 25*		570360	174.00
	H 32		570380	174.00
	Rfz 16*		571325	200.00
	Rfz 18*		571327	200.00
	Rfz 20*		571330	200.00
	Rfz 25		571335	200.00
	Rfz 32		571340	200.00
	TH 16*		570460	192.00
TH 18*		570465	192.00	
TH 20*		570470	192.00	
TH 25*		570495	192.00	
TH 32		570480	192.00	
TH 16 S (PR-2B)**	Z8	574782 R	129.00	
TH 18 S (PR-2B)**	Z8	574786 R	129.00	
TH 20 S (PR-2B)**	Z8	574788 R	129.00	
TH 25 S (PR-2B)**	Z8	574792 R	129.00	
TH 32 S (PR-2B)	Z8	574798 R	142.00	
U 16*		570765	180.00	
U 18*		570770	180.00	
U 20*		570775	180.00	
U 25*		570780	180.00	
U 32		570785	211.00	
Conex Bänninger >B< Flex Gas	F 16*		570717	183.00
	F 18*		570720	183.00
	F 20*		570727	183.00
	F 32		570735	198.00
	F 16 S (PR-2B)**	Z8	574728 R	129.00
	F 20 S (PR-2B)**	Z8	574730 R	129.00
	F 32 S (PR-2B)	Z8	574734 R	142.00
	H 16*		570320	174.00
	H 18*		570340	174.00
	H 20*		570350	174.00
	H 25*		570360	174.00
	H 32		570380	174.00
	Rfz 16*		571325	200.00
	Rfz 18*		571327	200.00
	Rfz 20*		571330	200.00
	Rfz 25		571335	200.00
	Rfz 32		571340	200.00
	TH 16*		570460	192.00
TH 18*		570465	192.00	
TH 20*		570470	192.00	
TH 25*		570495	192.00	
TH 32		570480	192.00	
TH 16 S (PR-2B)**	Z8	574782 R	129.00	
TH 18 S (PR-2B)**	Z8	574786 R	129.00	
TH 20 S (PR-2B)**	Z8	574788 R	129.00	
TH 25 S (PR-2B)**	Z8	574792 R	129.00	
TH 32 S (PR-2B)	Z8	574798 R	142.00	
U 16*		570765	180.00	
U 18*		570770	180.00	
U 20*		570775	180.00	
U 25*		570780	180.00	
U 32		570785	211.00	
Conex Bänninger >B< MaxiPro	BMP ¼"		571700 R	191.00
	BMP ⅜"		571702 R	191.00
	BMP ½"		571704 R	191.00
	BMP ⅝"		571706 R	191.00
	BMP ¾"		571708 R	191.00
	BMP 1"		571710 R	191.00
	BMP 1 1/8"		571712 R	191.00
	BMP 1 1/4"		571714 R	191.00

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press)
and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	€	System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	€						
Conex Bänninger >B- Press	V 12		570107	160.00	Conex Bänninger >B- Press XL stainless	XP 64,0 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579100 R	1,090.00						
	V 14		570112	160.00		XP 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579108 R	1,200.00						
	V 15		570115	160.00		M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00						
	V 16		570117	160.00		CBM 88,9 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579144 R	1,400.00						
	V 18		570125	160.00		CBM 108,0 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579146 R	1,400.00						
	V 22		570135	160.00		Conex Bänninger >B- Press Solar	V 12		570107	160.00					
	V 28		570145	160.00			V 14		570112	160.00					
	V 35		570155	160.00			V 15		570115	160.00					
	V 42		570165	371.00			V 16		570117	160.00					
	V 54		570175	382.00			V 18		570125	160.00					
	V 12 S (PR-2B)	Z8	574748 R	129.00			V 22		570135	160.00					
	V 14 S (PR-2B)	Z8	574800 R	129.00			V 28		570145	160.00					
	V 15 S (PR-2B)	Z8	574752 R	129.00			V 35		570155	160.00					
	V 16 S (PR-2B)	Z8	574802 R	129.00	V 42			570165	371.00						
	V 18 S (PR-2B)	Z8	574756 R	129.00	V 54			570175	382.00						
	V 22 S (PR-2B)	Z8	574758 R	129.00	V 12 S (PR-2B)	Z8	574748 R	129.00							
	V 28 S (PR-2B)	Z8	574760 R	129.00	V 14 S (PR-2B)	Z8	574800 R	129.00							
	V 35 S (PR-2B)	Z8	574762 R	142.00	V 15 S (PR-2B)	Z8	574752 R	129.00							
	M 15		570110	160.00	V 16 S (PR-2B)	Z8	574802 R	129.00							
	M 22		570130	160.00	V 18 S (PR-2B)	Z8	574756 R	129.00							
	M 28		570140	160.00	V 22 S (PR-2B)	Z8	574758 R	129.00							
					V 28 S (PR-2B)	Z8	574760 R	129.00							
					V 35 S (PR-2B)	Z8	574762 R	142.00							
Conex Bänninger >B- Press XL copper	VFz 64,0 (PR-3B)	Z5	572815 R	630.00	D										
	CBVFz 66,7 (PR-3B)	Z5	572847 R	630.00											
	VFz 76,1 (PR-3B) ¹⁾	Z5	572816 R	630.00											
	VFz 88,9 (PR-3B) ¹⁾	Z5	572817 R	670.00											
	VFz 108,0 (PR-3B) ¹⁾	Z5	572818 R	670.00											
Conex Bänninger >B- Press carbon	V 15		570115	160.00						Debrunner Acifer	M 12		570100	160.00	
	V 18		570125	160.00						d-a Presssystem	M 15		570110	160.00	
	V 22		570135	160.00						C-Stahl	M 18		570120	160.00	
	V 28		570145	160.00							M 22		570130	160.00	
	V 35		570155	160.00							M 28		570140	160.00	
	V 42		570165	371.00							M 35		570150	160.00	
	V 42 (PR-2B)	Z2	572850 R	333.00							M 42 (PR-3S)	Z2	572706 R	700.00	
	V 54		570175	382.00							M 54 (PR-3S)	Z2	572708 R	700.00	
	V 54 (PR-2B)	Z2	572851 R	360.00		M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00						
	V 15 S (PR-2B)	Z8	574752 R	129.00		M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00						
	V 18 S (PR-2B)	Z8	574756 R	129.00		M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00						
	V 22 S (PR-2B)	Z8	574758 R	129.00		M 12 S (PR-2B)	Z8	574736 R	129.00						
	V 28 S (PR-2B)	Z8	574760 R	129.00		M 15 S (PR-2B)	Z8	574738 R	129.00						
V 35 S (PR-2B)	Z8	574762 R	142.00		M 18 S (PR-2B)	Z8	574740 R	129.00							
Conex Bänninger >B- Press XL carbon	XP 64,0 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579100 R	1,090.00		M 22 S (PR-2B)	Z8	574742 R	129.00						
	XP 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579108 R	1,200.00		M 28 S (PR-2B)	Z8	574744 R	129.00						
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00		M 35 S (PR-2B)	Z8	574746 R	142.00						
	CBM 88,9 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579144 R	1,400.00	DUOPIPE SYSTEMS	U 16*		570765	180.00						
	CBM 108,0 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579146 R	1,400.00	DUOFIL MKSYSTEM	U 18*		570770	180.00						
Conex Bänninger >B- Press Gas	V 12		570107	160.00		U 20*		570775	180.00						
	V 14		570112	160.00		U 25*		570780	180.00						
	V 15		570115	160.00		U 32		570785	211.00						
	V 16		570117	160.00	DW Verbundrohr multitubo systems	U 16*		570765	180.00						
	V 18		570125	160.00		U 18*		570770	180.00						
	V 22		570135	160.00		U 20*		570775	180.00						
	V 28		570145	160.00		U 25*		570780	180.00						
	V 35		570155	160.00		U 32		570785	211.00						
	V 42		570165	371.00		U 40		570790	257.00						
	V 54		570175	382.00		U 50		570795	308.00						
	V 12 S (PR-2B)	Z8	574748 R	129.00		U 63 (PR-3B)	Z4	572837 R	760.00						
	V 14 S (PR-2B)	Z8	574800 R	129.00		U 63 (PZ-S)		572365	670.00						
	V 15 S (PR-2B)	Z8	574752 R	129.00		U 75 (PR-3B)	Z4	572828 R	670.00						
	V 16 S (PR-2B)	Z8	574802 R	129.00	E										
	V 18 S (PR-2B)	Z8	574756 R	129.00											
	V 22 S (PR-2B)	Z8	574758 R	129.00											
	V 28 S (PR-2B)	Z8	574760 R	129.00											
	V 35 S (PR-2B)	Z8	574762 R	142.00											
	Conex Bänninger >B- Press Inox	V 15		570115						160.00	EBRILLE	U 16*		570765	180.00
		V 18		570125						160.00	Isomonflex	U 20*		570775	180.00
		V 22		570135						160.00		U 25*		570780	180.00
		V 28		570145						160.00		H 26*		570370	174.00
		V 35		570155						160.00		TH 26*		570475	192.00
V 42			570165	371.00							TH 26 S (PR-2B)**	Z8	574794 R	129.00	
V 42 (PR-2B)		Z2	572850 R	333.00							U 32		570785	211.00	
V 54			570175	382.00						EBRILLE	U 16*		570765	180.00	
V 54 (PR-2B)		Z2	572851 R	360.00	Monflex	U 20*		570775	180.00						
V 15 S (PR-2B)		Z8	574752 R	129.00		U 25*		570780	180.00						
V 18 S (PR-2B)		Z8	574756 R	129.00		H 26*		570370	174.00						
V 22 S (PR-2B)		Z8	574758 R	129.00		TH 26*		570475	192.00						
V 28 S (PR-2B)		Z8	574760 R	129.00		TH 26 S (PR-2B)**	Z8	574794 R	129.00						
V 35 S (PR-2B)	Z8	574762 R	142.00		U 32		570785	211.00							

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

³⁾ Driven by REMS Power-Press XL ACC, see page 188.

⁴⁾ Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

⁵⁾ For taking suitable pressing inserts.

⁶⁾ Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

⁷⁾ Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

⁸⁾ For making press joints for operating pressure ≤ PN 10.

⁹⁾ For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

¹⁰⁾ For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

¹¹⁾ Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

¹²⁾ Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	£
EFFEBI	M 15		570110	160.00
EFFEBI-PRESS	M 18		570120	160.00
Aisi316	M 22		570130	160.00
System M Profile ¹⁾	M 28		570140	160.00
	M 35		570150	160.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00
	M 108,0 G XL (PR-3S) ⁵⁾	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
	M 22 S (PR-2B)	Z8	574742 R	129.00
	M 28 S (PR-2B)	Z8	574744 R	129.00
	M 35 S (PR-2B)	Z8	574746 R	142.00
EFFEBI	V 12		570107	160.00
EFFEBI-PRESS	V 15		570115	160.00
Aisi316	V 18		570125	160.00
System V Profile	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 42		570165	371.00
	V 42 (PR-2B)	Z2	572850 R	333.00
	V 54		570175	382.00
	V 54 (PR-2B)	Z2	572851 R	360.00
	V 12 S (PR-2B)	Z8	574748 R	129.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
	V 22 S (PR-2B)	Z8	574758 R	129.00
	V 28 S (PR-2B)	Z8	574760 R	129.00
	V 35 S (PR-2B)	Z8	574762 R	142.00
EFFEBI	M 12		570100	160.00
EFFEBI-PRESS	M 15		570110	160.00
Carbon-S	M 18		570120	160.00
System M Profile ¹⁾	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00
	M 12 S (PR-2B)	Z8	574736 R	129.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
	M 22 S (PR-2B)	Z8	574742 R	129.00
	M 28 S (PR-2B)	Z8	574744 R	129.00
	M 35 S (PR-2B)	Z8	574746 R	142.00
EFFEBI	V 12		570107	160.00
EFFEBI-PRESS	V 15		570115	160.00
Carbon-S	V 18		570125	160.00
System V Profile	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 42		570165	371.00
	V 42 (PR-2B)	Z2	572850 R	333.00
	V 54		570175	382.00
	V 54 (PR-2B)	Z2	572851 R	360.00
	V 12 S (PR-2B)	Z8	574748 R	129.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
	V 22 S (PR-2B)	Z8	574758 R	129.00
	V 28 S (PR-2B)	Z8	574760 R	129.00
	V 35 S (PR-2B)	Z8	574762 R	142.00
EFFEBI	V 12		570107	160.00
EFFEBI-PRESS	V 14		570112	160.00
COPPER	V 15		570115	160.00
	V 16		570117	160.00
	V 18		570125	160.00
	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 42		570165	371.00
	V 42 (PR-2B)	Z2	572850 R	333.00
	V 54		570175	382.00
	V 54 (PR-2B)	Z2	572851 R	360.00
	V 12 S (PR-2B)	Z8	574748 R	129.00
	V 14 S (PR-2B)	Z8	574800 R	129.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	V 16 S (PR-2B)	Z8	574802 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
	V 22 S (PR-2B)	Z8	574758 R	129.00
	V 28 S (PR-2B)	Z8	574760 R	129.00
	V 35 S (PR-2B)	Z8	574762 R	142.00
EFFEBI	V 12		570107	160.00
EFFEBI-PRESS	V 15		570115	160.00
UNICO	V 18		570125	160.00
	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 42		570165	371.00
	V 42 (PR-2B)	Z2	572850 R	333.00
	V 54		570175	382.00
	V 54 (PR-2B)	Z2	572851 R	360.00
	V 12 S (PR-2B)	Z8	574748 R	129.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
	V 22 S (PR-2B)	Z8	574758 R	129.00
	V 28 S (PR-2B)	Z8	574760 R	129.00
	V 35 S (PR-2B)	Z8	574762 R	142.00

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	£
EFFEBI	V 12		570107	160.00
EFFEBI-PRESS	V 15		570115	160.00
UNICO (GAS)	V 18		570125	160.00
	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 42		570165	371.00
	V 42 (PR-2B)	Z2	572850 R	333.00
	V 54		570175	382.00
	V 54 (PR-2B)	Z2	572851 R	360.00
	V 12 S (PR-2B)	Z8	574748 R	129.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
	V 22 S (PR-2B)	Z8	574758 R	129.00
	V 28 S (PR-2B)	Z8	574760 R	129.00
	V 35 S (PR-2B)	Z8	574762 R	142.00
EFFEBI	M 15		570110	160.00
PRESSTIGE	M 18		570120	160.00
	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
	M 22 S (PR-2B)	Z8	574742 R	129.00
	M 28 S (PR-2B)	Z8	574744 R	129.00
	M 35 S (PR-2B)	Z8	574746 R	142.00
	V 15		570115	160.00
	V 18		570125	160.00
	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 42		570165	371.00
	V 42 (PR-2B)	Z2	572850 R	333.00
	V 54		570175	382.00
	V 54 (PR-2B)	Z2	572851 R	360.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
	V 22 S (PR-2B)	Z8	574758 R	129.00
	V 28 S (PR-2B)	Z8	574760 R	129.00
	V 35 S (PR-2B)	Z8	574762 R	142.00
EFFEBI	M 15		570110	160.00
PRESSTIGE 4E05	M 18		570120	160.00
	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
	M 22 S (PR-2B)	Z8	574742 R	129.00
	M 28 S (PR-2B)	Z8	574744 R	129.00
	M 35 S (PR-2B)	Z8	574746 R	142.00
EFFEBI	M 15		570110	160.00
PRESSTIGE-GAS	M 18		570120	160.00
	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
	M 22 S (PR-2B)	Z8	574742 R	129.00
	M 28 S (PR-2B)	Z8	574744 R	129.00
	M 35 S (PR-2B)	Z8	574746 R	142.00
EFFEBI	M 15		570110	160.00
PRESSTIGE-GAS	M 18		570120	160.00
	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
	M 22 S (PR-2B)	Z8	574742 R	129.00
	M 28 S (PR-2B)	Z8	574744 R	129.00
	M 35 S (PR-2B)	Z8	574746 R	142.00
	V 15		570115	160.00
	V 18		570125	160.00
	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 42		570165	371.00
	V 42 (PR-2B)	Z2	572850 R	333.00
	V 54		570175	382.00
	V 54 (PR-2B)	Z2	572851 R	360.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
	V 22 S (PR-2B)	Z8	574758 R	129.00
	V 28 S (PR-2B)	Z8	574760 R	129.00
	V 35 S (PR-2B)	Z8	574762 R	142.00
EFFEBI	TH 16*		570460	192.00
TOF-GAS	TH 20*		570470	192.00
MULTIPINZA	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00
	H 16*		570320	174.00
	H 20*		570350	174.00
	H 26*		570370	174.00
	H 32		570380	174.00
	H 40 (PZ-4G)		570390	590.00
	U 16*		570765	180.00
	U 20*		570775	180.00
	U 32		570785	211.00

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press)
and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	€	System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	€
EFFEBI TOF MULTIPINZA	TH 16*		570460	192.00	EMMETI GERPEX- FIVPRESS	B 16*		570850	210.00
	TH 18*		570465	192.00		B 20*		570860	210.00
	TH 20*		570470	192.00		B 26		570870	231.00
	TH 25*		570495	192.00		B 32		570880	231.00
TH 26*		570475	192.00	H 16*			570320	174.00	
TH 32		570480	192.00	H 20*			570350	174.00	
TH 40		570485	255.00	TH 16*			570460	192.00	
TH 50 (PZ-S)		572400	670.00	TH 20*			570470	192.00	
TH 63 (PZ-S)		572405	670.00	TH 26*			570475	192.00	
TH 16 S (PR-2B)**	Z8	574782 R	129.00	TH 32			570480	192.00	
TH 18 S (PR-2B)**	Z8	574786 R	129.00	TH 40			570485	255.00	
TH 20 S (PR-2B)**	Z8	574788 R	129.00	TH 50 (PZ-S)			572400	670.00	
TH 25 S (PR-2B)**	Z8	574792 R	129.00	TH 63 (PZ-S)			572405	670.00	
TH 26 S (PR-2B)**	Z8	574794 R	129.00	U 16*			570765	180.00	
TH 26 S (PR-2B)**	Z8	574794 R	129.00	U 20*			570775	180.00	
TH 32 S (PR-2B)	Z8	574798 R	142.00	EMPUR		TH 14*		570455	192.00
F 16*		570717	183.00	TH 15*			570457	192.00	
F 18*		570720	183.00	TH 16*			570460	192.00	
F 20*		570727	183.00	TH 17*			570462	192.00	
F 26*		570730	198.00	TH 20*			570470	192.00	
F 32		570735	198.00	TH 25*		570495	192.00		
Fz 40		570742	212.00	TH 14 S (PR-2B)**	Z8	574778 R	129.00		
Fz 50		570747	321.00	TH 15 S (PR-2B)**	Z8	574780 R	129.00		
F 63 (PZ-S)		572385	670.00	TH 16 S (PR-2B)**	Z8	574782 R	129.00		
F 16 S (PR-2B)**	Z8	574728 R	129.00	TH 17 S (PR-2B)**	Z8	574784 R	129.00		
F 20 S (PR-2B)**	Z8	574730 R	129.00	TH 20 S (PR-2B)**	Z8	574788 R	129.00		
F 24 S (PR-2B)**	Z8	574732 R	129.00	TH 25 S (PR-2B)**	Z8	574792 R	129.00		
F 32 S (PR-2B)	Z8	574734 R	142.00	Esta Rohr simplesta SH M	M 15		570110	160.00	
H 16*		570320	174.00	M 18		570120	160.00		
H 18*		570340	174.00	M 22		570130	160.00		
H 20*		570350	174.00	M 28		570140	160.00		
H 25*		570360	174.00	M 35		570150	160.00		
H 26*		570370	174.00	M 42 (PZ-4G)		570160	520.00		
H 32		570380	174.00	M 54 (PZ-4G)		570170	520.00		
H 40 (PZ-4G)		570390	590.00	M 42 (PR-3S)	Z2	572706 R	700.00		
U 16*		570765	180.00	M 54 (PR-3S)	Z2	572708 R	700.00		
U 18*		570770	180.00	M 76.1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00		
U 20*		570775	180.00	M 88.9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00		
U 25*		570780	180.00	M 108.0 G XL (PR-3S) ⁸⁾	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00		
U 26 ¹²⁾		570750	211.00	M 15 S (PR-2B)	Z8	574738 R	129.00		
U 32		570785	211.00	M 18 S (PR-2B)	Z8	574740 R	129.00		
U 40		570790	257.00	M 22 S (PR-2B)	Z8	574742 R	129.00		
U 50		570795	308.00	M 28 S (PR-2B)	Z8	574744 R	129.00		
U 63 (PR-3B)	Z4	572837 R	760.00	M 35 S (PR-2B)	Z8	574746 R	142.00		
U 63 (PZ-S)		572365	670.00	Esta Rohr simplesta ST M	M 15		570110	160.00	
B 16*		570850	210.00	M 18		570120	160.00		
B 18*		570855	210.00	M 22		570130	160.00		
B 20*		570860	210.00	M 28		570140	160.00		
B 26		570870	231.00	M 35		570150	160.00		
B 32		570880	231.00	M 42 (PZ-4G)		570160	520.00		
EFIELD MULTILAYER PRESS	U 16*		570765	180.00	M 54 (PZ-4G)		570170	520.00	
DINGAS	U 18*		570770	180.00	M 42 (PR-3S)	Z2	572706 R	700.00	
	U 20*		570775	180.00	M 54 (PR-3S)	Z2	572708 R	700.00	
	U 25*		570780	180.00	M 76.1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	
	U 32		570785	211.00	M 88.9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
EFIELD MULTILAYER PRESS WATER	U 16*		570765	180.00	M 108.0 G XL (PR-3S) ⁸⁾	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
	U 18*		570770	180.00	M 15 S (PR-2B)	Z8	574738 R	129.00	
	U 20*		570775	180.00	M 18 S (PR-2B)	Z8	574740 R	129.00	
	U 25*		570780	180.00	M 22 S (PR-2B)	Z8	574742 R	129.00	
	U 32		570785	211.00	M 28 S (PR-2B)	Z8	574744 R	129.00	
Elkhart	VUS ½" (OD 15,9 mm)		571770	193.00	M 35 S (PR-2B)	Z8	574746 R	142.00	
APOLLOXPRESS	VUS ¾" (OD 22,2 mm)		571775	193.00	EUROTUBI	M 12		570100	160.00
Fittings Copper	VUS 1" (OD 28,6 mm)		571780	193.00	EUROPA	M 15		570110	160.00
and Low-Lead	VUS 1½" (OD 34,9 mm)		571785	193.00	C-Steel Pressfitting	M 18		570120	160.00
Brass	VUS 1½" (OD 41,3 mm)		571790	371.00	System M-Profile ¹⁾	M 22		570130	160.00
	VUS 2" (OD 54,0 mm)		571795	382.00	M 28		570140	160.00	
Elkhart	VUSFz 2½" (PR-3B) (OD 66,7 mm)	Z5	572819 R	630.00	M 35		570150	160.00	
APOLLOXPRESS	VUSFz 3" (PR-3B) (OD 79,4 mm)	Z5	572820 R	630.00	M 42 (PR-3S)	Z2	572706 R	700.00	
LD-C Fittings	VUSFz 4" (PR-3B) (OD 104,8 mm)	Z5	572821 R	670.00	M 54 (PR-3S)	Z2	572708 R	700.00	
Copper					M 76.1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	
					M 88.9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
					M 108.0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
					M 12 S (PR-2B)	Z8	574736 R	129.00	
					M 15 S (PR-2B)	Z8	574738 R	129.00	
					M 18 S (PR-2B)	Z8	574740 R	129.00	
					M 22 S (PR-2B)	Z8	574742 R	129.00	
					M 28 S (PR-2B)	Z8	574744 R	129.00	
					M 35 S (PR-2B)	Z8	574746 R	142.00	

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

³⁾ Driven by REMS Power-Press XL ACC, see page 188.

⁴⁾ Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

⁵⁾ For taking suitable pressing inserts.

⁶⁾ Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

⁷⁾ Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

⁸⁾ For making press joints for operating pressure ≤ PN 10.

⁹⁾ For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

¹⁰⁾ For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

¹¹⁾ Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

¹²⁾ Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	£
EUROTUBI	M 15		570110	160.00
EUROPA	M 18		570120	160.00
Inox Pressfitting	M 22		570130	160.00
System M-Profile ¹⁾	M 28		570140	160.00
	M 35		570150	160.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
	M 22 S (PR-2B)	Z8	574742 R	129.00
	M 28 S (PR-2B)	Z8	574744 R	129.00
	M 35 S (PR-2B)	Z8	574746 R	142.00
Evans	VAU 15 (½") (OD 12,7 mm)		572687	165.00
Components	VAU 20 (¾") (OD 19,1 mm)		572689	165.00
Presslok	VAU 25 (1") (OD 25,4 mm)		572691	165.00
	ECI 1½"		571932	207.00
	ECI 2" (PZ-4G)		571934	520.00
	ECI 2½" XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579104 R	1,090.00
	ECI 3" XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579105 R	1,200.00
	ECI 4" XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579106 R	1,400.00
F				
FAR Rubinetterie	TH 14*		570455	192.00
PRESSFAR	TH 16*		570460	192.00
	TH 17*		570462	192.00
	TH 18*		570465	192.00
	TH 20*		570470	192.00
	TH 25*		570495	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 50 (PZ-S)		572400	670.00
	TH 63 (PZ-S)		572405	670.00
	TH 14 S (PR-2B)**	Z8	574778 R	129.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 17 S (PR-2B)**	Z8	574784 R	129.00
	TH 18 S (PR-2B)**	Z8	574786 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 25 S (PR-2B)**	Z8	574792 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00
	H 14*		570310	174.00
	H 16*		570320	174.00
	H 18*		570340	174.00
	H 20*		570350	174.00
	H 26*		570370	174.00
	H 32		570380	174.00
	H 40 (PZ-4G)		570390	590.00
	U 14*		570760	180.00
	U 16*		570765	180.00
	U 18*		570770	180.00
	U 20*		570775	180.00
	U 25*		570780	180.00
	U 32		570785	211.00
	U 40		570790	257.00
	U 50		570795	308.00
	U 63 (PR-3B)	Z4	572837 R	760.00
	U 63 (PZ-S)		572365	670.00
F.B.Q. BARONIO	V 12		570107	160.00
BQ PRESS SOLAR	V 14		570112	160.00
	V 15		570115	160.00
	V 16		570117	160.00
	V 18		570125	160.00
	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 42		570165	371.00
	V 42 (PR-2B)	Z2	572850 R	333.00
	V 54		570175	382.00
	V 54 (PR-2B)	Z2	572851 R	360.00
	V 12 S (PR-2B)	Z8	574748 R	129.00
	V 14 S (PR-2B)	Z8	574800 R	129.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	VG 16 S (PR-2B)	Z8	574754 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
	V 22 S (PR-2B)	Z8	574758 R	129.00
	V 28 S (PR-2B)	Z8	574760 R	129.00
	V 35 S (PR-2B)	Z8	574762 R	142.00
F.B.Q. BARONIO	V 12		570107	160.00
BQ PRESS WATER	V 14		570112	160.00
	V 15		570115	160.00
	V 16		570117	160.00
	V 18		570125	160.00
	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 42		570165	371.00
	V 42 (PR-2B)	Z2	572850 R	333.00
	V 54		570175	382.00
	V 54 (PR-2B)	Z2	572851 R	360.00
	V 12 S (PR-2B)	Z8	574748 R	129.00
	V 14 S (PR-2B)	Z8	574800 R	129.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	VG 16 S (PR-2B)	Z8	574754 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
	V 22 S (PR-2B)	Z8	574758 R	129.00
	V 28 S (PR-2B)	Z8	574760 R	129.00
	V 35 S (PR-2B)	Z8	574762 R	142.00

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	£
F.B.Q. BARONIO	V 12		570107	160.00
BQ PRESS GAS	V 14		570112	160.00
	V 15		570115	160.00
	V 16		570117	160.00
	V 18		570125	160.00
	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 42		570165	371.00
	V 42 (PR-2B)	Z2	572850 R	333.00
	V 54		570175	382.00
	V 54 (PR-2B)	Z2	572851 R	360.00
	V 12 S (PR-2B)	Z8	574748 R	129.00
	V 14 S (PR-2B)	Z8	574800 R	129.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	VG 16 S (PR-2B)	Z8	574754 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
	V 22 S (PR-2B)	Z8	574758 R	129.00
	V 28 S (PR-2B)	Z8	574760 R	129.00
	V 35 S (PR-2B)	Z8	574762 R	142.00
FERCOFLOOR	RfZ 16*		571325	200.00
DUO Press	RfZ 20*		571330	200.00
FERCO PEX	RfZ 25		571335	200.00
	RfZ 32		571340	200.00
	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 25*		570495	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 50 (PZ-S)		572400	670.00
	TH 63 (PZ-S)		572405	670.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 25 S (PR-2B)**	Z8	574792 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00
FERCOFLOOR	RfZ 16*		571325	200.00
DUO Press	RfZ 20*		571330	200.00
MULTIFER	RfZ 25		571335	200.00
	RfZ 32		571340	200.00
	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 25*		570495	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 50 (PZ-S)		572400	670.00
	TH 63 (PZ-S)		572405	670.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 25 S (PR-2B)**	Z8	574792 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00
	U 16*		570765	180.00
	U 18*		570770	180.00
	U 20*		570775	180.00
	U 25*		570780	180.00
	U 32		570785	211.00
	U 40		570790	257.00
	U 50		570795	308.00
	U 63 (PZ-S)		572365	670.00
FERRO systems	TH 16*		570460	192.00
BRASELLI	TH 20*		570470	192.00
GPF GAS	TH 25*		570495	192.00
	TH 32		570480	192.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 25 S (PR-2B)**	Z8	574792 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00
FERRO systems	U 16*		570765	180.00
BRASELLI	U 18*		570770	180.00
GPF MULT	U 20*		570775	180.00
Pressfitting	U 25*		570780	180.00
MULTICAPA	U 32		570785	211.00
	U 40		570790	257.00
	U 50		570795	308.00
FERRO systems	U 16*		570765	180.00
BRASELLI	U 18*		570770	180.00
GPF PPSU	U 20*		570775	180.00
Pressfitting	U 25*		570780	180.00
PEX y MULTICAPA	U 32		570785	211.00
	U 40		570790	257.00
	U 50		570795	308.00
FERRO systems	RfZ 16*		571325	200.00
BRASELLI	RfZ 20*		571330	200.00
GPF PRESS	RfZ 25		571335	200.00
Pressfitting PEX	RfZ 32		571340	200.00
FILINOX	FTB 15		571432	231.00
Filpress	FTB 18		571434	231.00
	FTB 22		571436	231.00
	FTB 28		571438	231.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	M 76,1 XL (PR-3S)	Z7 XL 45 kN ⁴⁾	579101 R	1,200.00
	M 88,9 G XL (PR-3S)	Z7 XL 45 kN ⁴⁾	579110 R	1,400.00
	M 108,0 G XL (PR-3S)	Z7 XL 45 kN ⁴⁾	579111 R	1,400.00

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	€	System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	€		
FILINOX Instalpress Steel	M 15		570110	160.00	FORZA WATER CRIMP (AUS)	K16/P18*		572600	200.00		
	M 18		570120	160.00		K/20*		572605	200.00		
	M 22		570130	160.00		K/25*		572610	200.00		
	M 28		570140	160.00		K32		572615	200.00		
	M 35		570150	160.00		K1/40		572620	200.00		
	M 42 (PR-3S)	Z2	572706 R	700.00		K1/50		572625	329.00		
	M 54 (PR-3S)	Z2	572708 R	700.00		FORZA STAINLESS WATER CRIMP	K16/P18*		572600	200.00	
	M 76,1 XL (PR-3S)	Z7 XL 45 kN ⁽⁴⁾	579101 R	1,200.00			K/20*		572605	200.00	
	M 88,9 G XL (PR-3S)	Z7 XL 45 kN ⁽⁴⁾	579110 R	1,400.00			U 16*		570765	180.00	
	M 108,0 G XL (PR-3S)	Z7 XL 45 kN ⁽⁴⁾	579111 R	1,400.00			U 20*		570775	180.00	
	M 15 S (PR-2B)	Z8	574738 R	129.00			U 25*		570780	180.00	
	M 18 S (PR-2B)	Z8	574740 R	129.00			U 32		570785	211.00	
	M 22 S (PR-2B)	Z8	574742 R	129.00			(AUS)	U 40	570790	257.00	
	M 28 S (PR-2B)	Z8	574744 R	129.00			U 50		570795	308.00	
	M 35 S (PR-2B)	Z8	574746 R	142.00			U 63 (PZ-S)		572365	670.00	
	FILINOX Instalpress Inox	M 15		570110			160.00	FORZA GAS CRIMP (AUS)	K16/P18*		572600
M 18			570120	160.00	K/20*				572605	200.00	
M 22			570130	160.00	K/25*				572610	200.00	
M 28			570140	160.00	K32				572615	200.00	
M 35			570150	160.00	K1/40				572620	200.00	
M 42 (PR-3S)		Z2	572706 R	700.00	K1/50				572625	329.00	
M 54 (PR-3S)		Z2	572708 R	700.00	FORZA COPPER V PRESS (AUS)		VAU 15 (OD 12,7 mm)			572687	165.00
M 76,1 XL (PR-3S)		Z7 XL 45 kN ⁽⁴⁾	579101 R	1,200.00		VAU 20 (OD 19,1 mm)			572689	165.00	
M 88,9 G XL (PR-3S)		Z7 XL 45 kN ⁽⁴⁾	579110 R	1,400.00		VAU 25 (OD 25,4 mm)			572691	165.00	
M 108,0 G XL (PR-3S)		Z7 XL 45 kN ⁽⁴⁾	579111 R	1,400.00		VAU 32 (OD 31,8 mm)			572693	174.00	
M 15 S (PR-2B)		Z8	574738 R	129.00		VAU 40 (OD 38,1 mm)			572695	257.00	
M 18 S (PR-2B)		Z8	574740 R	129.00		VAU 50 (OD 50,8 mm)			572697	455.00	
M 22 S (PR-2B)		Z8	574742 R	129.00		VAUFz 65 (PR-3B) (OD 63,5 mm)	Z5		572839 R	630.00	
M 28 S (PR-2B)		Z8	574744 R	129.00		VAUFz 80 (PR-3B) (OD 76,2 mm)	Z5		572840 R	630.00	
M 35 S (PR-2B)		Z8	574746 R	142.00		VAUFz 100 (PR-3B) (OD 101,6 mm)	Z5		572841 R	670.00	
FITTINGS ESTÁNDAR ECO-PRESS		RFz 16*		571325		200.00	VAU 15 S (PR-2B)		Z8	574804 R	129.00
	RFz 20*		571330	200.00		VAU 20 S (PR-2B)** (OD 19,1 mm)	Z8	574806 R	129.00		
	RFz 25		571335	200.00		VAU 25 S (PR-2B)** (OD 25,4 mm)	Z8	574808 R	142.00		
	RFz 32		571340	200.00		FORZA STAINLESS V PRESS (AUS)	V 15		570115	160.00	
	FITTINGS ESTÁNDAR MULTICAPA	RFz 16*		571325			200.00	V 22		570135	160.00
		RFz 18*		571327			200.00	V 28		570145	160.00
RFz 20*			571330	200.00			V 35		570155	160.00	
RFz 25			571335	200.00	V 42			570165	371.00		
RFz 32			571340	200.00	V 54			570175	382.00		
FITTINGS ESTÁNDAR PE-X		RFz 16*		571325	200.00		M 76,1 XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579101 R	1,200.00	
	RFz 20*		571330	200.00	M 88,9 G XL (PR-3S)		Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579110 R	1,400.00		
	RFz 25		571335	200.00	M 108,0 G XL (PR-3S)		Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579111 R	1,400.00		
	RFz 32		571340	200.00	V 15 S (PR-2B)		Z8	574752 R	129.00		
	FORNARA ForPress	B 16*		570850	210.00		V 22 S (PR-2B)	Z8	574758 R	129.00	
		B 20*		570860	210.00		V 28 S (PR-2B)	Z8	574760 R	129.00	
B 26			570870	231.00	V 35 S (PR-2B)		Z8	574762 R	142.00		
B 32			570880	231.00	FRABO FRABOPRESS 316 GAS M		M 15		570110	160.00	
F 16*			570717	183.00			M 18		570120	160.00	
F 20*			570727	183.00			M 22		570130	160.00	
F 26*			570730	198.00		M 28		570140	160.00		
F 32			570735	198.00		M 35		570150	160.00		
F 16 S (PR-2B)**		Z8	574728 R	129.00		M 42 (PR-3S)	Z2	572706 R	700.00		
F 20 S (PR-2B)**		Z8	574730 R	129.00		M 54 (PR-3S)	Z2	572708 R	700.00		
F 26 S (PR-2B)**		Z8	574732 R	129.00		M 15 S (PR-2B)	Z8	574738 R	129.00		
F 32 S (PR-2B)		Z8	574734 R	142.00		M 18 S (PR-2B)	Z1	574740 R	129.00		
H 16*			570320	174.00		M 22 S (PR-2B)	Z8	574742 R	129.00		
H 20*			570350	174.00		M 28 S (PR-2B)	Z8	574744 R	129.00		
H 26*			570370	174.00		M 35 S (PR-2B)	Z8	574746 R	142.00		
H 32			570380	174.00		FRABO FRABOPRESS 316 GAS V	V 15		570115	160.00	
TH 16*		570460	192.00	V 18				570125	160.00		
TH 20*		570470	192.00	V 22				570135	160.00		
TH 26*		570475	192.00	V 28				570145	160.00		
TH 32		570480	192.00	V 35			570155	160.00			
TH 16 S (PR-2B)**	Z8	574782 R	129.00	V 42			570165	371.00			
TH 20 S (PR-2B)**	Z8	574788 R	129.00	V 42 (PR-2B)	Z2		572850 R	333.00			
TH 26 S (PR-2B)**	Z8	574794 R	129.00	V 54			570175	382.00			
TH 32 S (PR-2B)	Z8	574798 R	142.00	V 54 (PR-2B)	Z2		572851 R	360.00			
U 16*		570765	180.00	V 15 S (PR-2B)	Z8		574752 R	129.00			
U 20*		570775	180.00	V 18 S (PR-2B)	Z8		574756 R	129.00			
U 26* ⁽¹²⁾		570750	211.00	V 22 S (PR-2B)	Z8		574758 R	129.00			
U 32		570785	211.00	V 28 S (PR-2B)	Z8		574760 R	129.00			
				V 35 S (PR-2B)	Z8		574762 R	142.00			

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

³⁾ Driven by REMS Power-Press XL ACC, see page 188.

⁴⁾ Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

⁵⁾ For taking suitable pressing inserts.

⁶⁾ Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

⁷⁾ Use pressing rings labelled "M 88,9 G" or "M 108 G" on the three pressing segments for gas installations.

⁸⁾ For making press joints for operating pressure ≤ PN 10.

⁹⁾ For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

¹⁰⁾ For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

¹¹⁾ Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

¹²⁾ Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press)
and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	£
FRABO	M 15		570110	160.00
FRABOPRESS	M 18		570120	160.00
316 M	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	M 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579107 R	1,200.00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
	M 22 S (PR-2B)	Z8	574742 R	129.00
	M 28 S (PR-2B)	Z8	574744 R	129.00
	M 35 S (PR-2B)	Z8	574746 R	142.00
FRABO	V 15		570115	160.00
FRABOPRESS	V 18		570125	160.00
316 V	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 42		570165	371.00
	V 42 (PR-2B)	Z2	572850 R	333.00
	V 54		570175	382.00
	V 54 (PR-2B)	Z2	572851 R	360.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
	V 22 S (PR-2B)	Z8	574758 R	129.00
	V 28 S (PR-2B)	Z8	574760 R	129.00
	V 35 S (PR-2B)	Z8	574762 R	142.00
FRABO	V 12		570107	160.00
FRABOPRESS	V 15		570115	160.00
CHROME	V 18		570125	160.00
	V 22		570135	160.00
	V 12 S (PR-2B)	Z8	574748 R	129.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
	V 22 S (PR-2B)	Z8	574758 R	129.00
FRABO	M 15		570110	160.00
FRABOPRESS	M 18		570120	160.00
C-STEEL M	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	M 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579107 R	1,200.00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
	M 22 S (PR-2B)	Z8	574742 R	129.00
	M 28 S (PR-2B)	Z8	574744 R	129.00
	M 35 S (PR-2B)	Z8	574746 R	142.00
FRABO	V 12		570107	160.00
FRABOPRESS	V 15		570115	160.00
C-STEEL V	V 18		570125	160.00
	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 42		570165	371.00
	V 42 (PR-2B)	Z2	572850 R	333.00
	V 54		570175	382.00
	V 54 (PR-2B)	Z2	572851 R	360.00
	V 12 S (PR-2B)	Z8	574748 R	129.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
	V 22 S (PR-2B)	Z8	574758 R	129.00
	V 28 S (PR-2B)	Z8	574760 R	129.00
	V 35 S (PR-2B)	Z8	574762 R	142.00
FRABO	M 12		570100	160.00
FRABOPRESS	M 15		570110	160.00
GAS M	M 18		570120	160.00
	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	M 12 S (PR-2B)	Z8	574736 R	129.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
	M 22 S (PR-2B)	Z8	574742 R	129.00
	M 28 S (PR-2B)	Z8	574744 R	129.00
	M 35 S (PR-2B)	Z8	574746 R	142.00
FRABO	V 12		570107	160.00
FRABOPRESS	V 15		570115	160.00
GAS V	V 18		570125	160.00
	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 42		570165	371.00
	V 42 (PR-2B)	Z2	572850 R	333.00
	V 54		570175	382.00
	V 54 (PR-2B)	Z2	572851 R	360.00
	V 12 S (PR-2B)	Z8	574748 R	129.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
	V 22 S (PR-2B)	Z8	574758 R	129.00
	V 28 S (PR-2B)	Z8	574760 R	129.00
	V 35 S (PR-2B)	Z8	574762 R	142.00

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	£
FRABO	V 12		570107	160.00
FRABOPRESS	V 15		570115	160.00
KOMBI	V 18		570125	160.00
	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 42		570165	371.00
	V 42 (PR-2B)	Z2	572850 R	333.00
	V 54		570175	382.00
	V 54 (PR-2B)	Z2	572851 R	360.00
	M 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579107 R	1,200.00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00
	V 12 S (PR-2B)	Z8	574748 R	129.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
	V 22 S (PR-2B)	Z8	574758 R	129.00
	V 28 S (PR-2B)	Z8	574760 R	129.00
	V 35 S (PR-2B)	Z8	574762 R	142.00
FRABO	M 12		570100	160.00
FRABOPRESS M	M 15		570110	160.00
	M 18		570120	160.00
	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	M 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579107 R	1,200.00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00
	M 12 S (PR-2B)	Z8	574736 R	129.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
	M 22 S (PR-2B)	Z8	574742 R	129.00
	M 28 S (PR-2B)	Z8	574744 R	129.00
	M 35 S (PR-2B)	Z8	574746 R	142.00
FRABO	V 15		570115	160.00
FRABOPRESS	V 18		570125	160.00
SOLAR	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
	V 22 S (PR-2B)	Z8	574758 R	129.00
	V 28 S (PR-2B)	Z8	574760 R	129.00
	V 35 S (PR-2B)	Z8	574762 R	142.00
FRABO	V 12		570107	160.00
FRABOPRESS V	V 15		570115	160.00
	V 18		570125	160.00
	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 42		570165	371.00
	V 42 (PR-2B)	Z2	572850 R	333.00
	V 54		570175	382.00
	V 54 (PR-2B)	Z2	572851 R	360.00
	V 12 S (PR-2B)	Z8	574748 R	129.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
	V 22 S (PR-2B)	Z8	574758 R	129.00
	V 28 S (PR-2B)	Z8	574760 R	129.00
	V 35 S (PR-2B)	Z8	574762 R	142.00
Fränkische	F 16*		570717	183.00
alpeX-duo XS	F 20*		570727	183.00
	F 26*		570730	198.00
	F 32		570735	198.00
	F 16 S (PR-2B)**	Z8	574728 R	129.00
	F 20 S (PR-2B)**	Z8	574730 R	129.00
	F 26 S (PR-2B)**	Z8	574732 R	129.00
	F 32 S (PR-2B)**	Z8	574734 R	142.00
	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
	TH 32 S (PR-2B)**	Z8	574798 R	142.00
Fränkische	F 16*		570717	183.00
alpeX F50 PROF1	F 20*		570727	183.00
	F 26*		570730	198.00
	F 32		570735	198.00
	F 16 S (PR-2B)**	Z8	574728 R	129.00
	F 20 S (PR-2B)**	Z8	574730 R	129.00
	F 26 S (PR-2B)**	Z8	574732 R	129.00
	F 32 S (PR-2B)**	Z8	574734 R	142.00
	H 16*		570320	174.00
	H 20*		570350	174.00
	H 26*		570370	174.00
	H 32		570380	174.00
	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
	TH 32 S (PR-2B)**	Z8	574798 R	142.00
	U 16*		570765	180.00
	U 20*		570775	180.00
(DN 26)	U 25*		570780	180.00
	U 32		570785	211.00
	VP 16*		570910	192.00
	VP 20*		570915	192.00
	VP 32		570925	212.00

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press)
and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	€	
Fränkische alpeX L	Fz 40		570742	212.00	
	Fz 50		570747	321.00	
	F 63 (PZ-S)		572385	670.00	
	Fz 75 (PR-3B)	Z4	572830 R	630.00	
G					
gabotherm H+S	TH 10*		570467	192.00	
	TH 12*		570452	192.00	
	TH 14*		570455	192.00	
	TH 15*		570457	192.00	
	TH 16*		570460	192.00	
	TH 17*		570462	192.00	
	TH 18*		570465	192.00	
	TH 20*		570470	192.00	
	TH 25*		570495	192.00	
	TH 26*		570475	192.00	
	TH 32		570480	192.00	
	TH 40		570485	255.00	
	TH 50 (PZ-S)		572400	670.00	
	TH 63 (PZ-S)		572405	670.00	
	TH 10 S (PR-2B)**	Z8	574772 R	129.00	
	TH 12 S (PR-2B)**	Z8	574776 R	129.00	
	TH 14 S (PR-2B)**	Z8	574778 R	129.00	
	TH 15 S (PR-2B)**	Z8	574780 R	129.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	TH 17 S (PR-2B)**	Z8	574784 R	129.00	
	TH 18 S (PR-2B)**	Z8	574786 R	129.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	TH 25 S (PR-2B)**	Z8	574792 R	129.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00	
	TH 32 S (PR-2B)	Z8	574798 R	142.00	
	Gallagher USA YogaPipe ACR	H 12* (1/4")		570300	174.00
		U 14* (3/8")		570760	180.00
		U 16* (1/2")		570765	180.00
		U 18* (5/8")		570770	180.00
		U 20* (3/4")		570775	180.00
		U 25* (7/8")		570780	180.00
		U 32 (1 1/4")		570785	211.00
		Geberit Mappress C-STAHl	M 12		570100
M 15			570110	160.00	
M 18			570120	160.00	
M 22			570130	160.00	
M 28			570140	160.00	
M 35			570150	160.00	
M 35 (PR-3S)	Z2		572727 R	700.00	
M 42 (PZ-4G)			570160	520.00	
M 54 (PZ-4G)			570170	520.00	
M 42 (PR-3S)	Z2		572706 R	700.00	
M 54 (PR-3S)	Z2		572708 R	700.00	
M 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579107 R	1,200.00	
M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579101 R	1,200.00	
M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579110 R	1,400.00	
M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾		579111 R	1,400.00	
M 12 S (PR-2B)	Z8		574736 R	129.00	
M 15 S (PR-2B)	Z8		574738 R	129.00	
M 18 S (PR-2B)	Z8		574740 R	129.00	
M 22 S (PR-2B)	Z8		574742 R	129.00	
M 28 S (PR-2B)	Z8		574744 R	129.00	
M 35 S (PR-2B)	Z8		574746 R	142.00	
Geberit Mappress C-STAHl Sprinkler nass	M 22			570130	160.00
	M 28			570140	160.00
	M 35 (PR-3S)	Z2	572727 R	700.00	
	M 42 (PR-3S)	Z2	572706 R	700.00	
	M 54 (PR-3S)	Z2	572708 R	700.00	
	M 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579107 R	1,200.00	
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	€	
Geberit Mappress Edelstahl	M 12		570100	160.00	
	M 15		570110	160.00	
	M 18		570120	160.00	
	M 22		570130	160.00	
	M 28		570140	160.00	
	M 35		570150	160.00	
	M 35 (PR-3S)	Z2	572727 R	700.00	
	M 42 (PZ-4G)		570160	520.00	
	M 54 (PZ-4G)		570170	520.00	
	M 42 (PR-3S)	Z2	572706 R	700.00	
	M 54 (PR-3S)	Z2	572708 R	700.00	
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579107 R	1,200.00	
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
	M 12 S (PR-2B)	Z8	574736 R	129.00	
	M 15 S (PR-2B)	Z8	574738 R	129.00	
	M 18 S (PR-2B)	Z8	574740 R	129.00	
	M 22 S (PR-2B)	Z8	574742 R	129.00	
	M 28 S (PR-2B)	Z8	574744 R	129.00	
	M 35 S (PR-2B)	Z8	574746 R	142.00	
	Geberit Mappress Edelstahl Gas	M 15		570110	160.00
		M 18		570120	160.00
		M 22		570130	160.00
M 28			570140	160.00	
M 35			570150	160.00	
M 35 (PR-3S)		Z2	572727 R	700.00	
M 42 (PR-3S)		Z2	572706 R	700.00	
M 54 (PR-3S)		Z2	572708 R	700.00	
M 76,1 XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579107 R	1,200.00	
M 88,9 G XL (PR-3S) ⁷⁾		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
M 108,0 G XL (PR-3S) ⁷⁾		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
Geberit Mappress Edelstahl Sprinkler	M 22		570130	160.00	
	M 28		570140	160.00	
	M 35 (PR-3S)	Z2	572727 R	700.00	
	M 42 (PR-3S)	Z2	572706 R	700.00	
	M 54 (PR-3S)	Z2	572708 R	700.00	
	M 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579107 R	1,200.00	
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

³⁾ Driven by REMS Power-Press XL ACC, see page 188.

⁴⁾ Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

⁵⁾ For taking suitable pressing inserts.

⁶⁾ Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

⁷⁾ Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

⁸⁾ For making press joints for operating pressure ≤ PN 10.

⁹⁾ For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

¹⁰⁾ For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

¹¹⁾ Only use pressing tongs identified by "VMP 1/2" G" on the pressing jaws for gas installations.

¹²⁾ Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website: www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	£
Geberit Mepla	G 16*		570400	193.00
	G 20*		570410	193.00
	G 26*		570420	205.00
	G 32		570430	219.00
	G 40		570440	283.00
	G 50		570450	296.00
	G 63 (PZ-S)		572470	840.00
Geberit Mepla Therm	G 16*		570400	193.00
	G 20*		570410	193.00
	G 26*		570420	205.00
Geberit Volex	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
General Fittings 5T00	H 16*		570320	174.00
	H 20*		570350	174.00
	H 26*		570370	174.00
	H 32		570380	174.00
	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 50 (PZ-S)		572400	670.00
	TH 63 (PZ-S)		572405	670.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00
	U 16*		570765	180.00
	U 20*		570775	180.00
	U 32		570785	211.00
	U 40		570790	257.00
	U 63 (PZ-S)		572365	670.00
U 63 (PR-3B)	Z4	572837 R	760.00	
General Fittings Ewoprex	H 16*		570320	174.00
	H 20*		570350	174.00
	H 26*		570370	174.00
	H 32		570380	174.00
	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 50 (PZ-S)		572400	670.00
	TH 63 (PZ-S)		572405	670.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00
	U 16*		570765	180.00
	U 20*		570775	180.00
	U 32		570785	211.00
	U 40		570790	257.00
	U 63 (PZ-S)		572365	670.00
U 63 (PR-3B)	Z4	572837 R	760.00	
General Fittings Serie 5S00	B 16*		570850	210.00
	B 18*		570855	210.00
	B 20*		570860	210.00
	B 26		570870	231.00
	B 32		570880	231.00
	F 16*		570717	183.00
	F 20*		570727	183.00
	F 26*		570730	198.00
	F 32		570735	198.00
	F 16 S (PR-2B)**	Z8	574728 R	129.00
	F 20 S (PR-2B)**	Z8	574730 R	129.00
	F 26 S (PR-2B)**	Z8	574732 R	129.00
	F 32 S (PR-2B)	Z8	574734 R	142.00
	H 16*		570320	174.00
	H 18*		570340	174.00
	H 20*		570350	174.00
	H 25*		570360	174.00
	H 26*		570370	174.00
	H 32		570380	174.00
	H 40 (PZ-4G)		570390	590.00
	TH 16*		570460	192.00
	TH 18*		570465	192.00
	TH 20*		570470	192.00
	TH 25*		570495	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 50 (PZ-S)		572400	670.00
	TH 63 (PZ-S)		572405	670.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 18 S (PR-2B)**	Z8	574786 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 25 S (PR-2B)**	Z8	574792 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
TH 32 S (PR-2B)	Z8	574798 R	142.00	
U 16*		570765	180.00	
U 18*		570770	180.00	
U 20*		570775	180.00	
U 25*		570780	180.00	
U 32		570785	211.00	
U 40		570790	257.00	
U 63 (PZ-S)		572365	670.00	
U 63 (PR-3B)	Z4	572837 R	760.00	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	£	
General Fittings Trident	H 16*		570320	174.00	
	H 20*		570350	174.00	
	H 26*		570370	174.00	
	H 32		570380	174.00	
	TH 16*		570460	192.00	
	TH 20*		570470	192.00	
	TH 26*		570475	192.00	
	TH 32		570480	192.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00	
	TH 32 S (PR-2B)	Z8	574798 R	142.00	
	U 16*		570765	180.00	
	U 20*		570775	180.00	
	U 32		570785	211.00	
	General Fittings Trident Gas	TH 16*		570460	192.00
		TH 20*		570470	192.00
TH 26*			570475	192.00	
TH 32			570480	192.00	
TH 16 S (PR-2B)**		Z8	574782 R	129.00	
TH 20 S (PR-2B)**		Z8	574788 R	129.00	
TH 26 S (PR-2B)**		Z8	574794 R	129.00	
TH 32 S (PR-2B)		Z8	574798 R	142.00	
H 16*			570320	174.00	
H 20*			570350	174.00	
Giacomini Raccordi RM Giacomini	H 16*		570320	174.00	
	H 20*		570350	174.00	
	H 26*		570370	174.00	
	H 32		570380	174.00	
	TH 16*		570460	192.00	
	TH 20*		570470	192.00	
	TH 26*		570475	192.00	
	TH 32		570480	192.00	
	TH 40		570485	255.00	
	TH 50 (PZ-S)		572400	670.00	
TH 63 (PZ-S)		572405	670.00		
U 16*		570765	180.00		
U 20*		570775	180.00		
U 32		570785	211.00		
U 40		570790	257.00		
U 50		570795	308.00		
Giacomini RM MULTIGAS	H 16*		570320	174.00	
	H 20*		570350	174.00	
	H 26*		570370	174.00	
	H 32		570380	174.00	
	TH 16*		570460	192.00	
	TH 20*		570470	192.00	
	TH 26*		570475	192.00	
	TH 32		570480	192.00	
	U 16*		570765	180.00	
	U 20*		570775	180.00	
U 32		570785	211.00		
U 40		570790	257.00		
U 50		570795	308.00		
Giacomini Valvole Giacomini serie R850V	V 15		570115	160.00	
	V 18		570125	160.00	
	V 22		570135	160.00	
	V 28		570145	160.00	
	V 35		570155	160.00	
	V 42		570165	371.00	
	V 54		570175	382.00	
	V 15 S (PR-2B)	Z8	574752 R	129.00	
	V 18 S (PR-2B)	Z8	574756 R	129.00	
	V 22 S (PR-2B)	Z8	574758 R	129.00	
	V 28 S (PR-2B)	Z8	574760 R	129.00	
	V 35 S (PR-2B)	Z8	574762 R	142.00	
	SA 15		570935	192.00	
	SA 18		570940	192.00	
	SA 22		570945	192.00	
	SA 28		570950	192.00	
	SA 35		570955	192.00	
M 15		570110	160.00		
M 18		570120	160.00		
M 22		570130	160.00		
M 28		570140	160.00		
M 35		570150	160.00		
M 15 S (PR-2B)	Z8	574738 R	129.00		
M 18 S (PR-2B)	Z8	574740 R	129.00		
M 22 S (PR-2B)	Z8	574742 R	129.00		
M 28 S (PR-2B)	Z8	574744 R	129.00		
M 35 S (PR-2B)	Z8	574746 R	142.00		
Golan Pipe Systems (Scandinavia) Alu-Pres	U 16*		570765	180.00	
	U 20*		570775	180.00	
	U 25*		570780	180.00	
	U 32		570785	211.00	
	U 40		570790	257.00	
Grinnell G-PRESS Copper Fittings	U 50		570795	308.00	
	U 63 (PZ-S)		572365	670.00	
	U 63 (PR-3B)	Z4	572837 R	760.00	
	U 75 (PR-3B)	Z4	572828 R	670.00	
	VUS ½" (OD 15,9 mm)		571770	193.00	
	VUS ¾" (OD 22,2 mm)		571775	193.00	
	VUS 1" (OD 28,6 mm)		571780	193.00	
	VUS 1¼" (OD 34,9 mm)		571785	193.00	
	VUS 1½" (OD 41,3 mm)		571790	371.00	
	VUS 2" (OD 54,0 mm)		571795	382.00	
VUSFz 2½" (PR-3B) (OD 66,7 mm)	Z5	572819 R	630.00		
VUSFz 3" (PR-3B) (OD 79,4 mm)	Z5	572820 R	630.00		
VUSFz 4" (PR-3B) (OD 104,8 mm)	Z5	572821 R	670.00		

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	€	System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	€
GS Wärmesysteme System TH	TH 14*		570455	192.00	Herotec tempusPRESS PLUS	H 16*		570320	174.00
	TH 16*		570460	192.00		H 20*		570350	174.00
	TH 20*		570470	192.00		H 25*		570360	174.00
	TH 26*		570475	192.00		H 32		570380	174.00
	TH 32		570480	192.00		H 40 (PZ-4G)		570390	590.00
	TH 40		570485	255.00		RFz 16*		571325	200.00
	TH 50 (PZ-S)		572400	670.00		RFz 20*		571330	200.00
	TH 63 (PZ-S)		572405	670.00		RFz 25		571335	200.00
	TH 14 S (PR-2B)**	Z8	574778 R	129.00		RFz 32		571340	200.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00		TH 16*		570460	192.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00		TH 20*		570470	192.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00		TH 25*		570495	192.00
	TH 32 S (PR-2B)**	Z8	574798 R	142.00		TH 32		570480	192.00
	GS Wärmesysteme System V	V 15		570115		160.00	TH 40		570485
V 18		570125	160.00	TH 50 (PZ-S)		572400	670.00		
V 22		570135	160.00	TH 63 (PZ-S)		572405	670.00		
V 28		570145	160.00	TH 16 S (PR-2B)**	Z8	574782 R	129.00		
V 35		570155	160.00	TH 20 S (PR-2B)**	Z8	574788 R	129.00		
V 15 S (PR-2B)	Z8	574752 R	129.00	TH 25 S (PR-2B)**	Z8	574792 R	129.00		
V 18 S (PR-2B)	Z8	574756 R	129.00	TH 32 S (PR-2B)	Z8	574798 R	142.00		
V 22 S (PR-2B)	Z8	574758 R	129.00	U 16*		570765	180.00		
V 28 S (PR-2B)	Z8	574760 R	129.00	U 20*		570775	180.00		
V 35 S (PR-2B)	Z8	574762 R	142.00	U 25*		570780	180.00		
H					U 32		570785	211.00	
HASTINIK Hastinik/Hitpress	M 15		570110	160.00	U 40		570790	257.00	
	M 18		570120	160.00	U 50		570795	308.00	
	M 22		570130	160.00	U 63 (PZ-S)		572365	670.00	
	M 28		570140	160.00	U 63 (PR-3B)	Z4	572837 R	760.00	
	M 35		570150	160.00	U 75 (PR-3B)	Z4	572828 R	670.00	
	M 42 (PZ-4G)		570160	520.00	Herotec	H 16*	570320	174.00	
	M 54 (PZ-4G)		570170	520.00	tempusPRESS	H 20*	570350	174.00	
	M 42 (PR-3S)	Z2	572706 R	700.00	PLUS PPSU	H 25*	570360	174.00	
	M 54 (PR-3S)	Z2	572708 R	700.00	H 32		570380	174.00	
	M 76,1 XL (PR-3S)	Z6 XL ¹⁾ / Z7 XL 45kN ⁴⁾	579101 R	1.200.00	TH 16*		570460	192.00	
	M 88,9 G XL (PR-3S)	Z6 XL ¹⁾ / Z7 XL 45kN ⁴⁾	579110 R	1.400.00	TH 20*		570470	192.00	
	M 108,0 G XL (PR-3S)	Z6 XL ¹⁾ / Z7 XL 45kN ⁴⁾	579111 R	1.400.00	TH 25*		570495	192.00	
	M 15 S (PR-2B)	Z8	574738 R	129.00	TH 32		570480	192.00	
	M 18 S (PR-2B)	Z8	574740 R	129.00	TH 40		570485	255.00	
M 22 S (PR-2B)	Z8	574742 R	129.00	TH 50 (PZ-S)		572400	670.00		
M 28 S (PR-2B)	Z8	574744 R	129.00	TH 63 (PZ-S)		572405	670.00		
M 35 S (PR-2B)	Z8	574746 R	142.00	TH 16 S (PR-2B)**	Z8	574782 R	129.00		
heima24	TH 16*		570460	192.00	TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	TH 20*		570470	192.00	TH 25 S (PR-2B)**	Z8	574792 R	129.00	
	TH 26*		570475	192.00	TH 32 S (PR-2B)	Z8	574798 R	142.00	
	TH 32		570480	192.00	U 16*		570765	180.00	
	TH 40		570485	255.00	U 20*		570775	180.00	
	TH 50 (PZ-S)		572400	670.00	U 25*		570780	180.00	
	TH 63 (PZ-S)		572405	670.00	U 32		570785	211.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	U 40		570790	257.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00	U 50		570795	308.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00	U 63 (PR-3B)	Z4	572837 R	760.00	
	TH 32 S (PR-2B)	Z8	574798 R	142.00	U 63 (PZ-S)		572365	670.00	
	U 16*		570765	180.00	U 75 (PR-3B)	Z4	572828 R	670.00	
	U 20*		570775	180.00	HELIROMA	U 16*	570765	180.00	
	U 32		570785	211.00	Klimapress	U 20*	570775	180.00	
HELIROMA Klimapress	U 25*		570780	180.00	U 25*		570780	180.00	
	U 32		570785	211.00	U 32		570785	211.00	
	U 40		570790	257.00	U 40		570790	257.00	
	U 50		570795	308.00	U 50		570795	308.00	
	U 63 (PR-3B)	Z4	572837 R	760.00	U 63 (PR-3B)	Z4	572837 R	760.00	
	U 63 (PZ-S)		572365	670.00	U 75 (PR-3B)	Z4	572828 R	670.00	
	U 75 (PR-3B)	Z4	572828 R	670.00	HELIROMA	U 16*	570765	180.00	
	HERZ PIPEFIX	TH 10*		570467	192.00	Klimapress PPSU	U 20*	570775	180.00
TH 16*		570460	192.00	U 25*		570780	180.00		
TH 20*		570470	192.00	U 32		570785	211.00		
TH 26*		570475	192.00	Henco	TH 14*	570455	192.00		
TH 32		570480	192.00	TH 16*		570460	192.00		
TH 40		570485	255.00	TH 18*		570465	192.00		
TH 50 (PZ-S)		572400	670.00	TH 20*		570470	192.00		
TH 63 (PZ-S)		572405	670.00	TH 26*		570475	192.00		
THz 75 (PR-3B)		572829 R	630.00	HE 32		571900	230.00		
TH 10 S (PR-2B)**	Z8	574772 R	129.00	HEz 40		571904	334.00		
TH 16 S (PR-2B)**	Z8	574782 R	129.00						
TH 20 S (PR-2B)**	Z8	574788 R	129.00						
TH 26 S (PR-2B)**	Z8	574794 R	129.00						
TH 32 S (PR-2B)**	Z8	574798 R	142.00						
HIDRONIX	TH 16*		570460	192.00					
MULTIGAS	TH 20*		570470	192.00					
	TH 26*		570475	192.00					

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

³⁾ Driven by REMS Power-Press XL ACC, see page 188.

⁴⁾ Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

⁵⁾ For taking suitable pressing inserts.

⁶⁾ Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

⁷⁾ Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

⁸⁾ For making press joints for operating pressure ≤ PN 10.

⁹⁾ For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

¹⁰⁾ For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

¹¹⁾ Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

¹²⁾ Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website: www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	€	
HIDRONIX MULTIPIPE	TH 14*		570455	192.00	
	TH 16*		570460	192.00	
	TH 20*		570470	192.00	
	TH 26*		570475	192.00	
	H 14*		570310	174.00	
	H 16*		570320	174.00	
	H 18*		570340	174.00	
	H 20*		570350	174.00	
	H 26*		570370	174.00	
	U 14*		570760	180.00	
	U 16*		570765	180.00	
	U 18*		570770	180.00	
	U 20*		570775	180.00	
	U 26* ¹²⁾		570750	211.00	
	U 32		570785	211.00	
	HIDRONIX UNICO	TH 14*		570455	192.00
		TH 16*		570460	192.00
		TH 20*		570470	192.00
		TH 26*		570475	192.00
		H 14*		570310	174.00
H 16*			570320	174.00	
H 18*			570340	174.00	
H 20*			570350	174.00	
H 26*			570370	174.00	
U 14*			570760	180.00	
U 16*			570765	180.00	
U 18*			570770	180.00	
U 20*			570775	180.00	
U 26* ¹²⁾			570750	211.00	
U 32			570785	211.00	
HITEC Sistema Multistrato		TH 14*		570455	192.00
		TH 16*		570460	192.00
		TH 18*		570465	192.00
		TH 20*		570470	192.00
		TH 26*		570475	192.00
	TH 32		570480	192.00	
	TH 40		570485	255.00	
	TH 50 (PZ-S)		572400	670.00	
	TH 14 S (PR-2B)**	Z8	574778 R	129.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	TH 18 S (PR-2B)**	Z8	574786 R	129.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00	
	TH 32 S (PR-2B)	Z8	574798 R	142.00	
HITHERM-ISOTUBI NUMEPRESS	M 15		570110	160.00	
	M 18		570120	160.00	
	M 22		570130	160.00	
	M 28		570140	160.00	
	M 35		570150	160.00	
	M 42 (PR-3S)	Z2	572706 R	700.00	
	M 54 (PR-3S)	Z2	572708 R	700.00	
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
	M 15 S (PR-2B)	Z8	574738 R	129.00	
	M 18 S (PR-2B)	Z8	574740 R	129.00	
	M 22 S (PR-2B)	Z8	574742 R	129.00	
	M 28 S (PR-2B)	Z8	574744 R	129.00	
	M 35 S (PR-2B)	Z8	574746 R	142.00	
	HITHERM HTpress	M 15		570110	160.00
		M 18		570120	160.00
M 22			570130	160.00	
M 28			570140	160.00	
M 35			570150	160.00	
M 42 (PR-3S)		Z2	572706 R	700.00	
M 54 (PR-3S)		Z2	572708 R	700.00	
M 76,1 XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	
M 88,9 G XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
M 108,0 G XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
M 15 S (PR-2B)		Z8	574738 R	129.00	
M 18 S (PR-2B)		Z8	574740 R	129.00	
M 22 S (PR-2B)		Z8	574742 R	129.00	
M 28 S (PR-2B)		Z8	574744 R	129.00	
M 35 S (PR-2B)		Z8	574746 R	142.00	
HITHERM HTfire		M 15		570110	160.00
		M 18		570120	160.00
	M 22		570130	160.00	
	M 28		570140	160.00	
	M 35		570150	160.00	
	M 42 (PR-3S)	Z2	572706 R	700.00	
	M 54 (PR-3S)	Z2	572708 R	700.00	
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
	M 15 S (PR-2B)	Z8	574738 R	129.00	
	M 18 S (PR-2B)	Z8	574740 R	129.00	
	M 22 S (PR-2B)	Z8	574742 R	129.00	
	M 28 S (PR-2B)	Z8	574744 R	129.00	
	M 35 S (PR-2B)	Z8	574746 R	142.00	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	€	
HITHERM HTair	M 15		570110	160.00	
	M 18		570120	160.00	
	M 22		570130	160.00	
	M 28		570140	160.00	
	M 35		570150	160.00	
	M 42 (PR-3S)	Z2	572706 R	700.00	
	M 54 (PR-3S)	Z2	572708 R	700.00	
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
	M 15 S (PR-2B)	Z8	574738 R	129.00	
	M 18 S (PR-2B)	Z8	574740 R	129.00	
	M 22 S (PR-2B)	Z8	574742 R	129.00	
	M 28 S (PR-2B)	Z8	574744 R	129.00	
	M 35 S (PR-2B)	Z8	574746 R	142.00	
	Hopewell press fit system	M 15		570110	160.00
		M 18		570120	160.00
M 22			570130	160.00	
M 28			570140	160.00	
M 35			570150	160.00	
M 42 (PZ-4G)			570160	520.00	
M 54 (PZ-4G)			570170	520.00	
hp praski BAVARIA-press	TH 10*		570467	192.00	
	TH 12*		570452	192.00	
	TH 14*		570455	192.00	
	TH 16*		570460	192.00	
	TH 17*		570462	192.00	
	TH 20*		570470	192.00	
	TH 25*		570495	192.00	
ICMA Sempiter	TH 26*		570475	192.00	
	TH 32		570480	192.00	
	TH 40		570485	255.00	
	TH 10 S (PR-2B)**	Z8	574772 R	129.00	
	TH 12 S (PR-2B)**	Z8	574776 R	129.00	
	TH 14 S (PR-2B)**	Z8	574778 R	129.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	TH 17 S (PR-2B)**	Z8	574784 R	129.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	TH 25 S (PR-2B)**	Z8	574792 R	129.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00	
	TH 32 S (PR-2B)	Z8	574798 R	142.00	
	ICMA Sempigas	H 16*		570320	174.00
		H 20*		570350	174.00
		H 25*		570360	174.00
		H 26*		570370	174.00
		H 32		570380	174.00
H 40 (PZ-4G)			570390	590.00	
TH 16*			570460	192.00	
TH 20*			570470	192.00	
TH 25*			570495	192.00	
TH 26*			570475	192.00	
TH 32			570480	192.00	
TH 40			570485	255.00	
TH 50 (PZ-S)			572400	670.00	
TH 63 (PZ-S)			572405	670.00	
TH 16 S (PR-2B)**		Z8	574782 R	129.00	
TH 20 S (PR-2B)**		Z8	574788 R	129.00	
TH 26 S (PR-2B)**		Z8	574794 R	129.00	
TH 32 S (PR-2B)	Z8	574798 R	142.00		
Idrosanitaria Bonomi Homegas	U 16*		570765	180.00	
	U 20*		570775	180.00	
	U 25*		570780	180.00	
	U 26* ¹²⁾		570750	211.00	
	U 32		570785	211.00	
	U 40		570790	257.00	
	U 50		570795	308.00	
	U 63 (PR-3B)	Z4	572837 R	760.00	
	U 63 (PZ-S)		572365	670.00	
	Idrosanitaria Bonomi Idropress	TH 16*		570460	192.00
		TH 20*		570470	192.00
		TH 25*		570495	192.00
		TH 26*		570475	192.00
		TH 32		570480	192.00
		TH 16 S (PR-2B)**	Z8	574782 R	129.00
		TH 20 S (PR-2B)**	Z8	574788 R	129.00
		TH 26 S (PR-2B)**	Z8	574794 R	129.00
TH 32 S (PR-2B)		Z8	574798 R	142.00	
Idrosanitaria Bonomi Idropress		TH 16*		570460	192.00
		TH 18*		570465	192.00
		TH 20*		570470	192.00
		TH 26*		570475	192.00
		TH 32		570480	192.00
		TH 40		570485	255.00
		TH 50 (PZ-S)		572400	670.00
		TH 63 (PZ-S)		572405	670.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00	
	TH 32 S (PR-2B)	Z8	574798 R	142.00	

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	€	System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	€
IDROSISTEMI Ta-Press	TH 16*		570460	192.00	IDROTRADE StormSTEEL ¹⁾	M 12		570100	160.00
	TH 20*		570470	192.00		M 15		570110	160.00
	TH 26*		570475	192.00		M 18		570120	160.00
	TH 32		570480	192.00		M 22		570130	160.00
	TH 40		570485	255.00		M 28		570140	160.00
	TH 50 (PZ-S)		572400	670.00		M 35		570150	160.00
	TH 63 (PZ-S)		572405	670.00		M 42 (PR-3S)	Z2	572706 R	700.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00		M 54 (PR-3S)	Z2	572708 R	700.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00		M 76,1 XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579101 R	1,200.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00		M 88,9 G XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579110 R	1,400.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00		M 108,0 G XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579111 R	1,400.00
	F 16*		570717	183.00		M 12 S (PR-2B)	Z8	574736 R	129.00
	F 20*		570727	183.00		M 15 S (PR-2B)	Z8	574738 R	129.00
	F 26*		570730	198.00		M 18 S (PR-2B)	Z8	574740 R	129.00
	F 32		570735	198.00		M 22 S (PR-2B)	Z8	574742 R	129.00
	F 16 S (PR-2B)**	Z8	574728 R	129.00		M 28 S (PR-2B)	Z8	574744 R	129.00
	F 20 S (PR-2B)**	Z8	574730 R	129.00		M 35 S (PR-2B)	Z8	574746 R	142.00
	F 26 S (PR-2B)**	Z8	574732 R	129.00		ILTA	M 15	570110	160.00
	F 32 S (PR-2B)	Z8	574734 R	142.00		INOX/CHIBRO	M 18	570120	160.00
	Fz 40		570742	212.00		Pressfitting Cuni	M 22	570130	160.00
	Fz 50		570747	321.00		M 28	M 35	570140	160.00
	F 63 (PZ-S)		572385	670.00		M 42 (PR-3S)	Z2	572706 R	700.00
	H 16*		570320	174.00		M 54 (PR-3S)	Z2	572708 R	700.00
	H 20*		570350	174.00		M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00
	H 26*		570370	174.00		M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00
	H 32		570380	174.00	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
	H 40 (PZ-46)		570390	590.00	M 15 S (PR-2B)	Z8	574738 R	129.00	
	U 16*		570765	180.00	M 18 S (PR-2B)	Z8	574740 R	129.00	
	U 20*		570775	180.00	M 22 S (PR-2B)	Z8	574742 R	129.00	
	U 26* ¹²⁾		570750	211.00	M 28 S (PR-2B)	Z8	574744 R	129.00	
	U 32		570785	211.00	M 35 S (PR-2B)	Z8	574746 R	142.00	
	U 40		570790	257.00	ILTA	M 15	570110	160.00	
	U 50		570795	308.00	INOX/CHIBRO	M 18	570120	160.00	
	U 63 (PZ-S)		572365	670.00	Pressfitting inox	M 22	570130	160.00	
	B 16*		570850	210.00	M 28	M 35	570140	160.00	
	B 20*		570860	210.00	M 42 (PR-3S)	Z2	572706 R	700.00	
	B 26		570870	231.00	M 54 (PR-3S)	Z2	572708 R	700.00	
	B 32		570880	231.00	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	
	IDROTRADE Storm Multipinza	H 16*		570320	174.00	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00
		H 20*		570350	174.00	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00
		H 26*		570370	174.00	M 15 S (PR-2B)	Z8	574738 R	129.00
		H 32		570380	174.00	M 18 S (PR-2B)	Z8	574740 R	129.00
TH 16*			570460	192.00	M 22 S (PR-2B)	Z8	574742 R	129.00	
TH 20*			570470	192.00	M 28 S (PR-2B)	Z8	574744 R	129.00	
TH 26*			570475	192.00	M 35 S (PR-2B)	Z8	574746 R	142.00	
TH 32			570480	192.00	Instantor	TH 16*	570460	192.00	
THL 32			570487	192.00	Press System	TH 20*	570470	192.00	
TH 40			570485	255.00	TH 26*	570475	192.00		
TH 50 (PZ-S)			572400	670.00	TH 32	570480	192.00		
TH 63 (PZ-S)			572405	670.00	TH 16 S (PR-2B)**	Z8	574782 R	129.00	
TH 16 S (PR-2B)**		Z8	574782 R	129.00	TH 20 S (PR-2B)**	Z8	574788 R	129.00	
TH 20 S (PR-2B)**		Z8	574788 R	129.00	TH 26 S (PR-2B)**	Z8	574794 R	129.00	
TH 26 S (PR-2B)**		Z8	574794 R	129.00	TH 32 S (PR-2B)	Z8	574798 R	142.00	
TH 32 S (PR-2B)		Z8	574798 R	142.00	Instantor	VI ½" S (PR-2B)	574850 R	129.00	
U 16*			570765	180.00	Copper Press Imperial	VI ¾" S (PR-2B)	574852 R	129.00	
U 20*		570775	180.00	VI 1" S (PR-2B)	574854 R	129.00			
IDROTRADE StormPRES ¹⁾	M 15		570110	160.00	Instantor	M 15	570110	160.00	
	M 18		570120	160.00	Copper Press Metric	M 22	570130	160.00	
	M 22		570130	160.00	M 28	M 35	570140	160.00	
	M 28		570140	160.00	M 42 (PR-3S)	Z2	572706 R	700.00	
	M 35		570150	160.00	M 54 (PR-3S)	Z2	572708 R	700.00	
	M 42 (PR-3S)	Z2	572706 R	700.00	M 76,1 XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	
	M 54 (PR-3S)	Z2	572708 R	700.00	M 88,9 G XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
	M 76,1 XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	M 108,0 G XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
	M 88,9 G XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	M 15 S (PR-2B)	Z8	574738 R	129.00	
	M 108,0 G XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	M 18 S (PR-2B)	Z8	574740 R	129.00	
	M 15 S (PR-2B)	Z8	574738 R	129.00	M 22 S (PR-2B)	Z8	574742 R	129.00	
	M 18 S (PR-2B)	Z8	574740 R	129.00	M 28 S (PR-2B)	Z8	574744 R	129.00	
	M 22 S (PR-2B)	Z8	574742 R	129.00	M 35 S (PR-2B)	Z8	574746 R	142.00	
	M 28 S (PR-2B)	Z8	574744 R	129.00	ILTA	M 15	570110	160.00	
	M 35 S (PR-2B)	Z8	574746 R	142.00	INOX/CHIBRO	M 18	570120	160.00	

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

³⁾ Driven by REMS Power-Press XL ACC, see page 188.

⁴⁾ Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

⁵⁾ For taking suitable pressing inserts.

⁶⁾ Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

⁷⁾ Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

⁸⁾ For making press joints for operating pressure ≤ PN 10.

⁹⁾ For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

¹⁰⁾ For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

¹¹⁾ Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

¹²⁾ Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website: www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	£	
IPA IPANA Press	TH 10*		570467	192.00	
	TH 11,6*		570482	192.00	
	TH 12*		570452	192.00	
	TH 14*		570455	192.00	
	TH 15*		570457	192.00	
	TH 16*		570460	192.00	
	TH 17*		570462	192.00	
	TH 18*		570465	192.00	
	TH 20*		570470	192.00	
	TH 22*		570472	192.00	
	TH 25*		570495	192.00	
	TH 26*		570475	192.00	
	TH 28		570477	192.00	
	TH 32		570480	192.00	
	TH 40		570485	255.00	
	TH 50 (PZ-S)		572400	670.00	
	TH 63 (PZ-S)		572405	670.00	
	THz 75 (PR-3B)		572829 R	630.00	
	TH 10 S (PR-2B)**	Z4	574772 R	129.00	
	TH 11,6 S (PR-2B)**	Z8	574774 R	129.00	
	TH 12 S (PR-2B)**	Z8	574776 R	129.00	
	TH 14 S (PR-2B)**	Z8	574778 R	129.00	
	TH 15 S (PR-2B)**	Z8	574780 R	129.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	TH 17 S (PR-2B)**	Z8	574784 R	129.00	
	TH 18 S (PR-2B)**	Z8	574786 R	129.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	TH 22 S (PR-2B)**	Z8	574790 R	129.00	
	TH 25 S (PR-2B)**	Z8	574792 R	129.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00	
	TH 28 S (PR-2B)**	Z8	574796 R	142.00	
	TH 32 S (PR-2B)**	Z8	574798 R	142.00	
	IPA THu IPANA Press	TH 16*		570460	192.00
		TH 20*		570470	192.00
		TH 26*		570475	192.00
TH 32			570480	192.00	
TH 40			570485	255.00	
TH 16 S (PR-2B)**		Z8	574782 R	129.00	
TH 20 S (PR-2B)**		Z8	574788 R	129.00	
TH 26 S (PR-2B)**		Z8	574794 R	129.00	
TH 32 S (PR-2B)		Z8	574798 R	142.00	
IPALPEX (Industrie du Plastique et Accessoires)		TH 14*		570455	192.00
	TH 16*		570460	192.00	
	TH 18*		570465	192.00	
	TH 20*		570470	192.00	
	TH 26*		570475	192.00	
	THL 32		570487	192.00	
	TH 40		570485	255.00	
TH 50 (PZ-S)		572400	670.00		
TH 63 (PZ-S)		572405	670.00		
IPLEX PIPELINES AUSTRALIA Iplex Pro-fit	K16/P18*		572600	200.00	
	PF 22*		571980	216.00	
IPLEX PIPELINES AUSTRALIA Iplex K1 (Gas)	K16/P18*		572600	200.00	
	K/20*		572605	200.00	
	K/25*		572610	200.00	
	K32		572615	200.00	
	K1/40		572620	200.00	
IPLEX PIPELINES AUSTRALIA Iplex K2	K16/P18*		572600	200.00	
	K/20*		572605	200.00	
	K/25*		572610	200.00	
ISOLTUBEX ISOLPEX IPERT	Rfz 16*		571325	200.00	
	Rfz 20*		571330	200.00	
	Rfz 25		571337	221.00	
	Rfz 32		571342	221.00	
ISOLTUBEX Multicapra	Rfz 16*		571325	200.00	
	Rfz 18*		571327	200.00	
	Rfz 20*		571330	200.00	
	Rfz 25		571337	221.00	
	Rfz 32		571342	221.00	
	U 16*		570765	180.00	
	U 18*		570770	180.00	
	U 20*		570775	180.00	
	U 25*		570780	180.00	
	U 32		570785	211.00	
	U 40		570790	257.00	
	U 50		570795	308.00	
	U 63 (PR-3B)	Z4	572837 R	760.00	
	U 63 (PZ-S)		572365	670.00	
	ISOLTUBEX Multicapra GAS	Rfz 16*		571325	200.00
Rfz 20*			571330	200.00	
Rfz 25			571337	221.00	
Rfz 32			571342	221.00	
ISOLTUBEX Multicapra-PPSU	U 16*		570765	180.00	
	U 20*		570775	180.00	
	U 25*		570780	180.00	
	U 32		570785	211.00	
ISOTUBI NUMEPRESS	M 15		570110	160.00	
	M 18 ¹⁾		570120	160.00	
	M 22		570130	160.00	
	M 28 ¹⁾		570140	160.00	
	M 35		570150	160.00	
	M 42 (PR-3S)	Z2	572706 R	700.00	
	M 54 (PR-3S)	Z2	572708 R	700.00	
	M 76,1 XL (PR-3S)	Z6 XL ²⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	
	M 88,9 G XL (PR-3S)	Z6 XL ²⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
	M 108,0 G XL (PR-3S)	Z6 XL ²⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
	M 15 S (PR-2B)	Z8	574738 R	129.00	
	M 18 S (PR-2B)	Z8	574740 R	129.00	
	M 22 S (PR-2B)	Z8	574742 R	129.00	
	M 28 S (PR-2B)	Z8	574744 R	129.00	
	M 35 S (PR-2B)	Z8	574746 R	142.00	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	£
IVAR ALPEX-GAS	B 20		570860	210.00
	B 26		570870	231.00
IVAR Ivar-Press	B 32		570880	231.00
	B 14*		570845	210.00
	B 16*		570850	210.00
	B 18*		570855	210.00
	B 20*		570860	210.00
	B 26		570870	231.00
	B 32		570880	231.00
	Fz 40		570742	212.00
	Fz 50		570747	321.00
	F 63 (PZ-S)		572385	670.00
IVAR MULTI PRESS GAS ITALIA	TH 16*		570460	192.00
	TH 20*		570470	192.00
IVAR Multi Press MP	TH 26*		570475	192.00
	H 16*		570320	174.00
	H 20*		570350	174.00
	H 26*		570370	174.00
	U 16*		570765	180.00
	U 20*		570775	180.00
	TH 16*		570460	192.00
	TH 18*		570465	192.00
	TH 20*		570470	192.00
	TH 25*		570495	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 50 (PZ-S)		572400	670.00
	TH 63 (PZ-S)		572405	670.00
TH 16 S (PR-2B)**	Z8	574782 R	129.00	
TH 18 S (PR-2B)**	Z8	574786 R	129.00	
TH 20 S (PR-2B)**	Z8	574788 R	129.00	
TH 25 S (PR-2B)**	Z8	574792 R	129.00	
TH 26 S (PR-2B)**	Z8	574794 R	129.00	
TH 32 S (PR-2B)	Z8	574798 R	142.00	
F 16*		570717	183.00	
F 18*		570720	183.00	
F 20*		570727	183.00	
F 26*		570730	198.00	
F 32		570735	198.00	
Fz 40		570742	212.00	
Fz 50		570747	321.00	
F 63 (PZ-S)		572385	670.00	
F 16 S (PR-2B)**	Z8	574728 R	129.00	
F 20 S (PR-2B)**	Z8	574730 R	129.00	
F 26 S (PR-2B)**	Z8	574732 R	129.00	
F 32 S (PR-2B)	Z8	574734 R	142.00	
H 16*		570320	174.00	
H 18*		570340	174.00	
H 20*		570350	174.00	
H 25*		570360	174.00	
H 26*		570370	174.00	
H 32		570380	174.00	
H 40 (PZ-46)		570390	590.00	
U 16*		570765	180.00	
U 18*		570770	180.00	
U 20*		570775	180.00	
U 25*		570780	180.00	
U 26* ¹²⁾		570750	211.00	
U 32		570785	211.00	
U 40		570790	257.00	
U 50		570795	308.00	
U 63 (PZ-S)		572365	670.00	
B 16*		570850	210.00	
B 18*		570855	210.00	
B 20*		570860	210.00	
B 26		570870	231.00	
B 32		570880	231.00	
IVAR Multi Press Leak (MPL)	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00
	F 16*		570717	183.00
	F 20*		570727	183.00
	F 26*		570730	198.00
	F 32		570735	198.00
	F 16 S (PR-2B)**	Z8	574728 R	129.00
	F 20 S (PR-2B)**	Z8	574730 R	129.00
	F 26 S (PR-2B)**	Z8	574732 R	129.00
F 32 S (PR-2B)	Z8	574734 R	142.00	
H 16*		570320	174.00	
H 20*		570350	174.00	
H 26*		570370	174.00	
H 32		570380	174.00	
U 16*		570765	180.00	
U 20*		570775	180.00	
U 26* ¹²⁾		570750	211.00	
U 32		570785	211.00	
B 16*		570850	210.00	
B 20*		570860	210.00	
B 26		570870	231.00	
B 32		570880	231.00	

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	€	System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	€	
IVAR Plastic Multi Press Leak (PMPL)	TH 16*		570460	192.00	IVT PRIPRESS	TH 16*		570460	192.00	
	TH 20*		570470	192.00		TH 20*		570470	192.00	
	TH 26*		570475	192.00		TH 26*		570475	192.00	
	TH 32		570480	192.00		TH 32		570480	192.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00		TH 40		570485	255.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00		TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00		TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	TH 32 S (PR-2B)	Z8	574798 R	142.00		TH 26 S (PR-2B)**	Z8	574794 R	129.00	
	F 16*		570717	183.00		TH 32 S (PR-2B)	Z8	574798 R	142.00	
	F 20*		570727	183.00		J				
	F 26*		570730	198.00		Jäger - Aquatec	H 14*		570310	174.00
	F 32		570735	198.00		Aquapress H	H 16*		570320	174.00
	F 16 S (PR-2B)**	Z8	574728 R	129.00			H 17*		570330	174.00
	F 20 S (PR-2B)**	Z8	574730 R	129.00			H 18*		570340	174.00
	F 26 S (PR-2B)**	Z8	574732 R	129.00			H 20*		570350	174.00
	F 32 S (PR-2B)	Z8	574734 R	142.00			H 26*		570370	174.00
	H 16*		570320	174.00			H 32		570380	174.00
	H 20*		570350	174.00		U 40		570790	257.00	
	H 26*		570370	174.00		U 50		570795	308.00	
	H 32		570380	174.00		U 63 (PZ-S)		572365	670.00	
	U 16*		570765	180.00	Jäger - Aquatec	M 15		570110	160.00	
	U 20*		570775	180.00	C-Stahl - Press Typ M	M 18		570120	160.00	
	U 26* ¹²⁾		570750	211.00		M 22		570130	160.00	
	U 32		570785	211.00		M 28		570140	160.00	
	B 16*		570850	210.00		M 35		570150	160.00	
	B 20*		570860	210.00		M 42 (PR-3S)	Z2	572706 R	700.00	
	B 26		570870	231.00		M 54 (PR-3S)	Z2	572708 R	700.00	
	B 32		570880	231.00		M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	
	IVAR	TH 16*		570460	192.00		M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00
	Plastic Multi Press PMP	TH 20*		570470	192.00		M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00
		TH 25*		570495	192.00		M 15 S (PR-2B)	Z8	574738 R	129.00
		TH 26*		570475	192.00		M 18 S (PR-2B)	Z8	574740 R	129.00
	TH 32		570480	192.00		M 22 S (PR-2B)	Z8	574742 R	129.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00		M 28 S (PR-2B)	Z8	574744 R	129.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00		M 35 S (PR-2B)	Z8	574746 R	142.00	
	TH 25 S (PR-2B)**	Z8	574792 R	129.00	Jäger - Aquatec	M 15		570110	160.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00	Edelstahl - Press Typ M	M 18		570120	160.00	
	TH 32 S (PR-2B)	Z8	574798 R	142.00		M 22		570130	160.00	
	F 16*		570717	183.00		M 28		570140	160.00	
	F 20*		570727	183.00		M 35		570150	160.00	
	F 26*		570730	198.00		M 42 (PR-3S)	Z2	572706 R	700.00	
	F 32		570735	198.00		M 54 (PR-3S)	Z2	572708 R	700.00	
	F 16 S (PR-2B)**	Z8	574728 R	129.00		M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	
	F 20 S (PR-2B)**	Z8	574730 R	129.00		M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
	F 26 S (PR-2B)**	Z8	574732 R	129.00		M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
	F 32 S (PR-2B)	Z8	574734 R	142.00		M 15 S (PR-2B)	Z8	574738 R	129.00	
	H 16*		570320	174.00		M 18 S (PR-2B)	Z8	574740 R	129.00	
	H 20*		570350	174.00		M 22 S (PR-2B)	Z8	574742 R	129.00	
	H 25*		570360	174.00		M 28 S (PR-2B)	Z8	574744 R	129.00	
	H 26*		570370	174.00		M 35 S (PR-2B)	Z8	574746 R	142.00	
	H 32		570380	174.00	Jäger - Aquatec	V 15		570115	160.00	
	U 16*		570765	180.00	Kupfer - Press Typ V	V 18		570125	160.00	
	U 20*		570775	180.00		V 22		570135	160.00	
	U 25*		570780	180.00		V 28		570145	160.00	
	U 26* ¹²⁾		570750	211.00		V 35		570155	160.00	
	U 32		570785	211.00		V 42		570165	371.00	
	B 16*		570850	210.00		V 42 (PR-2B)	Z2	572850 R	333.00	
	B 20*		570860	210.00		V 54		570175	382.00	
	B 26		570870	231.00		V 54 (PR-2B)	Z2	572851 R	360.00	
	B 32		570880	231.00		V 15 S (PR-2B)	Z8	574752 R	129.00	
IVT Edelstahl- Presssystem	M 15		570110	160.00		V 18 S (PR-2B)	Z8	574756 R	129.00	
	M 18 ¹⁾		570120	160.00		M 22 S (PR-2B)	Z8	574758 R	129.00	
	M 22		570130	160.00		M 28 S (PR-2B)	Z8	574760 R	129.00	
	M 28 ¹⁾		570140	160.00		M 35 S (PR-2B)	Z8	574762 R	142.00	
	M 35		570150	160.00						
	M 42 (PR-3S)	Z2	572706 R	700.00						
	M 54 (PR-3S)	Z2	572708 R	700.00						
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00						
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00						
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00						
	M 15 S (PR-2B)	Z8	574738 R	129.00						
	M 18 S (PR-2B)	Z8	574740 R	129.00						
	M 22 S (PR-2B)	Z8	574742 R	129.00						
	M 28 S (PR-2B)	Z8	574744 R	129.00						
	M 35 S (PR-2B)	Z8	574746 R	142.00						

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

³⁾ Driven by REMS Power-Press XL ACC, see page 188.

⁴⁾ Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

⁵⁾ For taking suitable pressing inserts.

⁶⁾ Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

⁷⁾ Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

⁸⁾ For making press joints for operating pressure ≤ PN 10.

⁹⁾ For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

¹⁰⁾ For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

¹¹⁾ Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

¹²⁾ Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	£	
Jansen AG JANSEN COMISA	TH 14*		570455	192.00	
	TH 16*		570460	192.00	
	TH 20*		570470	192.00	
	TH 26*		570475	192.00	
	TH 32		570480	192.00	
	TH 40		570485	255.00	
	TH 50 (PZ-S)		572400	670.00	
	TH 63 (PZ-S)		572405	670.00	
	TH 14 S (PR-2B)**	Z8	574778 R	129.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00	
	TH 32 S (PR-2B)	Z8	574798 R	142.00	
	Jaraflex- Presssystem	TH 14*		570455	192.00
		TH 16*		570460	192.00
		TH 17*		570462	192.00
TH 18*			570465	192.00	
TH 20*			570470	192.00	
TH 25*			570495	192.00	
TH 26*			570475	192.00	
TH 32			570480	192.00	
TH 40			570485	255.00	
TH 50 (PZ-S)			572400	670.00	
TH 63 (PZ-S)			572405	670.00	
TH 14 S (PR-2B)**		Z8	574778 R	129.00	
TH 16 S (PR-2B)**		Z8	574782 R	129.00	
TH 17 S (PR-2B)**		Z8	574784 R	129.00	
TH 18 S (PR-2B)**		Z8	574786 R	129.00	
TH 20 S (PR-2B)**		Z8	574788 R	129.00	
TH 25 S (PR-2B)**	Z8	574792 R	129.00		
TH 26 S (PR-2B)**	Z8	574794 R	129.00		
TH 32 S (PR-2B)	Z8	574798 R	142.00		
JUNGWOO JWPress	VUS ½" (OD 15,9 mm)		571770	193.00	
	VUS ¾" (OD 22,2 mm)		571775	193.00	
	VUS 1" (OD 28,6 mm)		571780	193.00	
	VUS 1½" (OD 34,9 mm)		571785	193.00	
	VUS 1½" (OD 41,3 mm)		571790	371.00	
	VUS 2" (OD 54,0 mm)		571795	382.00	
	VUSFz 2½" (PR-3B) (OD 66,7 mm)	Z5	572819 R	630.00	
	VUSFz 3" (PR-3B) (OD 79,4 mm)	Z5	572820 R	630.00	
VUSFz 4" (PR-3B) (OD 104,8 mm)	Z5	572821 R	670.00		

K

KAN KAN-therm Press LBP	U 14*		570760	180.00
	U 16*		570765	180.00
	U 20*		570775	180.00
	U 25*		570780	180.00
	U 26* ¹²⁾		570750	211.00
	U 32		570785	211.00
	U 40		570790	257.00
	TH 14*		570455	192.00
	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 25*		570495	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 50 (PZ-S)		572400	670.00
	TH 63 (PZ-S)		572405	670.00
	TH 14 S (PR-2B)**	Z8	574778 R	129.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 25 S (PR-2B)**	Z8	574792 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00
KAN KAN-therm Inox	M 15		570110	160.00
	M 18 ¹⁾		570120	160.00
	M 22		570130	160.00
	M 28 ¹⁾		570140	160.00
	M 35		570150	160.00
	M 42 (PZ-4G)		570160	520.00
	M 54 (PZ-4G)		570170	520.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
M 22 S (PR-2B)	Z8	574742 R	129.00	
M 28 S (PR-2B)	Z8	574744 R	129.00	
M 35 S (PR-2B)	Z8	574746 R	142.00	
KAN KAN-therm Steel	M 12		570100	160.00
	M 15		570110	160.00
	M 18 ¹⁾		570120	160.00
	M 22		570130	160.00
	M 28 ¹⁾		570140	160.00
	M 35		570150	160.00
	M 42 (PZ-4G)		570160	520.00
	M 54 (PZ-4G)		570170	520.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	XP 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579108 R	1,200.00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00
	M 12 S (PR-2B)	Z8	574736 R	129.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
	M 22 S (PR-2B)	Z8	574742 R	129.00
	M 28 S (PR-2B)	Z8	574744 R	129.00
	M 35 S (PR-2B)	Z8	574746 R	142.00

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	£
KAN KAN-therm UltraPRESS	U 14*		570760	180.00
	U 16*		570765	180.00
	U 20*		570775	180.00
	U 25*		570780	180.00
	U 26* ¹²⁾		570750	211.00
	U 32		570785	211.00
	U 40		570790	257.00
	TH 14*		570455	192.00
	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 25*		570495	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 50 (PZ-S)		572400	670.00
	KE KELIT COPPERFIX Kupfer	TH 63 (PZ-S)		572405
TH 14 S (PR-2B)**		Z8	574778 R	129.00
TH 16 S (PR-2B)**		Z8	574782 R	129.00
TH 20 S (PR-2B)**		Z8	574788 R	129.00
TH 25 S (PR-2B)**		Z8	574792 R	129.00
TH 26 S (PR-2B)**		Z8	574794 R	129.00
TH 32 S (PR-2B)		Z8	574798 R	142.00
M 15			570110	160.00
M 18			570120	160.00
M 22			570130	160.00
M 28			570140	160.00
M 35			570150	160.00
M 42 (PR-3S)		Z2	572706 R	700.00
M 54 (PR-3S)		Z2	572708 R	700.00
M 76,1 XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00
M 88,9 G XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00
M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
M 15 S (PR-2B)	Z8	574738 R	129.00	
M 18 S (PR-2B)	Z8	574740 R	129.00	
M 22 S (PR-2B)	Z8	574742 R	129.00	
M 28 S (PR-2B)	Z8	574744 R	129.00	
M 35 S (PR-2B)	Z8	574746 R	142.00	
KE KELIT KELIT KELOX	U 16*		570765	180.00
	U 18*		570770	180.00
	U 20*		570775	180.00
	U 25*		570780	180.00
	U 32		570785	211.00
	U 40		570790	257.00
	U 50		570795	308.00
	U 63 (PZ-S)		572365	670.00
KE KELIT KELIT KELOX	U 63 (PR-3B)	Z4	572837 R	760.00
	U 75 (PR-3B)	Z4	572828 R	670.00
	U 16*		570765	180.00
	U 18*		570770	180.00
	U 20*		570775	180.00
KE KELIT KELIX-PPSU-W	U 25*		570780	180.00
	U 32		570785	211.00
	U 40		570790	257.00
	U 50		570795	308.00
	U 63 (PZ-S)		572365	670.00
	U 63 (PR-3B)	Z4	572837 R	760.00
	U 75 (PR-3B)	Z4	572828 R	670.00
	U 16*		570765	180.00
	U 18*		570770	180.00
	U 20*		570775	180.00
KE KELIT KELIX-ULTRAX	U 25*		570780	180.00
	U 32		570785	211.00
	U 40		570790	257.00
	U 50		570795	308.00
	U 63 (PZ-S)		572365	670.00
	U 63 (PR-3B)	Z4	572837 R	760.00
	U 75 (PR-3B)	Z4	572828 R	670.00
	U 16*		570765	180.00
	U 18*		570770	180.00
	U 20*		570775	180.00
KE KELIT KELIX-ULTRAX-W	U 25*		570780	180.00
	U 32		570785	211.00
	U 40		570790	257.00
	U 50		570795	308.00
	U 63 (PZ-S)		572365	670.00
	U 63 (PR-3B)	Z4	572837 R	760.00
	U 75 (PR-3B)	Z4	572828 R	670.00
	U 16*		570765	180.00
	U 18*		570770	180.00
	U 20*		570775	180.00
KE KELIT KELIX-WINDOW-X	U 25*		570780	180.00
	U 32		570785	211.00
	U 40		570790	257.00
	U 50		570795	308.00
	U 63 (PZ-S)		572365	670.00
	U 63 (PR-3B)	Z4	572837 R	760.00
	U 75 (PR-3B)	Z4	572828 R	670.00
	U 16*		570765	180.00
	U 18*		570770	180.00
	U 20*		570775	180.00
KE KELIT steelFIX C-Stahl	U 25*		570780	180.00
	U 32		570785	211.00
	U 40		570790	257.00
	U 50		570795	308.00
	U 63 (PZ-S)		572365	670.00
	U 63 (PR-3B)	Z4	572837 R	760.00
	U 75 (PR-3B)	Z4	572828 R	670.00
	M 15		570110	160.00
	M 18		570120	160.00
	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	
M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
M 12 S (PR-2B)	Z8	574736 R	129.00	
M 15 S (PR-2B)	Z8	574738 R	129.00	
M 18 S (PR-2B)	Z8	574740 R	129.00	
M 22 S (PR-2B)	Z8	574742 R	129.00	
M 28 S (PR-2B)	Z8	574744 R	129.00	
M 35 S (PR-2B)	Z8	574746 R	142.00	

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press)
and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	€	System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	€	
KE KELIT	M 15		570110	160.00	KISAN	M 15		570110	160.00	
steelFIX	M 18		570120	160.00	Kistal C	M 18		570120	160.00	
Edelstahl	M 22		570130	160.00	M 22			570130	160.00	
	M 28		570140	160.00	M 28			570140	160.00	
	M 35		570150	160.00	M 35			570150	160.00	
	M 42 (PR-3S)	Z2	572706 R	700.00	M 42 (PR-3S)	Z2		572706 R	700.00	
	M 54 (PR-3S)	Z2	572708 R	700.00	M 54 (PR-3S)	Z2		572708 R	700.00	
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579101 R	1,200.00	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾		579101 R	1,200.00	
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579110 R	1,400.00	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾		579110 R	1,400.00	
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579111 R	1,400.00	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾		579111 R	1,400.00	
	M 15 S (PR-2B)	Z8	574738 R	129.00	M 15 S (PR-2B)	Z8		574738 R	129.00	
	M 18 S (PR-2B)	Z8	574740 R	129.00	M 18 S (PR-2B)	Z8		574740 R	129.00	
	M 22 S (PR-2B)	Z8	574742 R	129.00	M 22 S (PR-2B)	Z8		574742 R	129.00	
	M 28 S (PR-2B)	Z8	574744 R	129.00	M 28 S (PR-2B)	Z8		574744 R	129.00	
	M 35 S (PR-2B)	Z8	574746 R	142.00	M 35 S (PR-2B)	Z8		574746 R	142.00	
	KEMBLA	VAU 15 (OD 12,7 mm)		572687	165.00	KISAN	M 15		570110	160.00
	KemPress	VAU 20 (OD 19,1 mm)		572689	165.00	Kistal Inox	M 18		570120	160.00
	(AUS)	VAU 25 (OD 25,4 mm)		572691	165.00	M 22			570130	160.00
	VAU 32 (OD 31,8 mm)		572693	174.00	M 28			570140	160.00	
	VAU 40 (OD 38,1 mm)		572695	257.00	M 35			570150	160.00	
	VAU 50 (OD 50,8 mm)		572697	455.00	M 42 (PR-3S)	Z2		572706 R	700.00	
					M 54 (PR-3S)	Z2		572708 R	700.00	
KEMBLA	VAU 15 (OD 12,7 mm)		572687	165.00	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾		579101 R	1,200.00	
KemPress Gas	VAU 20 (OD 19,1 mm)		572689	165.00	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾		579110 R	1,400.00	
(AUS)	VAU 25 (OD 25,4 mm)		572691	165.00	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾		579111 R	1,400.00	
	VAU 32 (OD 31,8 mm)		572693	174.00	M 15 S (PR-2B)	Z8		574738 R	129.00	
	VAU 40 (OD 38,1 mm)		572695	257.00	M 18 S (PR-2B)	Z8		574740 R	129.00	
	VAU 50 (OD 50,8 mm)		572697	455.00	M 22 S (PR-2B)	Z8		574742 R	129.00	
					M 28 S (PR-2B)	Z8		574744 R	129.00	
					M 35 S (PR-2B)	Z8		574746 R	142.00	
KISAN	KI 16*		571360	204.00	L					
Kisan KD	KI 20*		571370	204.00	LEGEND-PRESS	VUS ½" (OD 15,9 mm)		571770	193.00	
	KI 25*		571375	204.00	press fitting	VUS ¾" (OD 22,2 mm)		571775	193.00	
	TH 16*		570460	192.00	system	VUS 1" (OD 28,6 mm)		571780	193.00	
	TH 20*		570470	192.00		VUS 1¼" (OD 34,9 mm)		571785	193.00	
	TH 25*		570495	192.00		VUS 1½" (OD 41,3 mm)		571790	371.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00		VUS 2" (OD 54,0 mm)		571795	382.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00		VUSFz 2½" (PR-3B) (OD 66,7 mm)	Z5	572819 R	630.00	
	TH 25 S (PR-2B)**	Z8	574792 R	129.00		VUSFz 3" (PR-3B) (OD 79,4 mm)	Z5	572820 R	630.00	
	TH 32 S (PR-2B)	Z8	574798 R	142.00		VUSFz 4" (PR-3B) (OD 104,8 mm)	Z5	572821 R	670.00	
					LK Systems	V 12		570107	160.00	
KISAN	KI 16*		571360	204.00	LK >B-Press	V 15		570115	160.00	
Kisan WL	KI 20*		571370	204.00		V 18		570125	160.00	
	KI 25*		571375	204.00		V 22		570135	160.00	
	KI 32		571380	274.00		V 28		570145	160.00	
	TH 16*		570460	192.00		V 35		570155	160.00	
	TH 20*		570470	192.00		V 42		570165	371.00	
	TH 25*		570495	192.00		V 54		570175	382.00	
	TH 32		570480	192.00		V 12 S (PR-2B)	Z8	574748 R	129.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00		V 15 S (PR-2B)	Z8	574752 R	129.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00		V 18 S (PR-2B)	Z8	574756 R	129.00	
	TH 25 S (PR-2B)**	Z8	574792 R	129.00		V 22 S (PR-2B)	Z8	574758 R	129.00	
	TH 32 S (PR-2B)	Z8	574798 R	142.00		V 28 S (PR-2B)	Z8	574760 R	129.00	
						V 35 S (PR-2B)	Z8	574762 R	142.00	
KISAN	KI 16*		571360	204.00	LK Systems	V 12		570107	160.00	
Kisan WM	KI 20*		571370	204.00	LK >B-Press	V 15		570115	160.00	
	KI 25*		571375	204.00	Elförsinkat	V 18		570125	160.00	
	KI 32		571380	274.00		V 22		570135	160.00	
	TH 16*		570460	192.00		V 28		570145	160.00	
	TH 20*		570470	192.00		V 35		570155	160.00	
	TH 25*		570495	192.00		V 42		570165	371.00	
	TH 32		570480	192.00		V 54		570175	382.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00		V 12 S (PR-2B)	Z8	574748 R	129.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00		V 15 S (PR-2B)	Z8	574752 R	129.00	
	TH 25 S (PR-2B)**	Z8	574792 R	129.00		V 18 S (PR-2B)	Z8	574756 R	129.00	
	TH 32 S (PR-2B)	Z8	574798 R	142.00		V 22 S (PR-2B)	Z8	574758 R	129.00	
						V 28 S (PR-2B)	Z8	574760 R	129.00	
						V 35 S (PR-2B)	Z8	574762 R	142.00	
KISAN	U 20*		570775	180.00						
Kisan WR	U 25*		570780	180.00						
	U 32		570785	211.00						
	U 40		570790	257.00						
	U 50		570795	308.00						
	U 63 (PZ-S)		572365	670.00						
	U 75 (PR-3B)		572828 R	670.00						
	TH 20*		570470	192.00						
	TH 25*		570495	192.00						
	TH 32		570480	192.00						
	TH 40		570485	255.00						
	TH 50 (PZ-S)		572400	670.00						
	TH 63 (PZ-S)		572405	670.00						
	TH 20 S (PR-2B)**	Z8	574788 R	129.00						
	TH 25 S (PR-2B)**	Z8	574792 R	129.00						
	TH 32 S (PR-2B)	Z8	574798 R	142.00						

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

2) For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

3) Driven by REMS Power-Press XL ACC, see page 188.

4) Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

5) For taking suitable pressing inserts.

6) Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

7) Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

8) For making press joints for operating pressure ≤ PN 10.

9) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

10) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

11) Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

12) Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website: www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	£
LK Systems LK >B-Press Gas	V 15		570115	160.00
	V 18		570125	160.00
	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 42		570165	371.00
	V 54		570175	382.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
	V 22 S (PR-2B)	Z8	574758 R	129.00
V 28 S (PR-2B)	Z8	574760 R	129.00	
V 35 S (PR-2B)	Z8	574762 R	142.00	
LK Systems	TH 16*		570460	192.00
LK Universal	TH 20*		570470	192.00
	TH 25*		570495	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 50 (PZ-S)		572400	670.00
	TH 63 (PZ-S)		572405	670.00

M

MAINCOR MAINPRESS	U 16*		570765	180.00
	U 20*		570775	180.00
	U 25*		570780	180.00
	U 32		570785	211.00
	U 40		570790	257.00
	U 50		570795	308.00
	U 63 (PZ-S)		572365	670.00
	U 63 (PR-3B)	Z4	572837 R	760.00
MAINCOR MAINFLOR	U 16*		570765	180.00
	U 20*		570775	180.00
Mair Heiztechnik M-Press	H 11,5*		570315	174.00
	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
Ma.s.ter System PRESSMASTER	TH 26 S (PR-2B)**	Z8	574794 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00
	TH 14*		570455	192.00
	TH 16*		570460	192.00
	TH 18*		570465	192.00
	TH 20*		570470	192.00
	TH 25*		570495	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 50 (PZ-S)		572400	670.00
	TH 63 (PZ-S)		572405	670.00
	TH 14 S (PR-2B)**	Z8	574778 R	129.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 18 S (PR-2B)**	Z8	574786 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 25 S (PR-2B)**	Z8	574792 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00
	H 14*		570310	174.00
H 16*		570320	174.00	
H 18*		570340	174.00	
H 20*		570350	174.00	
H 26*		570370	174.00	
H 32		570380	174.00	
H 40 (PZ-4G)		570390	590.00	
U 14*		570760	180.00	
U 16*		570765	180.00	
U 18*		570770	180.00	
U 20*		570775	180.00	
U 25*		570780	180.00	
U 32		570785	211.00	
U 40		570790	257.00	
U 50		570795	308.00	
U 63 (PR-3B)	Z4	572837 R	760.00	
U 63 (PZ-S)		572365	670.00	
Meier Tobler Metalplast - Stramax Serie MM	H 16*		570320	174.00
	H 20*		570350	174.00
	H 25*		570360	174.00
	H 32		570380	174.00
	Rfz 16*		571325	200.00
	Rfz 20*		571330	200.00
	Rfz 25		571335	200.00
	Rfz 32		571340	200.00
	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 25*		570495	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 50 (PZ-S)		572400	670.00
	TH 63 (PZ-S)		572405	670.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 25 S (PR-2B)**	Z8	574792 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00
	U 16*		570765	180.00
	U 20*		570775	180.00
	U 25*		570780	180.00
	U 32		570785	211.00
	U 40		570790	257.00
	U 50		570795	308.00
U 63 (PZ-S)		572365	670.00	
U 63 (PR-3B)	Z4	572837 R	760.00	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	£	
METALGRUP Permatubo	U 16*		570765	180.00	
	U 18*		570770	180.00	
	U 20*		570775	180.00	
	U 25*		570780	180.00	
	U 32		570785	211.00	
	U 40		570790	257.00	
	U 50		570795	308.00	
	U 63 (PR-3B)	Z4	572837 R	760.00	
	U 63 (PZ-S)		572365	670.00	
	METALGRUP PexGrup	Rfz 16*		571325	200.00
Rfz 20*			571330	200.00	
Rfz 25			571335	200.00	
	Rfz 32		571340	200.00	
METALGRUP MultiGrup	U 16*		570765	180.00	
	U 18*		570770	180.00	
	U 20*		570775	180.00	
	U 25*		570780	180.00	
	U 32		570785	211.00	
Mueller Streamline PRS Copper Press	VUS ½" (OD 15,9 mm)		571170	193.00	
	VUS ¾" (OD 22,2 mm)		571175	193.00	
	VUS 1" (OD 28,6 mm)		571180	193.00	
	VUS 1¼" (OD 34,9 mm)		571185	193.00	
	VUS 1½" (OD 41,3 mm)		571190	371.00	
	VUS 2" (OD 54,0 mm)		571195	382.00	
	VUSFz 2½" (PR-3B) (OD 66,7 mm)	Z5	572819 R	630.00	
	VUSFz 3" (PR-3B) (OD 79,4 mm)	Z5	572820 R	630.00	
	VUSFz 4" (PR-3B) (OD 104,8 mm)	Z5	572821 R	670.00	
	MULTITHERM PRESSSYSTEM	TH 16*		570460	192.00
TH 20*			570470	192.00	
TH 26*			570475	192.00	
TH 32			570480	192.00	
TH 40			570485	255.00	
TH 50 (PZ-S)			572400	670.00	
TH 63 (PZ-S)			572405	670.00	
THz 75 (PR-3B)		Z4	572829 R	630.00	
TH 16 S (PR-2B)**		Z8	574782 R	129.00	
TH 20 S (PR-2B)**		Z8	574788 R	129.00	
TH 26 S (PR-2B)**		Z8	574794 R	129.00	
TH 32 S (PR-2B)		Z8	574798 R	142.00	
Multicap Industrial AIS PEX	Rfz 16*		571325	200.00	
	Rfz 20*		571330	200.00	
	Rfz 25		571335	200.00	
	Rfz 32		571340	200.00	
	U 16*		570765	180.00	
	U 20*		570775	180.00	
	U 25*		570780	180.00	
	U 32		570785	211.00	
	Multicap Industrial AIS XPRT	H 16*		570320	174.00
		H 20*		570350	174.00
H 25*			570360	174.00	
H 26*			570370	174.00	
H 32			570380	174.00	
Rfz 16*			571325	200.00	
Rfz 20*			571330	200.00	
Rfz 25			571335	200.00	
Rfz 32			571340	200.00	
TH 16*			570460	192.00	
TH 20*			570470	192.00	
TH 25*			570495	192.00	
TH 26*			570475	192.00	
TH 32			570480	192.00	
TH 40			570485	255.00	
TH 50 (PZ-S)		572400	670.00		
TH 63 (PZ-S)		572405	670.00		
THz 75 (PR-3B)	Z4	572829 R	630.00		
TH 16 S (PR-2B)**	Z8	574782 R	129.00		
TH 20 S (PR-2B)**	Z8	574788 R	129.00		
TH 25 S (PR-2B)**	Z8	574792 R	129.00		
TH 26 S (PR-2B)**	Z8	574794 R	129.00		
TH 32 S (PR-2B)	Z8	574798 R	142.00		
Multicap Industrial multitubo systems MC	U 16*		570765	180.00	
	U 18*		570770	180.00	
	U 20*		570775	180.00	
	U 25*		570780	180.00	
	U 32		570785	211.00	
	U 40		570790	257.00	
	U 50		570795	308.00	
	U 63 (PZ-S)		572365	670.00	
	U 63 (PR-3B)	Z4	572837 R	760.00	
	U 75 (PR-3B)	Z4	572828 R	670.00	

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	€	System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	€
Multicap Industrial multitubo systems MM	H 16*		570320	174.00	NUPI Industrie Italiane Multinupi	B 16*		570850	210.00
	H 20*		570350	174.00		B 18*		570855	210.00
	H 25*		570360	174.00		B 20*		570860	210.00
	H 26*		570370	174.00		B 26		570870	231.00
	H 32		570380	174.00		B 32		570880	231.00
	RFz 16*		571325	200.00		F 16*		570717	183.00
	RFz 20*		571330	200.00		F 18*		570720	183.00
	RFz 25		571335	200.00		F 20*		570727	183.00
	RFz 32		571340	200.00		F 26*		570730	198.00
	TH 16*		570460	192.00		F 32		570735	198.00
	TH 20*		570470	192.00		F 16 S (PR-2B)**	Z8	574728 R	129.00
	TH 25*		570495	192.00		F 20 S (PR-2B)**	Z8	574730 R	129.00
	TH 26*		570475	192.00		F 26 S (PR-2B)**	Z8	574732 R	129.00
	TH 32		570480	192.00		F 32 S (PR-2B)	Z8	574734 R	142.00
	TH 40		570485	255.00		H 16*		570320	174.00
	TH 50 (PZ-S)		572400	670.00		H 18*		570340	174.00
	TH 63 (PZ-S)		572405	670.00		H 20*		570350	174.00
	THz 75 (PR-3B)	Z4	572829 R	630.00		H 25*		570360	174.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00		H 26*		570370	174.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00		H 32		570380	174.00
	TH 25 S (PR-2B)**	Z8	574792 R	129.00		TH 16*		570460	192.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00		TH 18*		570465	192.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00		TH 20*		570470	192.00
	U 16*		570765	180.00		TH 25*		570495	192.00
	U 20*		570775	180.00		TH 26*		570475	192.00
	U 25*		570780	180.00		TH 32		570480	192.00
	U 32		570785	211.00		TH 40		570485	255.00
	U 40		570790	257.00		TH 50 (PZ-S)		572400	670.00
	U 50		570795	308.00		TH 63 (PZ-S)		572405	670.00
	U 63 (PZ-S)		572365	670.00		TH 16 S (PR-2B)**	Z8	574782 R	129.00
	U 63 (PR-3B)	Z4	572837 R	760.00		TH 20 S (PR-2B)**	Z8	574788 R	129.00
	U 75 (PR-3B)	Z4	572828 R	670.00		TH 26 S (PR-2B)**	Z8	574794 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00		TH 32 S (PR-2B)	Z8	574798 R	142.00
N									
multipipe Deutschland multipipe mp	TH 16*		570460	192.00	Nussbaum Optifitt-Press	VMP 3/4" (OD 17,2 mm)		571740	222.00
	TH 20*		570470	192.00		VMP 1/2" G (OD 21,3 mm)		571766 R	222.00
	TH 26*		570475	192.00		VMPz 3/4" (OD 26,9 mm)		571764	222.00
	TH 32		570480	192.00		VMPz 1" (OD 33,7 mm)		571767	222.00
	TH 40		570485	255.00		VMPz 1 1/4" (PZ-S) (OD 42,4 mm)		572413	730.00
	TH 50 (PZ-S)		572400	670.00		VMPz 1 1/2" (PR-3B) (OD 48,3 mm)	Z5	572844 R	494.00
TH 63 (PZ-S)		572405	670.00	VMPz 2" (PR-3B) (OD 60,3 mm)	Z5	572845 R	494.00		
TH 16 S (PR-2B)**	Z8	574782 R	129.00	Nussbaum Optiflex-Flowpress	VRX 16		571750	203.00	
TH 20 S (PR-2B)**	Z8	574788 R	129.00		VRX 20		571752	203.00	
TH 26 S (PR-2B)**	Z8	574794 R	129.00		VRX 25		571754	222.00	
TH 32 S (PR-2B)	Z8	574798 R	142.00		VRX 32		571756	222.00	
					VRX 40		571758	308.00	
					VRX 50		571760	360.00	
				VRX 63		571797	580.00		
NEUTHERM MEKUPRESS-HT	H 16*		570320	174.00	Nussbaum Optipress	V 15		570115	160.00
	H 20*		570350	174.00		V 18		570125	160.00
	H 26*		570370	174.00		V 22		570135	160.00
	H 32		570380	174.00		V 28		570145	160.00
	H 40 (PZ-4G)		570390	590.00		V 35		570155	160.00
	U 40		570790	257.00		V 42		570165	371.00
NIBCO Press System Copper	VUS 1/2" (OD 15,9 mm)		571770	193.00	V 42 (PR-2B)	Z2	572850 R	333.00	
	VUS 3/4" (OD 22,2 mm)		571775	193.00	V 54		570175	382.00	
	VUS 1" (OD 28,6 mm)		571780	193.00	V 54 (PR-2B)	Z2	572851 R	360.00	
	VUS 1 1/4" (OD 34,9 mm)		571785	193.00	Vfz 64,0 (PR-3B)	Z5	572815 R	630.00	
	VUS 1 1/2" (OD 41,3 mm)		571790	371.00	Vfz 76,1 (PR-3B)	Z5	572816 R	630.00	
	VUS 2" (OD 54,0 mm)		571795	382.00	Vfz 88,9 (PR-3B)	Z5	572817 R	670.00	
NICOLL FLUXO	TH 16*		570460	192.00	Vfz 108,0 (PR-3B)	Z5	572818 R	670.00	
	TH 20*		570470	192.00	V 15 S (PR-2B)	Z8	574752 R	129.00	
	TH 26*		570475	192.00	V 18 S (PR-2B)	Z8	574756 R	129.00	
	TH 32		570480	192.00	V 22 S (PR-2B)	Z8	574758 R	129.00	
	TH 40		570485	255.00	V 28 S (PR-2B)	Z8	574760 R	129.00	
	TH 50 (PZ-S)		572400	670.00	V 35 S (PR-2B)	Z8	574762 R	142.00	
	TH 63 (PZ-S)		572405	670.00					
	THz 75 (PR-3B)	Z4	572829 R	630.00					
	TH 16 S (PR-2B)**	Z8	574782 R	129.00					
	TH 20 S (PR-2B)**	Z8	574788 R	129.00					
	TH 26 S (PR-2B)**	Z8	574794 R	129.00					
	TH 32 S (PR-2B)	Z8	574798 R	142.00					

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

³⁾ Driven by REMS Power-Press XL ACC, see page 188.

⁴⁾ Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

⁵⁾ For taking suitable pressing inserts.

⁶⁾ Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

⁷⁾ Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

⁸⁾ For making press joints for operating pressure ≤ PN 10.

⁹⁾ For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

¹⁰⁾ For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

¹¹⁾ Only use pressing tongs identified by "VMP 1/2" G" on the pressing jaws for gas installations.

¹²⁾ Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website: www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	£
Nussbaum Optipress-Gaz	V 15		570115	160.00
	V 18		570125	160.00
	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 42		570165	371.00
	V 42 (PR-2B)	Z2	572850 R	333.00
	V 54		570175	382.00
	V 54 (PR-2B)	Z2	572851 R	360.00
	Vfz 64,0 (PR-3B)	Z5	572815 R	630.00
	Vfz 76,1 (PR-3B)	Z5	572816 R	630.00
	Vfz 88,9 (PR-3B)	Z5	572817 R	670.00
	Vfz 108,0 (PR-3B)	Z5	572818 R	670.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
V 22 S (PR-2B)	Z8	574758 R	129.00	
V 28 S (PR-2B)	Z8	574760 R	129.00	
V 35 S (PR-2B)	Z8	574762 R	142.00	
Nussbaum Optipress-Therm	V 15		570115	160.00
	V 18		570125	160.00
	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 42		570165	371.00
	V 42 (PR-2B)	Z2	572850 R	333.00
	V 54		570175	382.00
	V 54 (PR-2B)	Z2	572851 R	360.00
	Vfz 64,0 (PR-3B)	Z5	572815 R	630.00
	Vfz 76,1 (PR-3B)	Z5	572816 R	630.00
	Vfz 88,9 (PR-3B)	Z5	572817 R	670.00
	Vfz 108,0 (PR-3B)	Z5	572818 R	670.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
V 22 S (PR-2B)	Z8	574758 R	129.00	
V 28 S (PR-2B)	Z8	574760 R	129.00	
V 35 S (PR-2B)	Z8	574762 R	142.00	
O				
Oventrop Cofit P	H 16 A*		570620	222.00
	H 20 A*		570650	222.00
	H 26 A*		570670	222.00
	H 32 A		570680	222.00
	H 40 A		570690	385.00
	U 50		570795	308.00
	U 63 (PR-3B)	Z4	572837 R	760.00
Oventrop Cofit PD	U 63 (PZ-S)		572365	670.00
	H 16 A*		570620	222.00
	H 20 A*		570650	222.00
Oventrop Cofit PDK	H 26 A*		570670	222.00
	H 16 A*		570620	222.00
Oventrop Cofit PD-HT	H 20 A*		570650	222.00
	H 25 A*		570660	222.00
	H 32 A		570680	222.00
Oventrop Cofit PDK-HT	H 16 A*		570620	222.00
	H 20 A*		570650	222.00
P				
PBTab SERTIPRESS	Rfz 12*		571320	200.00
	Rfz 16*		571325	200.00
	Rfz 20*		571330	200.00
	Rfz 25		571335	200.00
PBTab SERTI-STEEL	M 15		570110	160.00
	M 18		570120	160.00
	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
	M 22 S (PR-2B)	Z8	574742 R	129.00
	M 28 S (PR-2B)	Z8	574744 R	129.00
	M 35 S (PR-2B)	Z8	574746 R	142.00
	Pegler Yorkshire	> Aalberts integrated piping systems		
PERFEXIM PERFEKT SYSTEM	U 16*		570765	180.00
	U 20*		570775	180.00
	U 25*		570780	180.00
	U 32		570785	211.00
	U 32		570785	211.00
PERFEXIM PERFEKT SYSTEM PLUS	U 16*		570765	180.00
	U 20*		570775	180.00
	U 25*		570780	180.00
	U 32		570785	211.00
	U 40		570790	257.00
	U 50		570795	308.00
	U 63 (PZ-S)		572365	670.00
	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 25*		570495	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 50 (PZ-S)		572400	670.00
	TH 63 (PZ-S)		572405	670.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
TH 20 S (PR-2B)**	Z8	574788 R	129.00	
TH 25 S (PR-2B)**	Z8	574792 R	129.00	
TH 32 S (PR-2B)	Z8	574798 R	142.00	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	£
PERFILTUBO PERFILALUPEX	U 16*		570765	180.00
	U 18*		570770	180.00
	U 20*		570775	180.00
	U 25*		570780	180.00
	U 32		570785	211.00
	U 40		570790	257.00
	U 50		570795	308.00
	U 63 (PR-3B)	Z4	572837 R	760.00
	U 63 (PZ-S)		572365	670.00
	U 75 (PR-3B)	Z4	572828 R	670.00
PERFILTUBO PERFILPRESS	M 15		570110	160.00
	M 18		570120	160.00
	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
	M 22 S (PR-2B)	Z8	574742 R	129.00
	M 28 S (PR-2B)	Z8	574744 R	129.00
	M 35 S (PR-2B)	Z8	574746 R	142.00
PEXTUBE PexTube	Rfz 16*		571325	200.00
	Rfz 20*		571330	200.00
	Rfz 25		571337	221.00
Pipelife C-PRESS	Rfz 32		571342	221.00
	M 15		570110	160.00
	M 18		570120	160.00
	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
M 22 S (PR-2B)	Z8	574742 R	129.00	
M 28 S (PR-2B)	Z8	574744 R	129.00	
M 35 S (PR-2B)	Z8	574746 R	142.00	
Pipelife RADOPRESS	TH 16*		570460	192.00
	TH 18*		570465	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 50 (PZ-S)		572400	670.00
	TH 63 (PZ-S)		572405	670.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 18 S (PR-2B)**	Z8	574786 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00
Pipetec Connect	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 50 (PZ-S)		572400	670.00
	TH 63 (PZ-S)		572405	670.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00
	U 16*		570765	180.00
	U 20*		570775	180.00
U 32		570785	211.00	
PLASTICA ALFA Multiplex	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
PLASTICA ALFA Multiplex Air	TH 32 S (PR-2B)	Z8	574798 R	142.00
	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
TH 26 S (PR-2B)**	Z8	574794 R	129.00	
PLASTICA ALFA Multiplexalfa Gas	TH 32 S (PR-2B)	Z8	574798 R	142.00
	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
PLASTICA ALFA Multiplexalfa Gas protek	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00
PLASTICA ALFA Multiplex Plus	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	€	System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	€
PLASTICA ALFA Multypex Thermo	TH 16*		570460	192.00	POLYSAN Handelsoges. m.b.H. & Co KG (Krems/Öster- reich)	M 15		570110	160.00
	TH 20*		570470	192.00		M 18		570120	160.00
	TH 26*		570475	192.00		M 22		570130	160.00
	TH 32		570480	192.00		M 28		570140	160.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00		M 35		570150	160.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00		POLYSAN- C-Stahl-Press- System M	M 42 (PR-3S)	Z2	572706 R
PLASTICA ALFA Multypex Thermo Plus	TH 20*		570470	192.00	M 54 (PR-3S)	Z2	572708 R	700.00	
	TH 26*		570475	192.00	M 76.1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	
	TH 32		570480	192.00	M 88.9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	M 108.0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00	M 15 S (PR-2B)	Z8	574738 R	129.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00	M 18 S (PR-2B)	Z8	574740 R	129.00	
PLÁSTICOS FERRO FERROPLAST GPF MULT Pressfitting MULTICAPA	U 16*		570765	180.00	M 22 S (PR-2B)	Z8	574742 R	129.00	
	U 20*		570775	180.00	M 28 S (PR-2B)	Z8	574744 R	129.00	
	U 25*		570780	180.00	M 35 S (PR-2B)	Z8	574746 R	142.00	
	U 32		570785	211.00	POLYSAN Handelsoges. m.b.H. & Co KG (Krems/Öster- reich)	M 15		570110	160.00
	U 16*		570765	180.00	M 18		570120	160.00	
	U 20*		570775	180.00	M 22		570130	160.00	
PLÁSTICOS FERRO FERROPLAST GPF PPSU Pressfitting PEX y MULTICAPA	U 25*		570780	180.00	M 28		570140	160.00	
	U 32		570785	211.00	M 35		570150	160.00	
	U 16*		570765	180.00	POLYSAN- Edelstahl	M 42 (PR-3S)	Z2	572706 R	700.00
	U 20*		570775	180.00	M 54 (PR-3S)	Z2	572708 R	700.00	
	U 25*		570780	180.00	Press-System 1.4520	M 76.1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00
	U 32		570785	211.00	M 88.9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
PLÁSTICOS FERRO FERROPLAST GPF PRESS Pressfitting PEX	RFz 16*		571325	200.00	M 108.0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
	RFz 20*		571330	200.00	M 15 S (PR-2B)	Z8	574738 R	129.00	
	RFz 25		571335	200.00	M 18 S (PR-2B)	Z8	574740 R	129.00	
	RFz 32		571340	200.00	M 22 S (PR-2B)	Z8	574742 R	129.00	
	K16/P18*		572600	200.00	M 28 S (PR-2B)	Z8	574744 R	129.00	
	K1/20*		572605	200.00	M 35 S (PR-2B)	Z8	574746 R	142.00	
PLUMBING PLUS EZIPEX Crimp (AUS)	K1/25*		572610	200.00	POLYSAN Handelsoges. m.b.H. & Co KG (Krems/Öster- reich)	M 15		570110	160.00
	K32		572615	200.00	M 18		570120	160.00	
	K1/40		572620	200.00	M 22		570130	160.00	
	K1/50		572625	329.00	M 28		570140	160.00	
	K16/P18*		572600	200.00	M 35		570150	160.00	
	K1/20*		572605	200.00	POLYSAN- Edelstahl	M 42 (PR-3S)	Z2	572706 R	700.00
PLUMBING PLUS EZIPEX Gas (AUS)	K1/25*		572610	200.00	M 54 (PR-3S)	Z2	572708 R	700.00	
	K32		572615	200.00	Press-System Gas	M 76.1 XL (PR-3S)	Z7 XL 45 kN ⁴⁾	579101 R	1,200.00
	K1/40		572620	200.00	M 88.9 G XL (PR-3S) ⁷⁾	Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
	K1/50		572625	329.00	M 108.0 G XL (PR-3S) ⁷⁾	Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
	VAU 15 (OD 12,7 mm)		572687	165.00	M 15 S (PR-2B)	Z8	574738 R	129.00	
	VAU 20 (OD 19,1 mm)		572689	165.00	M 18 S (PR-2B)	Z8	574740 R	129.00	
PLUMBING PLUS EZIPEX Solar (AUS)	VAU 25 (OD 25,4 mm)		572691	165.00	M 22 S (PR-2B)	Z8	574742 R	129.00	
	VAU 32 (OD 31,8 mm)		572693	174.00	M 28 S (PR-2B)	Z8	574744 R	129.00	
	VAU 40 (OD 38,1 mm)		572695	257.00	M 35 S (PR-2B)	Z8	574746 R	142.00	
	VAU 50 (OD 50,8 mm)		572697	455.00	POLYSAN Handelsoges. m.b.H. & Co KG (Krems/Öster- reich)	M 15		570110	160.00
	VAUFz 65 (PR-3B) (OD 63,5 mm)	Z5	572839 R	630.00	M 18		570120	160.00	
	VAUFz 80 (PR-3B) (OD 76,2 mm)	Z5	572840 R	630.00	M 22		570130	160.00	
PLUMBING PLUS EZIPEX Water (AUS)	VAUFz 100 (PR-3B) (OD 101,6 mm)	Z5	572841 R	670.00	M 28		570140	160.00	
	VAU 15 (OD 12,7 mm)		572687	165.00	M 35		570150	160.00	
	VAU 20 (OD 19,1 mm)		572689	165.00	POLYSAN- Edelstahl	M 42 (PR-3S)	Z2	572706 R	700.00
	VAU 25 (OD 25,4 mm)		572691	165.00	M 54 (PR-3S)	Z2	572708 R	700.00	
	VAU 32 (OD 31,8 mm)		572693	174.00	Press-System Wasser	M 76.1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00
	VAU 40 (OD 38,1 mm)		572695	257.00	M 88.9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
POLYPIPE POLYSURE	VAU 50 (OD 50,8 mm)		572697	455.00	M 108.0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
	TH 10*		570467	192.00	M 15 S (PR-2B)	Z8	574738 R	129.00	
	TH 15*		570457	192.00	M 18 S (PR-2B)	Z8	574740 R	129.00	
	TH 22*		570472	192.00	M 22 S (PR-2B)	Z8	574742 R	129.00	
	TH 28		570477	192.00	M 28 S (PR-2B)	Z8	574744 R	129.00	
					M 35 S (PR-2B)	Z8	574746 R	142.00	

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

³⁾ Driven by REMS Power-Press XL ACC, see page 188.

⁴⁾ Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

⁵⁾ For taking suitable pressing inserts.

⁶⁾ Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

⁷⁾ Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

⁸⁾ For making press joints for operating pressure ≤ PN 10.

⁹⁾ For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

¹⁰⁾ For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

¹¹⁾ Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

¹²⁾ Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	€	
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Osterreich)	TH 14*		570455	192.00	
	TH 16*		570460	192.00	
	TH 17*		570462	192.00	
	TH 18*		570465	192.00	
	TH 20*		570470	192.00	
	TH 26*		570475	192.00	
	HE 32		571900	230.00	
	HEz 40		571904	334.00	
	TH 14 S (PR-2B)**	Z8	574778 R	129.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	TH 17 S (PR-2B)**	Z8	574784 R	129.00	
	TH 18 S (PR-2B)**	Z8	574786 R	129.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00	
	POLYSAN (España) „Rainbow“	U 16*		570765	180.00
U 18*			570770	180.00	
U 20*			570775	180.00	
U 25*			570780	180.00	
U 32			570785	211.00	
U 40			570790	257.00	
U 50			570795	308.00	
U 63 (PR-3B)		Z4	572837 R	760.00	
U 63 (PZ-S)			572365	670.00	
Prandelli Multyrama Pf		H 14*		570310	174.00
	H 16*		570320	174.00	
	H 18*		570340	174.00	
	H 20*		570350	174.00	
	H 26*		570370	174.00	
	H 32		570380	174.00	
	U 40		570790	257.00	
	U 50		570795	308.00	
	U 63 (PR-3B)	Z4	572837 R	760.00	
	Prandelli Multyrama Pfm	H 16*		570320	174.00
H 18*			570340	174.00	
H 20*			570350	174.00	
H 26*			570370	174.00	
H 32			570380	174.00	
TH 16*			570460	192.00	
TH 18*			570465	192.00	
TH 20*			570470	192.00	
TH 26*			570475	192.00	
TH 32			570480	192.00	
TH 40			570485	255.00	
TH 50 (PZ-S)			572400	670.00	
TH 16 S (PR-2B)**		Z8	574782 R	129.00	
TH 18 S (PR-2B)**		Z8	574786 R	129.00	
TH 20 S (PR-2B)**		Z8	574788 R	129.00	
TH 26 S (PR-2B)**		Z8	574794 R	129.00	
TH 32 S (PR-2B)		Z8	574798 R	142.00	
U 16*			570765	180.00	
U 18*			570770	180.00	
U 20*			570775	180.00	
U 40		570790	257.00		
U 50		570795	308.00		
U 63 (PR-3B)	Z4	572837 R	760.00		
PURMO Cleverfit Radial	F 16*		570717	183.00	
	F 20*		570727	183.00	
	F 26*		570730	198.00	
	F 32		570735	198.00	
	F 16 S (PR-2B)**	Z8	574728 R	129.00	
	F 20 S (PR-2B)**	Z8	574730 R	129.00	
	F 26 S (PR-2B)**	Z8	574732 R	129.00	
	F 32 S (PR-2B)	Z8	574734 R	142.00	
	H 16*		570320	174.00	
	H 20*		570350	174.00	
	H 26*		570370	174.00	
	H 32		570380	174.00	
	TH 14*		570455	192.00	
	TH 16*		570460	192.00	
	TH 17*		570462	192.00	
	TH 20*		570470	192.00	
	TH 26*		570475	192.00	
	TH 32		570480	192.00	
	TH 40		570485	255.00	
	TH 50 (PZ-S)		572400	670.00	
	TH 63 (PZ-S)		572405	670.00	
	TH 14 S (PR-2B)**	Z8	574778 R	129.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	TH 17 S (PR-2B)**	Z8	574784 R	129.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00	
	TH 32 S (PR-2B)	Z8	574798 R	142.00	
	U 16*		570765	180.00	
	U 20*		570775	180.00	
	U 32		570785	211.00	
VP 16*		570910	192.00		
VP 20*		570915	192.00		
VP 25		570920	192.00		
R					
Raccorderie Metalliche aesPRES ¹⁾	M 15		570110	160.00	
	M 18		570120	160.00	
	M 22		570130	160.00	
	M 28		570140	160.00	
	M 35		570150	160.00	
	M 42 (PR-3S)	Z2	572706 R	700.00	
	M 54 (PR-3S)	Z2	572708 R	700.00	
	M 15 S (PR-2B)	Z8	574738 R	129.00	
	M 18 S (PR-2B)	Z8	574740 R	129.00	
	M 22 S (PR-2B)	Z8	574742 R	129.00	
	M 28 S (PR-2B)	Z8	574744 R	129.00	
	M 35 S (PR-2B)	Z8	574746 R	142.00	
	M 76.1 XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	
	M 88.9 G XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
	M 108.0 G XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
Raccorderie Metalliche MARINEPRES ¹⁾	M 15		570110	160.00	
	M 18		570120	160.00	
	M 22		570130	160.00	
	M 28		570140	160.00	
	M 35		570150	160.00	
	M 42 (PR-3S)	Z2	572706 R	700.00	
	M 54 (PR-3S)	Z2	572708 R	700.00	
	M 76.1 XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	
	M 88.9 G XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
	M 108.0 G XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
	M 15 S (PR-2B)	Z8	574738 R	129.00	
	M 18 S (PR-2B)	Z8	574740 R	129.00	
	M 22 S (PR-2B)	Z8	574742 R	129.00	
	M 28 S (PR-2B)	Z8	574744 R	129.00	
	M 35 S (PR-2B)	Z8	574746 R	142.00	
Raccorderie Metalliche steelPRES ¹⁾	M 15		570110	160.00	
	M 18		570120	160.00	
	M 22		570130	160.00	
	M 28		570140	160.00	
	M 35		570150	160.00	
	M 42 (PR-3S)	Z2	572706 R	700.00	
	M 54 (PR-3S)	Z2	572708 R	700.00	
	M 76.1 XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	
	M 88.9 G XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
	M 108.0 G XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
	M 15 S (PR-2B)	Z8	574738 R	129.00	
	M 18 S (PR-2B)	Z8	574740 R	129.00	
	M 22 S (PR-2B)	Z8	574742 R	129.00	
	M 28 S (PR-2B)	Z8	574744 R	129.00	
	M 35 S (PR-2B)	Z8	574746 R	142.00	
RBM Tita-fix	B 14*		570845	210.00	
	B 16*		570850	210.00	
	B 18*		570855	210.00	
	B 20*		570860	210.00	
	B 26		570870	231.00	
	F 16*		570717	183.00	
	F 18*		570720	183.00	
	F 20*		570727	183.00	
	F 16 S (PR-2B)**	Z8	574728 R	129.00	
	F 20 S (PR-2B)**	Z8	574730 R	129.00	
	H 14*		570310	174.00	
	H 16*		570320	174.00	
	H 18*		570340	174.00	
	H 20*		570350	174.00	
	H 26*		570370	174.00	
H 32		570380	174.00		
TH 14*		570455	192.00		
TH 16*		570460	192.00		
TH 18*		570465	192.00		
TH 20*		570470	192.00		
TH 26*		570475	192.00		
TH 32		570480	192.00		
TH 40		570485	255.00		
TH 50 (PZ-S)		572400	670.00		
TH 63 (PZ-S)		572405	670.00		
TH 16 S (PR-2B)**	Z8	574782 R	129.00		
TH 20 S (PR-2B)**	Z8	574788 R	129.00		
TH 26 S (PR-2B)**	Z8	574794 R	129.00		
TH 32 S (PR-2B)	Z8	574798 R	142.00		
U 14*		570760	180.00		
U 16*		570765	180.00		
U 18*		570770	180.00		
U 20*		570775	180.00		
RBM Tita-gas	TH 16*		570460	192.00	
	TH 20*		570470	192.00	
	TH 26*		570475	192.00	
	TH 32		570480	192.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00	
	TH 32 S (PR-2B)	Z8	574798 R	142.00	
	Redi Nicol Fluxo	TH 14*		570455	192.00
		TH 16*		570460	192.00
		TH 18*		570465	192.00
		TH 20*		570470	192.00
		TH 26*		570475	192.00
		TH 32		570480	192.00
		TH 40		570485	255.00
TH 50 (PZ-S)			572400	670.00	
TH 63 (PZ-S)			572405	670.00	
THz 75 (PR-3B)		Z4	572829 R	630.00	
TH 16 S (PR-2B)**		Z8	574782 R	129.00	
TH 20 S (PR-2B)**		Z8	574788 R	129.00	
TH 26 S (PR-2B)**		Z8	574794 R	129.00	
TH 32 S (PR-2B)		Z8	574798 R	142.00	
Redi Nicol Fluxo Gas		TH 16*		570460	192.00
	TH 20*		570470	192.00	
	TH 26*		570475	192.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	€
Raccorderie Metalliche inoxPRES ¹⁾	M 15		570110	160.00
	M 18		570120	160.00
	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	M 76.1 XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579101 R	1,200.00
	M 88.9 G XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579110 R	1,400.00
	M 108.0 G XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579111 R	1,400.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
	M 22 S (PR-2B)	Z8	574742 R	129.00
	M 28 S (PR-2B)	Z8	574744 R	129.00
	M 35 S (PR-2B)	Z8	574746 R	142.00
Raccorderie Metalliche MARINEPRES ¹⁾	M 15		570110	160.00
	M 18		570120	160.00
	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	M 76.1 XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579101 R	1,200.00
	M 88.9 G XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579110 R	1,400.00
	M 108.0 G XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579111 R	1,400.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
	M 22 S (PR-2B)	Z8	574742 R	129.00
	M 28 S (PR-2B)	Z8	574744 R	129.00
	M 35 S (PR-2B)	Z8	574746 R	142.00
Raccorderie Metalliche steelPRES ¹⁾	M 15		570110	160.00
	M 18		570120	160.00
	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	M 76.1 XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579101 R	1,200.00
	M 88.9 G XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579110 R	1,400.00
	M 108.0 G XL (PR-3S) ⁸⁾	Z7 XL 45 kN ⁴⁾	579111 R	1,400.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
	M 22 S (PR-2B)	Z8	574742 R	129.00
	M 28 S (PR-2B)	Z8	574744 R	129.00
	M 35 S (PR-2B)	Z8	574746 R	142.00
RBM Tita-fix	B 14*		570845	210.00
	B 16*		570850	210.00
	B 18*		570855	210.00
	B 20*		570860	210.00
	B 26		570870	231.00
	F 16*		570717	183.00
	F 18*		570720	183.00
	F 20*		570727	183.00
	F 16 S (PR-2B)**	Z8	574728 R	129.00
	F 20 S (PR-2B)**	Z8	574730 R	129.00
	H 14*		570310	174.00
	H 16*		570320	174.00
	H 18*		570340	174.00
	H 20*		570350	174.00
	H 26*		570370	174.00
H 32		570380	174.00	
TH 14*		570455	192.00	
TH 16*		570460	192.00	
TH 18*		570465	192.00	
TH 20*		570470	192.00	
TH 26*		570475	192.00	
TH 32		570480	192.00	
TH 40		570485	255.00	

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	€	System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	€	
RIFENG U PRESS FITTING (F5)	U 14*		570760	180.00	RUBINETTERIE	M 15		570110	160.00	
	U 16*		570765	180.00		Bresciane	M 18		570120	160.00
	U 18*		570770	180.00		Bonomi	M 22		570130	160.00
	U 20*		570775	180.00		TURBO INOX GAS	M 28		570140	160.00
	U 25*		570780	180.00			M 35		570150	160.00
	U 32		570785	211.00			M 42 (PR-3S)	Z2	572706 R	700.00
	U 40		570790	257.00			M 54 (PR-3S)	Z2	572708 R	700.00
	U 50		570795	308.00			M 15 S (PR-2B)	Z8	574738 R	129.00
	U 63 (PZ-S)		572365	670.00			M 18 S (PR-2B)	Z8	574740 R	129.00
	U 63 (PR-3B)	Z4	572837 R	760.00			M 22 S (PR-2B)	Z8	574742 R	129.00
	U 75 (PR-3B)	Z4	572828 R	670.00			M 28 S (PR-2B)	Z8	574744 R	129.00
				M 35 S (PR-2B)	Z8		574746 R	142.00		
RIFENG TH PRESS FITTING (F9)	TH 16*		570460	192.00	RUBINETTERIE	M 15		570110	160.00	
	TH 20*		570470	192.00	Bresciane	M 18		570120	160.00	
	TH 25*		570495	192.00	Bonomi	M 22		570130	160.00	
	TH 26*		570475	192.00	TURBO STEEL	M 28		570140	160.00	
	TH 32		570480	192.00		M 35		570150	160.00	
	TH 40		570485	255.00		M 42 (PR-3S)	Z2	572706 R	700.00	
	TH 50 (PZ-S)		572400	670.00		M 54 (PR-3S)	Z2	572708 R	700.00	
	TH 63 (PZ-S)		572405	670.00		M 76.1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	
						M 88.9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
						M 108.0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
						M 15 S (PR-2B)	Z8	574738 R	129.00	
				M 18 S (PR-2B)		Z8	574740 R	129.00		
				M 22 S (PR-2B)		Z8	574742 R	129.00		
				M 28 S (PR-2B)		Z8	574744 R	129.00		
				M 35 S (PR-2B)	Z8	574746 R	142.00			
RIQUIER A SERTIR	Rfz 12*		571320	200.00	RUBINETTERIE	B 14*		570845	210.00	
	Rfz 16*		571325	200.00	Bresciane	B 16*		570850	210.00	
	Rfz 20*		571330	200.00	Bonomi	B 18*		570855	210.00	
	Rfz 25		571335	200.00	TURBO PRESS	B 20*		570860	210.00	
						B 26		570870	231.00	
						B 32		570880	231.00	
						H 14*		570310	174.00	
				H 16*			570320	174.00		
				H 18*			570340	174.00		
				H 20*			570350	174.00		
RIQUIER Système multicouche	TH 16*		570460	192.00		H 26*		570370	174.00	
	TH 20*		570470	192.00		H 32		570380	174.00	
	TH 26*		570475	192.00		TH 14*		570455	192.00	
	TH 32		570480	192.00		TH 16*		570460	192.00	
	TH 40		570485	255.00		TH 18*		570465	192.00	
	TH 50 (PZ-S)		572400	670.00		TH 20*		570470	192.00	
	TH 63 (PZ-S)		572405	670.00		TH 26*		570475	192.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00		TH 32		570480	192.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00		TH 40		570485	255.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00		TH 50 (PZ-S)		572400	670.00	
	TH 32 S (PR-2B)	Z8	574798 R	142.00		TH 63 (PZ-S)		572405	670.00	
	U 16*		570765	180.00		TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	U 20*		570775	180.00		TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	U 32		570785	211.00		TH 26 S (PR-2B)**	Z8	574794 R	129.00	
	U 40		570790	257.00		TH 32 S (PR-2B)	Z8	574798 R	142.00	
	U 50		570795	308.00		U 14*		570760	180.00	
						U 16*		570765	180.00	
					U 18*		570770	180.00		
					U 20*		570775	180.00		
					U 26 ¹²⁾		570750	211.00		
					U 32		570785	211.00		
Roth PressCheck	RN 14*		572672	180.00	RUBINETTERIE	TH 16*		570460	192.00	
	RN 16		572670	180.00	Bresciane	TH 20*		570470	192.00	
	RN 17*		572674	180.00	Bonomi	TH 26*		570475	192.00	
	RN 20*		572676	180.00	TURBO CuNi	TH 32		570480	192.00	
	RN 25/26		572678	180.00		M 15		570110	160.00	
	RN 32		572680	211.00		M 18		570120	160.00	
	RN 40 (PR-3S)	Z2	572714 R	700.00		M 22		570130	160.00	
	RN 50 (PR-3S)	Z2	572716 R	700.00		M 28		570140	160.00	
	RNz 63 (PR-3B)	Z4	572836 R	760.00		M 35		570150	160.00	
						M 42 (PR-3S)	Z2	572706 R	700.00	
						M 54 (PR-3S)	Z2	572708 R	700.00	
				M 76.1 XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00		
				M 88.9 G XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00		
				M 108.0 G XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00		
				M 15 S (PR-2B)	Z8	574738 R	129.00			
				M 18 S (PR-2B)	Z8	574740 R	129.00			
				M 22 S (PR-2B)	Z8	574742 R	129.00			
				M 28 S (PR-2B)	Z8	574744 R	129.00			
				M 35 S (PR-2B)	Z8	574746 R	142.00			
Rubinetteria Bresciane Bonomi TURBO CuNi	M 15		570110	160.00		U 14*		570760	180.00	
	M 18		570120	160.00		U 16*		570765	180.00	
	M 22		570130	160.00		U 18*		570770	180.00	
	M 28		570140	160.00		U 20*		570775	180.00	
	M 35		570150	160.00		U 26 ¹²⁾		570750	211.00	
	M 42 (PR-3S)	Z2	572706 R	700.00		U 32		570785	211.00	
	M 54 (PR-3S)	Z2	572708 R	700.00	RUBINETTERIE	TH 16*		570460	192.00	
	M 76.1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	Bresciane	TH 20*		570470	192.00	
	M 88.9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	Bonomi	TH 26*		570475	192.00	
	M 108.0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	TURBO PRESS GAS	TH 32		570480	192.00	
	M 15 S (PR-2B)	Z8	574738 R	129.00		TH 16 S (PR-2B)**	Z8	574782 R	129.00	
M 18 S (PR-2B)	Z8	574740 R	129.00	TH 20 S (PR-2B)**		Z8	574788 R	129.00		
M 22 S (PR-2B)	Z8	574742 R	129.00	TH 26 S (PR-2B)**		Z8	574794 R	129.00		
M 28 S (PR-2B)	Z8	574744 R	129.00	TH 32 S (PR-2B)		Z8	574798 R	142.00		
M 35 S (PR-2B)	Z8	574746 R	142.00							

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

2) For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

3) Driven by REMS Power-Press XL ACC, see page 188.

4) Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

5) For taking suitable pressing inserts.

6) Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

7) Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

8) For making press joints for operating pressure ≤ PN 10.

9) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

10) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

11) Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

12) Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	£		
S						
SA.MI PLASTIC	TH 14*		570455	192.00		
	TH 16*		570460	192.00		
	TH 18*		570465	192.00		
	TH 20*		570470	192.00		
	TH 26*		570475	192.00		
	TH 32		570480	192.00		
	TH 40		570485	255.00		
	TH 50 (PZ-S)		572400	670.00		
	TH 63 (PZ-S)		572405	670.00		
	TH 14 S (PR-2B)**	Z8	574778 R	129.00		
	TH 16 S (PR-2B)**	Z8	574782 R	129.00		
	TH 18 S (PR-2B)**	Z8	574786 R	129.00		
	TH 20 S (PR-2B)**	Z8	574788 R	129.00		
	TH 26 S (PR-2B)**	Z8	574794 R	129.00		
	TH 32 S (PR-2B)**	Z8	574798 R	142.00		
	SA.MI PLASTIC Multistrato Gas	TH 16*		570460	192.00	
		TH 20*		570470	192.00	
		TH 26*		570475	192.00	
		TH 32		570480	192.00	
		TH 16 S (PR-2B)**	Z8	574782 R	129.00	
TH 20 S (PR-2B)**		Z8	574788 R	129.00		
TH 26 S (PR-2B)**		Z8	574794 R	129.00		
TH 32 S (PR-2B)**		Z8	574798 R	142.00		
SANHA 3fit-Press Pb-free Serie 25000		B 16*		570850	210.00	
		B 20*		570860	210.00	
		B 26		570870	231.00	
		B 32		570880	231.00	
		F 16*		570717	183.00	
		F 20*		570727	183.00	
		F 26*		570730	198.00	
		F 32		570735	198.00	
		Fz 40		570742	212.00	
		Fz 50		570747	321.00	
		F 63 (PZ-S)		572385	670.00	
		F 16 S (PR-2B)**	Z8	574728 R	129.00	
	F 20 S (PR-2B)**	Z8	574730 R	129.00		
	F 26 S (PR-2B)**	Z8	574732 R	129.00		
	F 32 S (PR-2B)**	Z8	574734 R	142.00		
	H 16*		570320	174.00		
	H 20*		570350	174.00		
	H 26*		570370	174.00		
	H 32		570380	174.00		
	H 40 (PZ-4G)		570390	590.00		
	TH 16*		570460	192.00		
	TH 20*		570470	192.00		
	TH 26*		570475	192.00		
	TH 32		570480	192.00		
	TH 40		570485	255.00		
	TH 50 (PZ-S)		572400	670.00		
	TH 63 (PZ-S)		572405	670.00		
	TH 16 S (PR-2B)**	Z8	574782 R	129.00		
	TH 20 S (PR-2B)**	Z8	574788 R	129.00		
	TH 26 S (PR-2B)**	Z8	574794 R	129.00		
	TH 32 S (PR-2B)**	Z8	574798 R	142.00		
	U 16*		570765	180.00		
	U 20*		570775	180.00		
	U 26* ¹²⁾		570750	211.00		
	U 32		570785	211.00		
	U 40		570790	257.00		
	U 50		570795	308.00		
	U 63 (PR-3B)	Z4	572837 R	760.00		
	U 63 (PZ-S)		572365	670.00		
	SANHA 3fit-Press PPSU Serie 35000	B 16*		570850	210.00	
B 20*			570860	210.00		
B 26			570870	231.00		
B 32			570880	231.00		
F 16*			570717	183.00		
F 20*			570727	183.00		
F 26*			570730	198.00		
F 32			570735	198.00		
F 16 S (PR-2B)**		Z8	574728 R	129.00		
F 20 S (PR-2B)**		Z8	574730 R	129.00		
F 26 S (PR-2B)**		Z8	574732 R	129.00		
F 32 S (PR-2B)**		Z8	574734 R	142.00		
H 16*			570320	174.00		
H 20*			570350	174.00		
H 26*			570370	174.00		
H 32			570380	174.00		
TH 16*			570460	192.00		
TH 20*			570470	192.00		
TH 26*			570475	192.00		
TH 32			570480	192.00		
TH 40			570485	255.00		
TH 50 (PZ-S)			572400	670.00		
TH 63 (PZ-S)			572405	670.00		
TH 16 S (PR-2B)**		Z8	574782 R	129.00		
TH 20 S (PR-2B)**		Z8	574788 R	129.00		
TH 26 S (PR-2B)**		Z8	574794 R	129.00		
TH 32 S (PR-2B)**		Z8	574798 R	142.00		
U 16*			570765	180.00		
U 20*			570775	180.00		
U 26* ¹²⁾			570750	211.00		
U 32			570785	211.00		
SANHA Heavy Steel Press		VMP ½" G (ØD 21,3 mm)		571766 R	222.00	
		VMPz ¾" (ØD 26,9 mm)		571764	222.00	
		VMPz 1" (ØD 33,7 mm)		571767	222.00	
		VMPz 1¼" (PZ-S) (ØD 42,4 mm)		572413	730.00	
		VMPz 1½" (PR-3B) (ØD 48,3 mm)	Z5	572844 R	494.00	
		VMPz 2" (PR-3B) (ØD 60,3 mm)	Z5	572845 R	494.00	
		SANHA Heavy Steel Press Gas ⁹⁾	VMP ½" G (ØD 21,3 mm) ¹¹⁾		571766 R	222.00
			VMPz ¾" (ØD 26,9 mm)		571764	222.00
			VMPz 1" (ØD 33,7 mm)		571767	222.00
	VMPz 1¼" (PZ-S) (ØD 42,4 mm)			572413	730.00	
VMPz 1½" (PR-3B) (ØD 48,3 mm)	Z5		572844 R	494.00		
VMPz 2" (PR-3B) (ØD 60,3 mm)	Z5		572845 R	494.00		

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	£
SANHA-NiroSan Gas Presssystem Serie 17000	SA 15		570935	192.00
	SA 18		570940	192.00
	SA 22		570945	192.00
	SA 28		570950	192.00
	SA 35		570955	192.00
	M 15		570110	160.00
	M 18		570120	160.00
	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	M 76.1 XL (PR-3S)	Z7 XL 45 kN ⁴⁾	579101 R	1.200.00
	M 88.9 G XL (PR-3S) ⁷⁾	Z7 XL 45 kN ⁴⁾	579110 R	1.400.00
	M 108.0 G XL (PR-3S) ⁷⁾	Z7 XL 45 kN ⁴⁾	579111 R	1.400.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
	M 22 S (PR-2B)	Z8	574742 R	129.00
	M 28 S (PR-2B)	Z8	574744 R	129.00
	M 35 S (PR-2B)	Z8	574746 R	142.00
	V 15		570115	160.00
	V 18		570125	160.00
	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 42		570165	371.00
	V 42 (PR-2B)	Z2	572850 R	333.00
	V 54		570175	382.00
	V 54 (PR-2B)	Z2	572851 R	360.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
	V 22 S (PR-2B)	Z8	574758 R	129.00
V 28 S (PR-2B)	Z8	574760 R	129.00	
V 35 S (PR-2B)	Z8	574762 R	142.00	
SANHA-NiroSan Industry Presssystem Serie 18000	SA 15		570935	192.00
	SA 18		570940	192.00
	SA 22		570945	192.00
	SA 28		570950	192.00
	SA 35		570955	192.00
	M 15		570110	160.00
	M 18		570120	160.00
	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	XP 64.0 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579100 R	1.090.00
	M 76.1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1.200.00
	M 88.9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1.400.00
	M 108.0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1.400.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
	M 22 S (PR-2B)	Z8	574742 R	129.00
	M 28 S (PR-2B)	Z8	574744 R	129.00
	M 35 S (PR-2B)	Z8	574746 R	142.00
	V 15		570115	160.00
	V 18		570125	160.00
	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 42		570165	371.00
	V 42 (PR-2B)	Z2	572850 R	333.00
	V 54		570175	382.00
	V 54 (PR-2B)	Z2	572851 R	360.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
V 22 S (PR-2B)	Z8	574758 R	129.00	
V 28 S (PR-2B)	Z8	574760 R	129.00	
V 35 S (PR-2B)	Z8	574762 R	142.00	
SANHA-NiroSan-Presssystem Serie 9000	SA 15		570935	192.00
	SA 18		570940	192.00
	SA 22		570945	192.00
	SA 28		570950	192.00
	SA 35		570955	192.00
	M 15		570110	160.00
	M 18		570120	160.00
	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	XP 64.0 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579100 R	1.090.00
	M 76.1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1.200.00
	M 88.9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1.400.00
	M 108.0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1.400.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
	M 22 S (PR-2B)	Z8	574742 R	129.00
	M 28 S (PR-2B)	Z8	574744 R	129.00
	M 35 S (PR-2B)	Z8	574746 R	142.00
	V 15		570115	160.00
	V 18		570125	160.00
	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 42		570165	371.00
	V 42 (PR-2B)	Z2	572850 R	333.00
	V 54		570175	382.00
	V 54 (PR-2B)	Z2	572851 R	360.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
V 22 S (PR-2B)	Z8	574758 R	129.00	
V 28 S (PR-2B)	Z8	574760 R	129.00	
V 35 S (PR-2B)	Z8	574762 R	142.00	

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	€	System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	€		
SANHA-NiroSan SF Presssystem Serie 19000 (silicone free)	SA 15		570935	192.00	SANHA NiroTherm Industry Serie 98000	SA 15		570935	192.00		
	SA 18		570940	192.00		SA 18		570940	192.00		
	SA 22		570945	192.00		SA 22		570945	192.00		
	SA 28		570950	192.00		SA 28		570950	192.00		
	SA 35		570955	192.00		SA 35		570955	192.00		
	M 15		570110	160.00		M 15		570110	160.00		
	M 18		570120	160.00		M 18		570120	160.00		
	M 22		570130	160.00		M 22		570130	160.00		
	M 28		570140	160.00		M 28		570140	160.00		
	M 35		570150	160.00		M 35		570150	160.00		
	M 42 (PR-3S)	Z2	572706 R	700.00		M 42 (PR-3S)	Z2	572706 R	700.00		
	M 54 (PR-3S)	Z2	572708 R	700.00		M 54 (PR-3S)	Z2	572708 R	700.00		
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1.200.00		M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1.200.00		
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1.400.00		M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1.400.00		
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1.400.00		M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1.400.00		
	M 15 S (PR-2B)	Z8	574738 R	129.00		M 15 S (PR-2B)	Z8	574738 R	129.00		
	M 18 S (PR-2B)	Z8	574740 R	129.00		M 18 S (PR-2B)	Z8	574740 R	129.00		
	M 22 S (PR-2B)	Z8	574742 R	129.00		M 22 S (PR-2B)	Z8	574742 R	129.00		
	M 28 S (PR-2B)	Z8	574744 R	129.00		M 28 S (PR-2B)	Z8	574744 R	129.00		
	M 35 S (PR-2B)	Z8	574746 R	142.00		M 35 S (PR-2B)	Z8	574746 R	142.00		
	V 15		570115	160.00		V 15		570115	160.00		
	V 18		570125	160.00		V 18		570125	160.00		
	V 22		570135	160.00		V 22		570135	160.00		
	V 28		570145	160.00		V 28		570145	160.00		
	V 35		570155	160.00		V 35		570155	160.00		
	V 42		570165	371.00		V 42		570165	371.00		
	V 42 (PR-2B)	Z2	572850 R	333.00		V 42 (PR-2B)	Z2	572850 R	333.00		
	V 54		570175	382.00		V 54		570175	382.00		
	V 54 (PR-2B)	Z2	572851 R	360.00		V 54 (PR-2B)	Z2	572851 R	360.00		
	V 15 S (PR-2B)	Z8	574752 R	129.00		V 15 S (PR-2B)	Z8	574752 R	129.00		
	V 18 S (PR-2B)	Z8	574756 R	129.00		V 18 S (PR-2B)	Z8	574756 R	129.00		
	V 22 S (PR-2B)	Z8	574758 R	129.00		V 22 S (PR-2B)	Z8	574758 R	129.00		
	V 28 S (PR-2B)	Z8	574760 R	129.00		V 28 S (PR-2B)	Z8	574760 R	129.00		
	V 35 S (PR-2B)	Z8	574762 R	142.00		V 35 S (PR-2B)	Z8	574762 R	142.00		
	SANHA NiroTherm Serie 91000	SA 15		570935		192.00	SANHA-Press Chrom Serie 16000	SA 12		570930	278.00
		SA 18		570940		192.00		SA 15		570935	192.00
		SA 22		570945		192.00		SA 18		570940	192.00
		SA 28		570950		192.00		SA 22		570945	192.00
		SA 35		570955		192.00		SA 28		570950	192.00
		M 15		570110		160.00		M 12		570100	160.00
M 18			570120	160.00	M 15			570110	160.00		
M 22			570130	160.00	M 18			570120	160.00		
M 28			570140	160.00	M 22			570130	160.00		
M 35			570150	160.00	M 28			570140	160.00		
M 42 (PR-3S)		Z2	572706 R	700.00	M 12 S (PR-2B)	Z8		574736 R	129.00		
M 54 (PR-3S)		Z2	572708 R	700.00	M 15 S (PR-2B)	Z8		574738 R	129.00		
M 76,1 XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1.200.00	M 18 S (PR-2B)	Z8		574740 R	129.00		
M 88,9 G XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1.400.00	M 22 S (PR-2B)	Z8		574742 R	129.00		
M 108,0 G XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1.400.00	M 28 S (PR-2B)	Z8		574744 R	129.00		
M 15 S (PR-2B)		Z8	574738 R	129.00	V 12			570107	160.00		
M 18 S (PR-2B)		Z8	574740 R	129.00	V 15			570115	160.00		
M 22 S (PR-2B)		Z8	574742 R	129.00	V 18			570125	160.00		
M 28 S (PR-2B)		Z8	574744 R	129.00	V 22			570135	160.00		
M 35 S (PR-2B)		Z8	574746 R	142.00	V 28			570145	160.00		
V 15			570115	160.00	V 12 S (PR-2B)	Z8		574748 R	129.00		
V 18			570125	160.00	V 15 S (PR-2B)	Z8		574752 R	129.00		
V 22			570135	160.00	V 18 S (PR-2B)	Z8		574756 R	129.00		
V 28			570145	160.00	V 22 S (PR-2B)	Z8		574758 R	129.00		
V 35			570155	160.00	V 28 S (PR-2B)	Z8		574760 R	129.00		
V 42			570165	371.00	V 28 S (PR-2B)	Z8		574760 R	129.00		
V 42 (PR-2B)		Z2	572850 R	333.00							
V 54			570175	382.00							
V 54 (PR-2B)		Z2	572851 R	360.00							
V 15 S (PR-2B)		Z8	574752 R	129.00							
V 18 S (PR-2B)		Z8	574756 R	129.00							
V 22 S (PR-2B)		Z8	574758 R	129.00							
V 28 S (PR-2B)		Z8	574760 R	129.00							
V 35 S (PR-2B)		Z8	574762 R	142.00							

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

2) For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

3) Driven by REMS Power-Press XL ACC, see page 188.

4) Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

5) For taking suitable pressing inserts.

6) Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

7) Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

8) For making press joints for operating pressure ≤ PN 10.

9) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

10) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

11) Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

12) Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	€	
SANHA-Press GAS Pressfittings Serie 10000/ Serie 11000	SA 12		570930	278.00	
	SA 14		570932	278.00	
	SA 15		570935	192.00	
	SA 16		570937	192.00	
	SA 18		570940	192.00	
	SA 22		570945	192.00	
	SA 28		570950	192.00	
	SA 35		570955	192.00	
	M 12		570100	160.00	
	M 15		570110	160.00	
	M 18		570120	160.00	
	M 22		570130	160.00	
	M 28		570140	160.00	
	M 35		570150	160.00	
	M 42 (PR-3S)	Z2	572706 R	700.00	
	M 54 (PR-3S)	Z2	572708 R	700.00	
	M 12 S (PR-2B)	Z8	574736 R	129.00	
	M 15 S (PR-2B)	Z8	574738 R	129.00	
	M 18 S (PR-2B)	Z8	574740 R	129.00	
	M 22 S (PR-2B)	Z8	574742 R	129.00	
	M 28 S (PR-2B)	Z8	574744 R	129.00	
	M 35 S (PR-2B)	Z8	574746 R	142.00	
	V 12		570107	160.00	
	V 14		570112	160.00	
	VG 14		570132	160.00	
	V 15		570115	160.00	
	V 16		570117	160.00	
	VG 16		570137	160.00	
	V 18		570125	160.00	
	V 22		570135	160.00	
	V 28		570145	160.00	
	V 35		570155	160.00	
	V 42		570165	371.00	
	V 42 (PR-2B)	Z2	572850 R	333.00	
	V 54		570175	382.00	
	V 54 (PR-2B)	Z2	572851 R	360.00	
	V 12 S (PR-2B)	Z8	574748 R	129.00	
	VG 14 S (PR-2B)	Z8	574750 R	129.00	
	V 15 S (PR-2B)	Z8	574752 R	129.00	
	VG 16 S (PR-2B)	Z8	574754 R	129.00	
	V 18 S (PR-2B)	Z8	574756 R	129.00	
	V 22 S (PR-2B)	Z8	574758 R	129.00	
	V 28 S (PR-2B)	Z8	574760 R	129.00	
	V 35 S (PR-2B)	Z8	574762 R	142.00	
	SANHA-Press Pressfittings Serie 6000	SA 12		570930	278.00
		SA 14		570932	278.00
		SA 15		570935	192.00
SA 16			570937	192.00	
SA 18			570940	192.00	
SA 22			570945	192.00	
SA 28			570950	192.00	
SA 35			570955	192.00	
M 12			570100	160.00	
M 15			570110	160.00	
M 18			570120	160.00	
M 22			570130	160.00	
M 28			570140	160.00	
M 35			570150	160.00	
M 42 (PR-3S)		Z2	572706 R	700.00	
M 54 (PR-3S)		Z2	572708 R	700.00	
XP 64,0 XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579100 R	1,090.00	
XP 66,7 XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579108 R	1,200.00	
M 66,7 XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579107 R	1,200.00	
M 76,1 XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	
M 88,9 G XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
M 108,0 G XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
M 12 S (PR-2B)		Z8	574736 R	129.00	
M 15 S (PR-2B)		Z8	574738 R	129.00	
M 18 S (PR-2B)		Z8	574740 R	129.00	
M 22 S (PR-2B)		Z8	574742 R	129.00	
M 28 S (PR-2B)		Z8	574744 R	129.00	
M 35 S (PR-2B)		Z8	574746 R	142.00	
V 12			570107	160.00	
V 14			570112	160.00	
VG 14			570132	160.00	
V 15			570115	160.00	
V 16			570117	160.00	
VG 16			570137	160.00	
V 18			570125	160.00	
V 22			570135	160.00	
V 28			570145	160.00	
V 35			570155	160.00	
V 42			570165	371.00	
V 42 (PR-2B)		Z2	572850 R	333.00	
V 54			570175	382.00	
V 54 (PR-2B)		Z2	572851 R	360.00	
V 12 S (PR-2B)		Z8	574748 R	129.00	
VG 14 S (PR-2B)		Z8	574750 R	129.00	
V 15 S (PR-2B)		Z8	574752 R	129.00	
VG 16 S (PR-2B)		Z8	574754 R	129.00	
V 18 S (PR-2B)		Z8	574756 R	129.00	
V 22 S (PR-2B)	Z8	574758 R	129.00		
V 28 S (PR-2B)	Z8	574760 R	129.00		
V 35 S (PR-2B)	Z8	574762 R	142.00		

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	€	
SANHA-Press SOLAR Pressfittings Serie 12000/ Serie 13000	SA 12		570930	278.00	
	SA 15		570935	192.00	
	SA 18		570940	192.00	
	SA 22		570945	192.00	
	SA 28		570950	192.00	
	SA 35		570955	192.00	
	M 12		570100	160.00	
	M 15		570110	160.00	
	M 18		570120	160.00	
	M 22		570130	160.00	
	M 28		570140	160.00	
	M 35		570150	160.00	
	M 42 (PR-3S)	Z2	572706 R	700.00	
	M 54 (PR-3S)	Z2	572708 R	700.00	
	XP 64,0 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579100 R	1,090.00	
	XP 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579108 R	1,200.00	
	M 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579107 R	1,200.00	
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
	M 12 S (PR-2B)	Z8	574736 R	129.00	
	M 15 S (PR-2B)	Z8	574738 R	129.00	
	M 18 S (PR-2B)	Z8	574740 R	129.00	
	M 22 S (PR-2B)	Z8	574742 R	129.00	
	M 28 S (PR-2B)	Z8	574744 R	129.00	
	M 35 S (PR-2B)	Z8	574746 R	142.00	
	V 12		570107	160.00	
	V 15		570115	160.00	
	V 18		570125	160.00	
	V 22		570135	160.00	
	V 28		570145	160.00	
	V 35		570155	160.00	
	V 42		570165	371.00	
	V 42 (PR-2B)	Z2	572850 R	333.00	
	V 54		570175	382.00	
	V 54 (PR-2B)	Z2	572851 R	360.00	
	V 12 S (PR-2B)	Z8	574748 R	129.00	
	VG 14 S (PR-2B)	Z8	574750 R	129.00	
	V 15 S (PR-2B)	Z8	574752 R	129.00	
	VG 16 S (PR-2B)	Z8	574754 R	129.00	
	V 18 S (PR-2B)	Z8	574756 R	129.00	
	V 22 S (PR-2B)	Z8	574758 R	129.00	
	V 28 S (PR-2B)	Z8	574760 R	129.00	
	V 35 S (PR-2B)	Z8	574762 R	142.00	
	SANHA PURAPRESS Serie 8000	SA 12		570930	278.00
		SA 14		570932	278.00
		SA 15		570935	192.00
SA 16			570937	192.00	
SA 18			570940	192.00	
SA 22			570945	192.00	
SA 28			570950	192.00	
SA 35			570955	192.00	
M 12			570100	160.00	
M 15 ¹⁾			570110	160.00	
M 18 ¹⁾			570120	160.00	
M 22 ¹⁾			570130	160.00	
M 28 ¹⁾			570140	160.00	
M 35 ¹⁾			570150	160.00	
M 42 (PR-3S)		Z2	572706 R	700.00	
M 54 (PR-3S)		Z2	572708 R	700.00	
XP 64,0 XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579100 R	1,090.00	
XP 66,7 XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579108 R	1,200.00	
M 66,7 XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579107 R	1,200.00	
M 76,1 XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	
M 88,9 G XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
M 108,0 G XL (PR-3S)		Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
M 12 S (PR-2B)		Z8	574736 R	129.00	
M 15 S (PR-2B)		Z8	574738 R	129.00	
M 18 S (PR-2B)		Z8	574740 R	129.00	
M 22 S (PR-2B)		Z8	574742 R	129.00	
M 28 S (PR-2B)		Z8	574744 R	129.00	
M 35 S (PR-2B)		Z8	574746 R	142.00	
V 12			570107	160.00	
V 14			570112	160.00	
VG 14			570132	160.00	
V 15			570115	160.00	
V 16			570117	160.00	
VG 16			570137	160.00	
V 18			570125	160.00	
V 22			570135	160.00	
V 28			570145	160.00	
V 35			570155	160.00	
V 42			570165	371.00	
V 42 (PR-2B)		Z2	572850 R	333.00	
V 54			570175	382.00	
V 54 (PR-2B)		Z2	572851 R	360.00	
V 12 S (PR-2B)		Z8	574748 R	129.00	
VG 14 S (PR-2B)		Z8	574750 R	129.00	
V 15 S (PR-2B)		Z8	574752 R	129.00	
VG 16 S (PR-2B)		Z8	574754 R	129.00	
V 18 S (PR-2B)		Z8	574756 R	129.00	
V 22 S (PR-2B)	Z8	574758 R	129.00		
V 28 S (PR-2B)	Z8	574760 R	129.00		
V 35 S (PR-2B)	Z8	574762 R	142.00		

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	€	System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	€	
SANHA-Therm Serie 24000	SA 12		570930	278.00	SANITOP PERMATUBO INOX	M 15		570110	160.00	
	SA 15		570935	192.00		M 18 ¹⁾		570120	160.00	
	SA 18		570940	192.00		M 22		570130	160.00	
	SA 22		570945	192.00		M 28 ¹⁾		570140	160.00	
	SA 28		570950	192.00		M 35		570150	160.00	
	SA 35		570955	192.00		M 35 (PR-3S)	Z2	572727 R	700.00	
	M 12		570100	160.00		M 42 (PZ-4G)		570160	520.00	
	M 15		570110	160.00		M 54 (PZ-4G)		570170	520.00	
	M 18		570120	160.00		M 42 (PR-3S)	Z2	572706 R	700.00	
	M 22		570130	160.00		M 54 (PR-3S)	Z2	572708 R	700.00	
	M 28		570140	160.00		M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1.200.00	
	M 35		570150	160.00		M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1.400.00	
	M 42 (PR-3S)	Z2	572706 R	700.00		M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1.400.00	
	M 54 (PR-3S)	Z2	572708 R	700.00		M 12 S (PR-2B)	Z8	574736 R	129.00	
	XP 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579108 R	1.200.00		M 15 S (PR-2B)	Z8	574738 R	129.00	
	M 66,7 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579107 R	1.200.00		M 18 S (PR-2B)	Z8	574740 R	129.00	
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1.200.00		M 22 S (PR-2B)	Z8	574742 R	129.00	
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1.400.00		M 28 S (PR-2B)	Z8	574744 R	129.00	
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1.400.00		M 35 S (PR-2B)	Z8	574746 R	142.00	
	M 12 S (PR-2B)	Z8	574736 R	129.00						
	M 15 S (PR-2B)	Z8	574738 R	129.00		SANPRO THPRESS	TH 16*	570460	192.00	
	M 18 S (PR-2B)	Z8	574740 R	129.00			TH 20*	570470	192.00	
	M 22 S (PR-2B)	Z8	574742 R	129.00			TH 26*	570475	192.00	
	M 28 S (PR-2B)	Z8	574744 R	129.00			TH 32	570480	192.00	
	M 35 S (PR-2B)	Z8	574746 R	142.00			TH 16 S (PR-2B)**	Z8	574782 R	129.00
	V 12		570107	160.00			TH 20 S (PR-2B)**	Z8	574788 R	129.00
	V 15		570115	160.00			TH 26 S (PR-2B)**	Z8	574794 R	129.00
	V 18		570125	160.00			TH 32 S (PR-2B)	Z8	574798 R	142.00
	V 22		570135	160.00		SATEC SK ViTerm	TH 16*	570460	192.00	
	V 28		570145	160.00			TH 18*	570465	192.00	
	V 35		570155	160.00			TH 20*	570470	192.00	
	V 42		570165	371.00			TH 26*	570475	192.00	
	V 42 (PR-2B)	Z2	572850 R	333.00			TH 32	570480	192.00	
	V 54		570175	382.00			U 40	570790	257.00	
	V 54 (PR-2B)	Z2	572851 R	360.00			U 50	570795	308.00	
	V 12 S (PR-2B)	Z8	574748 R	129.00			U 63 (PZ-S)	572365	670.00	
	V 15 S (PR-2B)	Z8	574752 R	129.00		SAVEUR REFLEX	TH 16*	570460	192.00	
	V 18 S (PR-2B)	Z8	574756 R	129.00		PEX Water	TH 20*	570470	192.00	
	V 22 S (PR-2B)	Z8	574758 R	129.00			TH 25*	570495	192.00	
	V 28 S (PR-2B)	Z8	574760 R	129.00			TH 32	570480	192.00	
V 35 S (PR-2B)	Z8	574762 R	142.00		TH 14*	570455	192.00			
					TH 16*	570460	192.00			
					TH 17*	570462	192.00			
					TH 20*	570470	192.00			
					TH 25*	570495	192.00			
					TH 16 S (PR-2B)**	Z8	574782 R	129.00		
					TH 20 S (PR-2B)**	Z8	574788 R	129.00		
					Schwer Fittings	M 12	570100	160.00		
					AQUApress	M 15	570110	160.00		
						M 18	570120	160.00		
						M 22	570130	160.00		
						M 28	570140	160.00		
						M 35	570150	160.00		
						M 42 (PZ-4G)	570160	520.00		
						M 54 (PZ-4G)	570170	520.00		
						M 42 (PR-3S)	Z2	572706 R	700.00	
						M 54 (PR-3S)	Z2	572708 R	700.00	
						M 12 S (PR-2B)	Z8	574736 R	129.00	
						M 15 S (PR-2B)	Z8	574738 R	129.00	
						M 18 S (PR-2B)	Z8	574740 R	129.00	
						M 22 S (PR-2B)	Z8	574742 R	129.00	
						M 28 S (PR-2B)	Z8	574744 R	129.00	
						M 35 S (PR-2B)	Z8	574746 R	142.00	
					Seppelfricke	> Aalberts integrated piping systems				
					SESTA	TH 14*	570455	192.00		
					SESTA GAS	TH 16*	570460	192.00		
						TH 20*	570470	192.00		
						TH 26*	570475	192.00		
						TH 32	570480	192.00		

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

³⁾ Driven by REMS Power-Press XL ACC, see page 188.

⁴⁾ Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

⁵⁾ For taking suitable pressing inserts.

⁶⁾ Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

⁷⁾ Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

⁸⁾ For making press joints for operating pressure ≤ PN 10.

⁹⁾ For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

¹⁰⁾ For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

¹¹⁾ Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

¹²⁾ Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website: www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	€	
SESTA Sistema multistrato	H 16*		570320	174.00	
	H 20*		570350	174.00	
	TH 14*		570455	192.00	
	TH 16*		570460	192.00	
	TH 18*		570465	192.00	
	TH 20*		570470	192.00	
	TH 26*		570475	192.00	
	TH 32		570480	192.00	
	TH 40		570485	255.00	
	TH 50 (PZ-S)		572400	670.00	
	TH 63 (PZ-S)		572405	670.00	
	U 16*		570765	180.00	
	U 20*		570775	180.00	
	U 20*		570775	180.00	
	SIGMA LI Premium	TH 16*		570460	192.00
TH 20*			570470	192.00	
TH 25*			570495	192.00	
TH 32			570480	192.00	
TH 16 S (PR-2B)**		Z8	574782 R	129.00	
TH 20 S (PR-2B)**		Z8	574788 R	129.00	
TH 25 S (PR-2B)**		Z8	574792 R	129.00	
TH 32 S (PR-2B)		Z8	574798 R	142.00	
U 16*			570765	180.00	
U 20*			570775	180.00	
U 25*			570780	180.00	
SLOVARM PEX-THERM	U 32		570785	211.00	
	U 16*		570765	180.00	
	U 20*		570775	180.00	
	H 26*		570370	174.00	
	U 32		570785	211.00	
	H 16*		570320	174.00	
	H 20*		570350	174.00	
	H 26*		570370	174.00	
	H 32		570380	174.00	
	H 32		570380	174.00	
STANDARD HIDRAULICA MultiStandard	H 16*		570320	174.00	
	H 20*		570350	174.00	
	H 25*		570360	174.00	
	H 32		570380	174.00	
	RFz 16*		571325	200.00	
	RFz 20*		571330	200.00	
	RFz 25		571335	200.00	
	RFz 32		571340	200.00	
	TH 16*		570460	192.00	
	TH 20*		570470	192.00	
	TH 25*		570495	192.00	
	TH 32		570480	192.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	TH 25 S (PR-2B)**	Z8	574792 R	129.00	
	TH 32 S (PR-2B)	Z8	574798 R	142.00	
	U 16*		570765	180.00	
	U 18*		570770	180.00	
	U 20*		570775	180.00	
	U 25*		570780	180.00	
	U 32		570785	211.00	
U 40		570790	257.00		
U 50		570795	308.00		
U 63 (PR-3B)	Z4	572837 R	760.00		
U 63 (PZ-S)		572365	670.00		
steeltrade Presssystem Edelstahl Kontur M	M 15		570110	160.00	
	M 18 ¹⁾		570120	160.00	
	M 22		570130	160.00	
	M 28 ¹⁾		570140	160.00	
	M 35		570150	160.00	
	M 42 (PR-3S)	Z2	572706 R	700.00	
	M 54 (PR-3S)	Z2	572708 R	700.00	
	M 76,1 XL (PR-3S)	Z6 XL ²⁾ / Z7 XL 45 kN ⁴⁾	579101 R	1,200.00	
	M 88,9 G XL (PR-3S)	Z6 XL ²⁾ / Z7 XL 45 kN ⁴⁾	579110 R	1,400.00	
	M 108,0 G XL (PR-3S)	Z6 XL ²⁾ / Z7 XL 45 kN ⁴⁾	579111 R	1,400.00	
	M 15 S (PR-2B)	Z8	574738 R	129.00	
	M 18 S (PR-2B)	Z8	574740 R	129.00	
	M 22 S (PR-2B)	Z8	574742 R	129.00	
	M 28 S (PR-2B)	Z8	574744 R	129.00	
	M 35 S (PR-2B)	Z8	574746 R	142.00	
	STELBI Polikraft	H 16*		570320	174.00
		H 20*		570350	174.00
		H 26*		570370	174.00
		TH 16*		570460	192.00
		TH 20*		570470	192.00
TH 26*			570475	192.00	
TH 32			570480	192.00	
TH 40			570485	255.00	
TH 50 (PZ-S)			572400	670.00	
TH 63 (PZ-S)			572405	670.00	
TH 16 S (PR-2B)**		Z8	574782 R	129.00	
TH 20 S (PR-2B)**		Z8	574788 R	129.00	
TH 26 S (PR-2B)**		Z8	574794 R	129.00	
TH 32 S (PR-2B)		Z8	574798 R	142.00	
U 16*			570765	180.00	
U 20*			570775	180.00	
U 26* ¹²⁾			570750	211.00	
STELBI Stelgas	TH 16*		570460	192.00	
	TH 20*		570470	192.00	
	TH 26*		570475	192.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	€	
STH Westco COPPER PRESS	M 15		570110	160.00	
	M 22		570130	160.00	
	M 28 ¹⁾		570140	160.00	
	M 35		570150	160.00	
	M 42 (PR-3S)	Z2	572706 R	700.00	
	M 54 (PR-3S)	Z2	572708 R	700.00	
	M 15 S (PR-2B)	Z8	574738 R	129.00	
	M 22 S (PR-2B)	Z8	574742 R	129.00	
	M 28 S (PR-2B)	Z8	574744 R	129.00	
	M 35 S (PR-2B)	Z8	574746 R	142.00	
T					
TDM BRASS Serie 1600	H 16*		570320	174.00	
	H 18*		570340	174.00	
	H 20*		570350	174.00	
	H 25*		570360	174.00	
	H 26*		570370	174.00	
	H 32		570380	174.00	
	TH 16*		570460	192.00	
	TH 18*		570465	192.00	
	TH 20*		570470	192.00	
	TH 25*		570495	192.00	
	TH 26*		570475	192.00	
	THL 32		570487	192.00	
	TH 40		570485	255.00	
	TH 50 (PZ-S)		572400	670.00	
	TH 63 (PZ-S)		572405	670.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	TH 18 S (PR-2B)**	Z8	574786 R	129.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	TH 25 S (PR-2B)**	Z8	574792 R	129.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00	
TDM BRASS Serie 2600	U 16*		570765	180.00	
	U 18*		570770	180.00	
	U 20*		570775	180.00	
	U 25*		570780	180.00	
	U 26* ¹²⁾		570750	211.00	
	U 32		570785	211.00	
	H 16*		570320	174.00	
	H 18*		570340	174.00	
	H 20*		570350	174.00	
	H 25*		570360	174.00	
TDM BRASS Serie 1700 gas	H 26*		570370	174.00	
	H 32		570380	174.00	
	TH 16*		570460	192.00	
	TH 18*		570465	192.00	
	TH 20*		570470	192.00	
	TH 25*		570495	192.00	
	TH 26*		570475	192.00	
	THL 32		570487	192.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	TH 18 S (PR-2B)**	Z8	574786 R	129.00	
TermoConcept TC-PRESS	TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00	
	Basic E01 ¹⁾		571855	315.00	
	THERMOLUTZ	H 14*		570310	174.00
		H 16*		570320	174.00
TH 20*			570470	192.00	
TH 20 S (PR-2B)**		Z8	574788 R	129.00	
TE-SA TE-SA press serie 800		TH 14*		570455	192.00
	TH 16*		570460	192.00	
	TH 18*		570465	192.00	
	TH 20*		570470	192.00	
	TH 26*		570475	192.00	
	TH 32		570480	192.00	
	TH 40		570485	255.00	
	TH 50 (PZ-S)		572400	670.00	
	TH 63 (PZ-S)		572405	670.00	
	TH 14 S (PR-2B)**	Z8	574778 R	129.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00	
	TH 18 S (PR-2B)**	Z8	574786 R	129.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00	
	TH 32 S (PR-2B)	Z8	574798 R	142.00	
THERMACOME ACOPEX ALU	H 16*		570320	174.00	
	H 20*		570350	174.00	
	H 26*		570370	174.00	
	H 32		570380	174.00	
	TH 16*		570460	192.00	
	TH 20*		570470	192.00	
	TH 26*		570475	192.00	
	TH 32		570480	192.00	
	U 16*		570765	180.00	
	U 20*		570775	180.00	
U 32		570785	211.00		

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press)
and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	€	System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	€		
TIEMME 1650 AL-COBRAPEX	TH 14*		570455	192.00	TRA MULTITRAPRESS	U 16*		570765	180.00		
	TH 16*		570460	192.00		U 18*		570770	180.00		
	TH 18*		570465	192.00		U 20*		570775	180.00		
	TH 20*		570470	192.00		U 25*		570780	180.00		
	TH 25*		570495	192.00		U 32		570785	211.00		
	TH 26*		570475	192.00		U 40		570790	257.00		
	THL 32		570487	192.00		U 50		570795	308.00		
	TH 40		570485	255.00		U 63 (PR-3B)	Z4	572837 R	760.00		
	TH 50 (PZ-S)		572400	670.00		U 63 (PZ-S)		572365	670.00		
	TH 63 (PZ-S)		572405	670.00		TRA TRAPRESS	H 12*		570300	174.00	
	THz 75 (PR-3B)	Z4	572829 R	630.00			H 16*		570320	174.00	
	TH 14 S (PR-2B)**	Z8	574778 R	129.00			H 20*		570350	174.00	
	TH 16 S (PR-2B)**	Z8	574782 R	129.00			H 25*		570360	174.00	
	TH 18 S (PR-2B)**	Z8	574786 R	129.00			H 32		570380	174.00	
	TH 20 S (PR-2B)**	Z8	574788 R	129.00			RFz 12*		571320	200.00	
	TH 25 S (PR-2B)**	Z8	574792 R	129.00			RFz 16*		571325	200.00	
	TH 26 S (PR-2B)**	Z8	574794 R	129.00			RFz 20*		571330	200.00	
							RFz 25		571335	200.00	
							RFz 32		571340	200.00	
	TIEMME 1700 COBRAPEX	RFz 12*		571320		200.00	Tradelink TradePex Crimp Water	K16/P18*		572600	200.00
		RFz 16*		571325		200.00		K/20*		572605	200.00
		RFz 20*		571330		200.00		K/25*		572610	200.00
RFz 25			571335	200.00	K32			572615	200.00		
RFz 32			571340	200.00	K1/40			572620	200.00		
TH 40			570485	255.00	K1/50			572625	329.00		
TH 50 (PZ-S)			572400	670.00	Tradelink TradePex Crimp Gas	K16/P18*			572600	200.00	
TH 63 (PZ-S)			572405	670.00		K/20*			572605	200.00	
				K/25*			572610	200.00			
				K32			572615	200.00			
				K1/40			572620	200.00			
				K1/50			572625	329.00			
TIEMME 1650 AL-COBRAPEX GAS	TH 16*		570460	192.00	TUBIPLAST ITALY MULTILAYER PIPE	TH 16*		570460	192.00		
	TH 20*		570470	192.00		TH 18*		570465	192.00		
	TH 26*		570475	192.00		TH 20*		570470	192.00		
	THL 32		570487	192.00		TH 26*		570475	192.00		
	TH 16 S (PR-2B)**	Z8	574782 R	129.00		TH 32		570480	192.00		
	TH 20 S (PR-2B)**	Z8	574788 R	129.00		TH 40		570485	255.00		
TH 26 S (PR-2B)**	Z8	574794 R	129.00	TH 50 (PZ-S)			572400	670.00			
				TH 63 (PZ-S)			572405	670.00			
				TH 16 S (PR-2B)**		Z8	574782 R	129.00			
				TH 18 S (PR-2B)**		Z8	574786 R	129.00			
				TH 20 S (PR-2B)**		Z8	574788 R	129.00			
				TH 26 S (PR-2B)**		Z8	574794 R	129.00			
				TH 32 S (PR-2B)	Z8	574798 R	142.00				
TIGRE ALPEX GÁS	TH 16*		570460	192.00	TUBIPLAST ITALY MULTILAYER PIPE GAS SYSTEM	H 16*		570320	174.00		
	TH 20*		570470	192.00		H 18*		570340	174.00		
	TH 26*		570475	192.00		H 20*		570350	174.00		
	THL 32		570480	192.00		H 26*		570370	174.00		
	TH 16*		570455	192.00		H 32		570380	174.00		
	TH 16*		570460	192.00		U 16*		570765	180.00		
	TH 20*		570470	192.00		U 18*		570770	180.00		
	TH 25*		570495	192.00		U 20*		570775	180.00		
	TH 26*		570475	192.00		U 26 ¹²⁾		570750	211.00		
	TH 32		570480	192.00		U 32		570785	211.00		
	TH 40		570485	255.00		TH 16*		570460	192.00		
	TH 50 (PZ-S)		572400	670.00		TH 18*		570465	192.00		
	TH 63 (PZ-S)		572405	670.00		TH 20*		570470	192.00		
	THz 75 (PR-3B)	Z4	572829 R	630.00		TH 26*		570475	192.00		
	TH 16 S (PR-2B)**	Z8	574782 R	129.00		TH 32		570480	192.00		
	TH 20 S (PR-2B)**	Z8	574788 R	129.00		TH 16 S (PR-2B)**	Z8	574782 R	129.00		
	TH 25 S (PR-2B)**	Z8	574792 R	129.00		TH 18 S (PR-2B)**	Z8	574786 R	129.00		
	TH 26 S (PR-2B)**	Z8	574794 R	129.00		TH 20 S (PR-2B)**	Z8	574788 R	129.00		
	TH 32 S (PR-2B)	Z8	574798 R	142.00		TH 26 S (PR-2B)**	Z8	574794 R	129.00		
	U 16*		570765	180.00		TH 32 S (PR-2B)	Z8	574798 R	142.00		
U 20*		570775	180.00								
U 25*		570780	180.00	TWEETOP	U 16*		570765	180.00			
U 26 ¹²⁾		570750	211.00		U 20*		570775	180.00			
U 32		570785	211.00		U 25*		570780	180.00			
U 40		570790	257.00		U 32		570785	211.00			
U 50		570795	308.00		U 40		570790	257.00			
U 63 (PR-3B)	Z4	572837 R	760.00		U 50		570795	308.00			
U 63 (PZ-S)		572365	670.00		U 63 (PR-3B)	Z4	572837 R	760.00			
U 75 (PR-3B)	Z4	572828 R	670.00		U 63 (PZ-S)		572365	670.00			
					U 75 (PR-3B)	Z4	572828 R	670.00			

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

³⁾ Driven by REMS Power-Press XL ACC, see page 188.

⁴⁾ Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

⁵⁾ For taking suitable pressing inserts.

⁶⁾ Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

⁷⁾ Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

⁸⁾ For making press joints for operating pressure ≤ PN 10.

⁹⁾ For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

¹⁰⁾ For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

¹¹⁾ Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

¹²⁾ Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website: www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	£
U				
UNICAL AG	U 16*		570765	180.00
MAX-MULTIPEX	U 20*		570775	180.00
	H 26*		570370	174.00
	U 26* ⁽¹²⁾		570750	211.00
	U 32		570785	211.00
UNIDELTA DELTAPRESS	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 50 (PZ-S)		572400	670.00
	TH 63 (PZ-S)		572405	670.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00
	H 16*		570320	174.00
	H 20*		570350	174.00
	H 26*		570370	174.00
	H 32		570380	174.00
	H 40 (PZ-4G)		570390	590.00
	U 16*		570765	180.00
	U 20*		570775	180.00
	U 32		570785	211.00
	U 40		570790	257.00
	U 50		570795	308.00
	U 63 (PZ-S)		572365	670.00
UNIDELTA DELTAPRESS GAS	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00
	H 16*		570320	174.00
	H 20*		570350	174.00
	H 26*		570370	174.00
	H 32		570380	174.00
	U 16*		570765	180.00
	U 20*		570775	180.00
	U 32		570785	211.00
Uponor	UP 14*		572630	180.00
	UP 16*		572632	180.00
	UP 20*		572636	180.00
	UP 25		572638	180.00
	UP 32		572640	211.00
	U 40		570790	257.00
	U 50		570795	308.00
	U 63 (PR-3B)	Z4	572837 R	760.00
	U 63 (PZ-S)		572365	670.00
	U 75 (PR-3B)	Z4	572828 R	670.00
V				
Valsir Bravopress	B 16*		570850	210.00
	B 20*		570860	210.00
	B 26		570870	231.00
	B 32		570880	231.00
	F 16*		570717	183.00
	F 20*		570727	183.00
	F 26*		570730	198.00
	F 16 S (PR-2B)**	Z8	574728 R	129.00
	F 20 S (PR-2B)**	Z8	574730 R	129.00
	F 26 S (PR-2B)**	Z8	574732 R	129.00
	H 16*		570320	174.00
	H 20*		570350	174.00
	H 26*		570370	174.00
	H 32		570380	174.00
	H 32 V		570685	222.00
	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	U 16*		570765	180.00
	U 20*		570775	180.00
	U 26* ⁽¹²⁾		570750	211.00
	U 32		570785	211.00
Valsir PEXAL	H 14*		570310	174.00
	H 16*		570320	174.00
	H 20*		570350	174.00
	H 26*		570370	174.00
	H 32		570380	174.00
	H 32 V		570685	222.00
	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 50 (PZ-S)		572400	670.00
	TH 63 (PZ-S)		572405	670.00
	U 16*		570765	180.00
	U 20*		570775	180.00
	U 26* ⁽¹²⁾		570750	211.00
	U 32		570785	211.00
	U 40		570790	257.00
	U 50		570795	308.00
	U 63 (PR-3B)	Z4	572837 R	760.00
	U 63 (PZ-S)		572365	670.00
	U 75 (PR-3B)	Z4	572828 R	670.00

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	£
Van Marcke NV SYSTEMPEX	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 50 (PZ-S)		572400	670.00
	TH 63 (PZ-S)		572405	670.00
	THz 75 (PR-3B)	Z4	572829 R	630.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00
Van Marcke NV Tubipress	M 12		570100	160.00
	M 15		570110	160.00
	M 18		570120	160.00
	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 42 (PZ-4G)		570160	520.00
	M 54 (PZ-4G)		570170	520.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	M 76.1 XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579101 R	1,200.00
	M 88.9 G XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579110 R	1,400.00
	M 108.0 G XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579111 R	1,400.00
	M 12 S (PR-2B)	Z8	574736 R	129.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
	M 22 S (PR-2B)	Z8	574742 R	129.00
	M 28 S (PR-2B)	Z8	574744 R	129.00
	M 35 S (PR-2B)	Z8	574746 R	142.00
Variotherm System TH	TH 11,6*		570482	192.00
	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 11,6 S (PR-2B)**	Z8	574774 R	129.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
VESBO CARBON	M 15		570110	160.00
	M 18		570120	160.00
	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	M 76.1 XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579101 R	1,200.00
	M 88.9 G XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579110 R	1,400.00
	M 108.0 G XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579111 R	1,400.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
	M 22 S (PR-2B)	Z8	574742 R	129.00
	M 28 S (PR-2B)	Z8	574744 R	129.00
	M 35 S (PR-2B)	Z8	574746 R	142.00
VESBO INOX	M 15		570110	160.00
	M 18		570120	160.00
	M 22		570130	160.00
	M 28		570140	160.00
	M 35		570150	160.00
	M 42 (PR-3S)	Z2	572706 R	700.00
	M 54 (PR-3S)	Z2	572708 R	700.00
	M 76.1 XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579101 R	1,200.00
	M 88.9 G XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579110 R	1,400.00
	M 108.0 G XL (PR-3S)	Z6 XL ⁽³⁾ / Z7 XL 45 kN ⁽⁴⁾	579111 R	1,400.00
	M 15 S (PR-2B)	Z8	574738 R	129.00
	M 18 S (PR-2B)	Z8	574740 R	129.00
	M 22 S (PR-2B)	Z8	574742 R	129.00
	M 28 S (PR-2B)	Z8	574744 R	129.00
	M 35 S (PR-2B)	Z8	574746 R	142.00
VESBO MULTIPRESS TH-U	TH 16*		570460	192.00
	TH 20*		570470	192.00
	TH 26*		570475	192.00
	TH 32		570480	192.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
	TH 32 S (PR-2B)	Z8	574798 R	142.00
	U 16*		570765	180.00
	U 20*		570775	180.00
	U 26* ⁽¹²⁾		570750	211.00
	U 32		570785	211.00
VESBO VPREMIUM	U 16*		570765	180.00
	U 20*		570775	180.00
	U 25*		570780	180.00
	U 32		570785	211.00
	U 40		570790	257.00
	U 50		570795	308.00
	U 63 (PZ-S)		572365	670.00
Viega Fonterra	VX 12*		571630	222.00
	VP 14/15*		570905	192.00
	VP 16/17*		570910	192.00
	VP 20*		570915	192.00
	VP 25 ⁽²⁾		570920	192.00
Viega MegaPress (ASTM) ⁽¹⁰⁾	VMP 3/8" (OD 17.2 mm)		571740	222.00
	VMP 1/2" G (OD 21.3 mm)		571766 R	222.00
	VMPz 3/8" (OD 26.9 mm)		571764	222.00
	VMPz 1" (OD 33.7 mm)		571767	222.00
	VMPz 1 1/4" (PZ-S) (OD 42.4 mm)		572413	730.00
	VMPz 1 1/2" (PR-3B) (OD 48.3 mm)	Z5	572844 R	494.00
	VMPz 2" (PR-3B) (OD 60.3 mm)	Z5	572845 R	494.00

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	€	System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	€	
Viega MegaPress 304 FKM (ASTM) ¹⁰⁾	VMP ½" G (OD 21,3 mm)		571766 R	222.00	Viega Profipress	V 12		570107	160.00	
	VMPz ¾" (OD 26,9 mm)		571764	222.00		VG 14		570132	160.00	
	VMPz 1" (OD 33,7 mm)		571767	222.00		V 15		570115	160.00	
	VMPz 1¼" (PZ-S) (OD 42,4 mm)		572413	730.00		VG 16		570137	160.00	
	VMPz 1½" (PR-3B) (OD 48,3 mm)	25	572844 R	494.00		V 18		570125	160.00	
	VMPz 2" (PR-3B) (OD 60,3 mm)	25	572845 R	494.00		V 22		570135	160.00	
Viega MegaPress 316 (ASTM) ¹⁰⁾	VMP ½" G (OD 21,3 mm)		571766 R	222.00		V 28		570145	160.00	
	VMPz ¾" (OD 26,9 mm)		571764	222.00		V 35		570155	160.00	
	VMPz 1" (OD 33,7 mm)		571767	222.00		V 42		570165	371.00	
	VMPz 1¼" (PZ-S) (OD 42,4 mm)		572413	730.00		V 42 (PR-2B)	22	572850 R	333.00	
	VMPz 1½" (PR-3B) (OD 48,3 mm)	25	572844 R	494.00		V 54		570175	382.00	
	VMPz 2" (PR-3B) (OD 60,3 mm)	25	572845 R	494.00		V 54 (PR-2B)	22	572851 R	360.00	
Viega MegaPress 316 FKM (ASTM) ¹⁰⁾	VMP ½" G (OD 21,3 mm)		571766 R	222.00		VFz 64,0 (PR-3B) ⁶⁾	25	572815 R	630.00	
	VMPz ¾" (OD 26,9 mm)		571764	222.00		VFz 66,7 (PR-3B)	25	572846 R	630.00	
	VMPz 1" (OD 33,7 mm)		571767	222.00		VFz 76,1 (PR-3B) ⁶⁾	25	572816 R	630.00	
	VMPz 1¼" (PZ-S) (OD 42,4 mm)		572413	730.00		VFz 88,9 (PR-3B) ⁶⁾	25	572817 R	670.00	
	VMPz 1½" (PR-3B) (OD 48,3 mm)	25	572844 R	494.00		VFz 108,0 (PR-3B) ⁶⁾	25	572818 R	670.00	
	VMPz 2" (PR-3B) (OD 60,3 mm)	25	572845 R	494.00		V 12 S (PR-2B)	28	574748 R	129.00	
Viega MegaPress CuNi (ASTM) ¹⁰⁾	VMP ½" G (OD 21,3 mm)		571766 R	222.00		VG 14 S (PR-2B)	28	574750 R	129.00	
	VMPz ¾" (OD 26,9 mm)		571764	222.00		V 15 S (PR-2B)	28	574752 R	129.00	
	VMPz 1" (OD 33,7 mm)		571767	222.00		VG 16 S (PR-2B)	28	574754 R	129.00	
	VMPz 1¼" (PZ-S) (OD 42,4 mm)		572413	730.00		V 22 S (PR-2B)	28	574756 R	129.00	
	VMPz 1½" (PR-3B) (OD 48,3 mm)	25	572844 R	494.00		V 28 S (PR-2B)	28	574760 R	129.00	
	VMPz 2" (PR-3B) (OD 60,3 mm)	25	572845 R	494.00		V 35 S (PR-2B)	28	574762 R	142.00	
Viega MegaPress FKM (ASTM) ¹⁰⁾	VMP ½" G (OD 21,3 mm)		571766 R	222.00		Viega Profipress G	V 12		570107	160.00
	VMPz ¾" (OD 26,9 mm)		571764	222.00			VG 14		570132	160.00
	VMPz 1" (OD 33,7 mm)		571767	222.00			V 15		570115	160.00
	VMPz 1¼" (PZ-S) (OD 42,4 mm)		572413	730.00			VG 16		570137	160.00
	VMPz 1½" (PR-3B) (OD 48,3 mm)	25	572844 R	494.00			V 18		570125	160.00
	VMPz 2" (PR-3B) (OD 60,3 mm)	25	572845 R	494.00			V 22		570135	160.00
Viega Megapress (EN) ⁹⁾	VMP ¾" (OD 17,2 mm)		571740	222.00	V 28			570145	160.00	
	VMP ½" G (OD 21,3 mm)		571766 R	222.00	V 35			570155	160.00	
	VMPz ¾" (OD 26,9 mm)		571764	222.00	V 42			570165	371.00	
	VMPz 1" (OD 33,7 mm)		571767	222.00	V 42 (PR-2B)		22	572850 R	333.00	
	VMPz 1¼" (PZ-S) (OD 42,4 mm)		572413	730.00	V 54			570175	382.00	
	VMPz 1½" (PR-3B) (OD 48,3 mm)	25	572844 R	494.00	V 54 (PR-2B)		22	572851 R	360.00	
Viega Megapress S (EN) ⁹⁾	VMP ¾" (OD 17,2 mm)		571740	222.00	VFz 64,0 (PR-3B) ⁶⁾		25	572815 R	630.00	
	VMP ½" G (OD 21,3 mm)		571766 R	222.00	VG 14 S (PR-2B)		28	574748 R	129.00	
	VMPz ¾" (OD 26,9 mm)		571764	222.00	V 15 S (PR-2B)		28	574752 R	129.00	
	VMPz 1" (OD 33,7 mm)		571767	222.00	VG 16 S (PR-2B)		28	574754 R	129.00	
	VMPz 1¼" (PZ-S) (OD 42,4 mm)		572413	730.00	V 18 S (PR-2B)		28	574756 R	129.00	
	VMPz 1½" (PR-3B) (OD 48,3 mm)	25	572844 R	494.00	V 22 S (PR-2B)		28	574758 R	129.00	
Viega Megapress S XL (EN) ⁹⁾	VMPz 2" (PR-3B) (OD 60,3 mm)	25	572845 R	494.00	V 28 S (PR-2B)		28	574760 R	129.00	
	VMPz 2½" XL (PR-3B) EN (OD 76,1 mm)	27 XL 45 kN ⁴⁾	579112 R	630.00	V 35 S (PR-2B)		28	574762 R	142.00	
	VMPz 3" XL (PR-3B) (OD 88,9 mm)	27 XL 45 kN ⁴⁾	579113 R	630.00	Viega Profipress S		V 12		570107	160.00
	VMPz 4" XL (PR-3B) (OD 114,3 mm)	27 XL 45 kN ⁴⁾	579114 R	670.00			V 15		570115	160.00
	VX 16*		571635	222.00			V 18		570125	160.00
	VX 20*		571640	222.00			V 22		570135	160.00
VX 25*		571645	222.00	V 28				570145	160.00	
Viega Pexfit G	VX 16*		571635	222.00			V 35		570155	160.00
	VX 20*		571640	222.00			V 12 S (PR-2B)	28	574748 R	129.00
	VX 25*		571645	222.00			V 15 S (PR-2B)	28	574752 R	129.00
	VX 25*		571645	222.00			V 18 S (PR-2B)	28	574756 R	129.00
Viega Prestabo	V 12		570107	160.00			V 22 S (PR-2B)	28	574758 R	129.00
	V 15		570115	160.00		V 28 S (PR-2B)	28	574760 R	129.00	
	V 18		570125	160.00		V 35 S (PR-2B)	28	574762 R	142.00	
	V 22		570135	160.00		Viega Profipress Therm	V 12		570107	160.00
	V 28		570145	160.00			V 15		570115	160.00
	V 35		570155	160.00			V 18		570125	160.00
	V 42		570165	371.00			V 22		570135	160.00
	V 42 (PR-2B)	22	572850 R	333.00			V 12 S (PR-2B)	28	574748 R	129.00
	V 54		570175	382.00			V 15 S (PR-2B)	28	574752 R	129.00
	V 54 (PR-2B)	22	572851 R	360.00		V 18 S (PR-2B)	28	574756 R	129.00	
	VFz 64,0 (PR-3B) ⁶⁾	25	572815 R	630.00		V 22 S (PR-2B)	28	574758 R	129.00	
	VFz 76,1 (PR-3B) ⁶⁾	25	572816 R	630.00		Viega ProPress (ASTM) ¹⁰⁾	VUS ½" (OD 15,9 mm)		571770	193.00
	VFz 88,9 (PR-3B) ⁶⁾	25	572817 R	670.00			VUS ¾" (OD 22,2 mm)		571775	193.00
	VFz 108,0 (PR-3B) ⁶⁾	25	572818 R	670.00			VUS 1" (OD 28,6 mm)		571780	193.00
	V 12 S (PR-2B)	28	574748 R	129.00			VUS 1¼" (OD 34,9 mm)		571785	193.00
	V 15 S (PR-2B)	28	574752 R	129.00			VUS 1½" (OD 41,3 mm)		571790	371.00
	V 18 S (PR-2B)	28	574756 R	129.00			VUS 2" (OD 54,0 mm)		571795	382.00
	V 22 S (PR-2B)	28	574758 R	129.00		XL-C/XL-S	VUSFz 2½" (PR-3B) (OD 66,7 mm)	25	572819 R	630.00
	V 28 S (PR-2B)	28	574760 R	129.00		XL-C/XL-S	VUSFz 3" (PR-3B) (OD 79,4 mm)	25	572820 R	630.00
	V 35 S (PR-2B)	28	574762 R	142.00		XL-C/XL-S	VUSFz 4" (PR-3B) (OD 104,8 mm)	25	572821 R	670.00

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

2) For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

3) Driven by REMS Power-Press XL ACC, see page 188.

4) Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

5) For taking suitable pressing inserts.

6) Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

7) Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

8) For making press joints for operating pressure ≤ PN 10.

9) For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

10) For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

11) Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

12) Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

REMS pressing tongs

REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	£
Viega ProPress 304 FKM (ASTM) ³⁰	VUS ½" (OD 15,9 mm)		571770	193.00
	VUS ¾" (OD 22,2 mm)		571775	193.00
	VUS 1" (OD 28,6 mm)		571780	193.00
	VUS 1¼" (OD 34,9 mm)		571785	193.00
	VUS 1½" (OD 41,3 mm)		571790	371.00
	VUS 2" (OD 54,0 mm)		571795	382.00
XL-C/XL-S	VUSFz 2½" (PR-3B) (OD 66,7 mm)	Z5	572819 R	630.00
	VUSFz 3" (PR-3B) (OD 79,4 mm)	Z5	572820 R	630.00
	VUSFz 4" (PR-3B) (OD 104,8 mm)	Z5	572821 R	670.00
Viega ProPress 316 (ASTM) ³¹	VUS ½" (OD 15,9 mm)		571770	193.00
	VUS ¾" (OD 22,2 mm)		571775	193.00
	VUS 1" (OD 28,6 mm)		571780	193.00
	VUS 1¼" (OD 34,9 mm)		571785	193.00
	VUS 1½" (OD 41,3 mm)		571790	371.00
	VUS 2" (OD 54,0 mm)		571795	382.00
XL-C/XL-S	VUSFz 2½" (PR-3B) (OD 66,7 mm)	Z5	572819 R	630.00
	VUSFz 3" (PR-3B) (OD 79,4 mm)	Z5	572820 R	630.00
	VUSFz 4" (PR-3B) (OD 104,8 mm)	Z5	572821 R	670.00
Viega Propress WATER System AUS	VAU 15 (OD 12,7 mm)		572687	165.00
	VAU 20 (OD 19,1 mm)		572689	165.00
	VAU 25 (OD 25,4 mm)		572691	165.00
	VAU 32 (OD 31,8 mm)		572693	174.00
	VAU 40 (OD 38,1 mm)		572695	257.00
	VAU 50 (OD 50,8 mm)		572697	455.00
Viega PropressG GAS System AUS	VAU 15 (OD 12,7 mm)		572687	165.00
	VAU 20 (OD 19,1 mm)		572689	165.00
	VAU 25 (OD 25,4 mm)		572691	165.00
	VAU 32 (OD 31,8 mm)		572693	174.00
	VAU 40 (OD 38,1 mm)		572695	257.00
	VAU 50 (OD 50,8 mm)		572697	455.00
Viega Raxinox	VRX 16		571750	203.00
	VRX 20		571752	203.00
Viega Raxofix	VRX 16		571750	203.00
	VRX 20		571752	203.00
	VRX 25		571754	222.00
	VRX 32		571756	222.00
	VRX 40		571758	308.00
	VRX 50		571760	360.00
Viega Sanfix ²¹	VP 16(17) ²¹		570910	192.00
	VP 20 ²¹		570915	192.00
	VP 25 ²¹		570920	192.00
	VP 32		570925	212.00
	VP 40 (PZ-4G)		570970	510.00
	VPz 50 (PZ-S)		572350	670.00
Viega Sanfix Fosta ²¹	VP 16(17) ²¹		570910	192.00
	VP 20 ²¹		570915	192.00
	VP 25 ²¹		570920	192.00
	VP 32		570925	212.00
	VP 40 (PZ-4G)		570970	510.00
	VPz 50 (PZ-S)		572350	670.00
Viega Sanpress	V 12		570107	160.00
	V 15		570115	160.00
	V 18		570125	160.00
	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
Viega Sanpress Inox	V 42		570165	371.00
	V 42 (PR-2B)	Z2	572850 R	333.00
	V 54		570175	382.00
	V 54 (PR-2B)	Z2	572851 R	360.00
	VR 76,1 (PR-3B) ³¹	Z5	572822 R	630.00
	VR 88,9 (PR-3B) ³¹	Z5	572823 R	670.00
	VR 108,0 (PR-3B) ³¹	Z5	572824 R	670.00
	V 12 S (PR-2B)	Z8	574748 R	129.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
	V 22 S (PR-2B)	Z8	574758 R	129.00
	V 28 S (PR-2B)	Z8	574760 R	129.00
	V 35 S (PR-2B)	Z8	574762 R	142.00
	V 15		570115	160.00
	V 18		570125	160.00
	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 42		570165	371.00
	V 42 (PR-2B)	Z2	572850 R	333.00
	V 54		570175	382.00
	V 54 (PR-2B)	Z2	572851 R	360.00
	Vfz 64,0 (PR-3B) ³¹	Z5	572815 R	630.00
	Vfz 76,1 (PR-3B) ³¹	Z5	572816 R	630.00
Vfz 88,9 (PR-3B) ³¹	Z5	572817 R	670.00	
Vfz 108,0 (PR-3B) ³¹	Z5	572818 R	670.00	
V 15 S (PR-2B)	Z8	574752 R	129.00	
V 18 S (PR-2B)	Z8	574756 R	129.00	
V 22 S (PR-2B)	Z8	574758 R	129.00	
V 28 S (PR-2B)	Z8	574760 R	129.00	
V 35 S (PR-2B)	Z8	574762 R	142.00	
Viega Sanpress Inox G	V 15		570115	160.00
	V 18		570125	160.00
	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 42		570165	371.00
	V 42 (PR-2B)	Z2	572850 R	333.00
	V 54		570175	382.00
	V 54 (PR-2B)	Z2	572851 R	360.00
	Vfz 64,0 (PR-3B) ³¹	Z5	572815 R	630.00
	Vfz 76,1 (PR-3B) ³¹	Z5	572816 R	630.00
	Vfz 88,9 (PR-3B) ³¹	Z5	572817 R	670.00
	Vfz 108,0 (PR-3B) ³¹	Z5	572818 R	670.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
	V 22 S (PR-2B)	Z8	574758 R	129.00
	V 28 S (PR-2B)	Z8	574760 R	129.00
	V 35 S (PR-2B)	Z8	574762 R	142.00

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	£
Viega Smartpress	VX 16"		571635	222.00
	VX 20"		571640	222.00
	VX 25"		571645	222.00
Viega Temponox	V 15		570115	160.00
	V 18		570125	160.00
	V 22		570135	160.00
	V 28		570145	160.00
	V 35		570155	160.00
	V 42		570165	371.00
	V 42 (PR-2B)	Z2	572850 R	333.00
	V 54		570175	382.00
	V 54 (PR-2B)	Z2	572851 R	360.00
	Vfz 76,1 (PR-3B) ³¹	Z5	572816 R	630.00
	Vfz 88,9 (PR-3B) ³¹	Z5	572817 R	670.00
Viessmann	Vfz 108,0 (PR-3B) ³¹	Z5	572818 R	670.00
	V 15 S (PR-2B)	Z8	574752 R	129.00
	V 18 S (PR-2B)	Z8	574756 R	129.00
	V 22 S (PR-2B)	Z8	574758 R	129.00
	V 28 S (PR-2B)	Z8	574760 R	129.00
	V 35 S (PR-2B)	Z8	574762 R	142.00
	TH 14"		570455	192.00
	TH 16"		570460	192.00
	TH 20"		570470	192.00
	TH 26"		570475	192.00
	TH 32		570480	192.00
Vogel & Noot EASYTEC	TH 40		570485	255.00
	TH 16"		570460	192.00
	TH 20"		570470	192.00
	TH 26"		570475	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 50 (PZ-S)		572400	670.00
	TH 63 (PZ-S)		572405	670.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 26 S (PR-2B)**	Z8	574794 R	129.00
VSH	TH 32 S (PR-2B)	Z8	574798 R	142.00
	> Aalberts integrated piping systems			

W

Watts MTR Art press	TH 16"		570460	192.00
	TH 20"		570470	192.00
	TH 26"		570475	192.00
Watts Radiant	TH 32		570480	192.00
	US ¾"		571450	219.00
	US ½"		571455	219.00
Watts WaterPEX	US ¾"		571460	219.00
	US 1"		571465	219.00
	US 1 ¼"		571470	219.00
Watts Radiant	US 1 ½"		571475	219.00
	US ¾"		571450	219.00
	US ½"		571455	219.00
RadiantPEX	US ¾"		571460	219.00
	US 1"		571465	219.00
	US 1 ¼"		571470	219.00
Watts Radiant	US 1 ½"		571475	219.00
	U 16 (½")		570765	180.00
	U 20 (¾")		570775	180.00
RadiantPEX-AL	U 25 (¾")		570780	180.00
	U 32 (1")		570785	211.00
	U 50		570795	308.00
Wavin Tigris K1/M1	U 63 (PR-3B)	Z4	572837 R	760.00
	U 63 (PZ-S)		572365	670.00
	U 75 (PR-3B)	Z4	572828 R	670.00
Wavin Tigris K5/M5	B 16"		570850	210.00
	B 20"		570860	210.00
	B 32		570880	231.00
	H 16"		570320	174.00
	H 20"		570350	174.00
	H 25"		570360	174.00
	H 32		570380	174.00
	H 40 (PZ-4G)		570390	590.00
	TH 16"		570460	192.00
	TH 20"		570470	192.00
	TH 25"		570495	192.00
	TH 32		570480	192.00
	TH 40		570485	255.00
	TH 16 S (PR-2B)**	Z8	574782 R	129.00
	TH 20 S (PR-2B)**	Z8	574788 R	129.00
	TH 25 S (PR-2B)**	Z8	574792 R	129.00
TH 32 S (PR-2B)**	Z8	574798 R	142.00	
U 16"		570765	180.00	
U 20"		570775	180.00	
U 25"		570780	180.00	
U 32		570785	211.00	
U 40		570790	257.00	
UP 16"		572632	180.00	
UP 20"		572636	180.00	
UP 25		572638	180.00	
UP 32		572640	211.00	

REMS pressing tongs REMS pressing rings

Accessories for REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	£	System	Pressing tongs/ pressing rings	Driven by adapter tongs	Art.-No.	£					
WEECON	M 15		570110	160.00	X									
PRESS-C-Stahl	M 18		570120	160.00										
	M 22		570130	160.00										
	M 28		570140	160.00										
	M 35		570150	160.00										
	M 42 (PZ-4G)		570160	520.00										
	M 54 (PZ-4G)		570170	520.00										
	M 42 (PR-3S)	Z2	572706 R	700.00										
	M 54 (PR-3S)	Z2	572708 R	700.00										
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579101 R	1.200.00										
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579110 R	1.400.00										
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579111 R	1.400.00										
	M 15 S (PR-2B)	Z8	574738 R	129.00										
	M 18 S (PR-2B)	Z8	574740 R	129.00										
	M 22 S (PR-2B)	Z8	574742 R	129.00										
	M 28 S (PR-2B)	Z8	574744 R	129.00										
	M 35 S (PR-2B)	Z8	574746 R	142.00										
WEECON	M 15		570110	160.00						Z				
PRESS-Edelstahl	M 18		570120	160.00										
	M 22		570130	160.00										
	M 28		570140	160.00										
	M 35		570150	160.00										
	M 42 (PZ-4G)		570160	520.00										
	M 54 (PZ-4G)		570170	520.00										
	M 42 (PR-3S)	Z2	572706 R	700.00										
	M 54 (PR-3S)	Z2	572708 R	700.00										
	M 76,1 XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579101 R	1.200.00										
	M 88,9 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579110 R	1.400.00										
	M 108,0 G XL (PR-3S)	Z6 XL ³⁾ / Z7 XL 45kN ⁴⁾	579111 R	1.400.00										
	M 15 S (PR-2B)	Z8	574738 R	129.00										
	M 18 S (PR-2B)	Z8	574740 R	129.00										
	M 22 S (PR-2B)	Z8	574742 R	129.00										
	M 28 S (PR-2B)	Z8	574744 R	129.00										
	M 35 S (PR-2B)	Z8	574746 R	142.00										
WEECON	V 15		570115	160.00	(DN 26)									
PRESSS-Kupfer	V 18		570125	160.00										
	V 22		570135	160.00										
	V 28		570145	160.00										
	V 35		570155	160.00										
	V 42		570165	371.00										
	V 42 (PR-2B)	Z2	572850 R	333.00										
	V 54		570175	382.00										
	V 54 (PR-2B)	Z2	572851 R	360.00										
	V 15 S (PR-2B)	Z8	574752 R	129.00										
	V 18 S (PR-2B)	Z8	574756 R	129.00										
	V 22 S (PR-2B)	Z8	574758 R	129.00										
	V 28 S (PR-2B)	Z8	574760 R	129.00										
	V 35 S (PR-2B)	Z8	574762 R	142.00										
WEM	U 16*		570765	180.00										
WIELAND-WERKE	TH 14 ²⁾		570455	192.00										
cuprotherm CTX ²⁾	TH 16 ²⁾		570460	192.00										
WKS-Press	TH 14*		570455	192.00										
	TH 16*		570460	192.00										
	TH 17*		570462	192.00										
	TH 20*		570470	192.00										
	TH 26*		570475	192.00										
	TH 32		570480	192.00										
	TH 40		570485	255.00										
WÜRTH	TH 16*		570460	192.00										
Würth	TH 20*		570470	192.00										
	TH 26*		570475	192.00										
	HE 32		571900	230.00										
	HEz 40		571904	334.00										
XtraConnect	F 16*		570717	183.00										
	F 20*		570727	183.00										
	F 26*		570730	198.00										
	F 32		570735	198.00										
	F 16 S (PR-2B)**	Z8	574728 R	129.00										
	F 20 S (PR-2B)**	Z8	574730 R	129.00										
	F 26 S (PR-2B)**	Z8	574732 R	129.00										
	F 32 S (PR-2B)	Z8	574734 R	142.00										
	H 16*		570320	174.00										
	H 20*		570350	174.00										
	H 26*		570370	174.00										
	H 32		570380	174.00										
	TH 16*		570460	192.00										
	TH 20*		570470	192.00										
	TH 26*		570475	192.00										
	TH 32		570480	192.00										
	TH 16 S (PR-2B)**	Z8	574782 R	129.00										
	TH 20 S (PR-2B)**	Z8	574788 R	129.00										
	TH 26 S (PR-2B)**	Z8	574794 R	129.00										
	TH 32 S (PR-2B)	Z8	574798 R	142.00										
	U 16*		570765	180.00										
	U 20*		570775	180.00										
	U 25*		570780	180.00										
	U 32		570785	211.00										
	VP 16*		570910	192.00										
	VP 20*		570915	192.00										
	VP 32		570925	212.00										
ZEWOTHERM	TH 12*		570452	192.00										
Zewo Press Premium	TH 16*		570460	192.00										
	TH 17*		570462	192.00										
	TH 18*		570465	192.00										
	TH 20*		570470	192.00										
	TH 26*		570475	192.00										
	TH 32		570480	192.00										
	TH 40		570485	255.00										
	TH 50 (PZ-S)		572400	670.00										
	TH 63 (PZ-S)		572405	670.00										
	TH 12 S (PR-2B)**	Z8	574776 R	129.00										
	TH 16 S (PR-2B)**	Z8	574782 R	129.00										
	TH 17 S (PR-2B)**	Z8	574784 R	129.00										
	TH 18 S (PR-2B)**	Z8	574786 R	129.00										
	TH 20 S (PR-2B)**	Z8	574788 R	129.00										
	TH 26 S (PR-2B)**	Z8	574794 R	129.00										
	TH 32 S (PR-2B)	Z8	574798 R	142.00										
ZEWOTHERM	TH 16*		570460	192.00										
Zewo Press PPSU	TH 20*		570470	192.00										
	TH 26*		570475	192.00										
	TH 32		570480	192.00										
	TH 16 S (PR-2B)**	Z8	574782 R	129.00										
	TH 20 S (PR-2B)**	Z8	574788 R	129.00										
	TH 26 S (PR-2B)**	Z8	574794 R	129.00										
	TH 32 S (PR-2B)	Z8	574798 R	142.00										
ZURN	US ¾**		571450	219.00										
INDUSTRIES	US ½**		571455	219.00										
ZURN PEX	US ¾**		571460	219.00										
	US 1**		571465	219.00										
	US 1 ¼**		571470	219.00										
	US 1 ½**		571475	219.00										
	US 2**		571477	294.00										

Pressfitting systems for gas installations must only be pressed with pressing tongs/pressing rings which are highlighted in yellow.

Observe the national regulations. Read and observe the instructions for use and the installation instructions of the system provider/manufacturer.

* Can also be driven by the REMS Eco-Press manual radial press, see page 185. Observe the national regulations.

** Can also be driven by the REMS Eco-Press manual radial press using the Z8 adapter tongs, see page 185. Observe the national regulations.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For this pressfitting system producing a pressing joint with manual radial presses is not permitted.

³⁾ Driven by REMS Power-Press XL ACC, see page 188.

⁴⁾ Driven by REMS Akku-Press XL 45 kN 22V ACC, see page 196.

⁵⁾ For taking suitable pressing inserts.

⁶⁾ Press fittings made of red bronze (Sanpress XL) must be pressed with pressing rings with press contour VR, copper fittings (Profipress XL, Profipress G XL), carbon steel (Prestabo XL) and stainless steel fittings (Sanpress Inox XL, Sanpress Inox G XL) with pressing rings with press contour VF.

⁷⁾ Use pressing rings labelled "M 88.9 G" or "M 108 G" on the three pressing segments for gas installations.

⁸⁾ For making press joints for operating pressure ≤ PN 10.

⁹⁾ For pipes of the EN technical standard. Observe the instructions for use of the system provider/manufacturer.

¹⁰⁾ For pipes of the ASTM technical standard. Observe the instructions for use of the system provider/manufacturer.

¹¹⁾ Only use pressing tongs identified by "VMP ½" G" on the pressing jaws for gas installations.

¹²⁾ Previous designation: C 26 pressing tongs

The suitability of REMS pressing tools for pressfitting systems: Date 27.10.2023. For the updated situation regarding suitability status check our website:

www.rems.de > Downloads > Product catalogues, brochures > REMS Catalogue.

See page 238 for adapter tongs. Pressing tongs/pressing rings for additional pressfitting systems on request.

Accessories

For REMS radial presses (except for REMS Mini-Press) and suitable radial presses of other makes

Description	Art.-No.	£
Adapter tongs Z8 for driving REMS pressing rings S (PR-2B)	574702R	149.00
Adapter tongs Z2 for driving REMS pressing rings M 35–54 (PR-3S), V 42–54 (PR-2B), RN 40–50 (PR-3S)	572795R	149.00
Adapter tongs Z4 for driving REMS pressing rings F 75 (PR-3B), TH 63–75 (PR-3B), U 63–75 (PR-3B), RN 63 (PR-3B)	572801RX	320.00
Adapter tongs Z5 for driving REMS pressing rings VFz/VR 64–108 (PR-3B), VMPz 1½–2" (PR-3B), VUSFz 2½–4" (PR-3B), VAUFz 65–100 (PR-3B)	572802RX	320.00
Adapter tongs Z6 XL for driving REMS pressing rings 64.0–108.0 XL (PR-3S), 2½–4" XL (PR-3S) with REMS Power-Press XL ACC	579120R	385.00
Adapter tongs Z7 XL 45 kN for driving REMS pressing rings 64.0–108.0 XL (PR-3S), 2½–4" XL (PR-3S), 2½–4" XL (PR-3B) with REMS Akku-Press XL 45 kN 22V ACC	579123R	407.00
Steel case with insert for 6 pressing tongs (up to Ø 35 mm/1" and pressing tongs U 40, U 50, TH 40, F 40, F 50, G 40, VUS 1½")/cropping tongs and compartment for pipe cutter up to 42 mm	570295R	99.50
Steel case with insert for 2 pressing tongs (M 42 (PZ-4G), M 54 (PZ-4G), V 42, V 54, H 40 A, VUS 1½", VUS 2")	570290R	99.50
Steel case with insert for adapter tongs Z2 and pressing rings M 42 (PR-3S) and M 54 (PR-3S) or pressing rings SA 42 (PR-3S) and SA 54 (PR-3S).	572810R	99.50
Steel case with insert for adapter tongs Z5 and 4 pressing rings VFz 64.0–108.0/VR 76.1–108.0/VUSFz 2½–4" (PR-3B) or for adapter tongs Z5 and 1 pressing tong VMPz 1½ (PZ-S) and 2 pressing rings VMPz 1½–2" (PR-3B)	572809R	114.00
Steel case with insert for adapter tongs Mini Z8 and adapter tongs Z8 as well as 6 REMS pressing rings S (PR-2B)	574516R	99.50
L-Boxx system case with inlay for Mini Z8 adapter tongs and Z8 adapter tongs as well as 14 REMS S pressing rings (PR-2B)	574704R	151.00
L-Boxx system case with inserts for 8 pressing tongs (2B) and 6 pressing rings S (PR-2B)	571136R	151.00
L-Boxx system case with inserts for 3 different pressing rings VMPz 2½–4" XL (PR-3B)	571137R	151.00
XL-Boxx system case with inserts for 3 different pressing rings 64.0–108.0 XL (PR-3S) or 2½–4" XL (PR-3S)	579603R	256.00
Steel case with inserts for adapter tongs Z2 and pressing rings V 42 (PR-2B) and V 54 (PR-2B)	572813R	56.70

