Cordless radial press A2-22 kN with automatic circuit control

REMS MINI-PRESS S 12 V A2-22 kN

REMS
for Professionals

NEW



A2
22 kN

300
pressing
tools

> 450
systems

REMS 12V
LI-ION TECHNOLOGY
4,0 Ah

5 YEARS
WARRANTY[E]

MADE IN GERMANY

REMS Mini-Press S 12 V A2-22 kN

Universal up to Ø 40 mm. Ultra-light, ultra-small, ultra-handy, ultra-compact. Pressing in less than 4 s. Li-Ion 12 V battery for up to 190 pressings with one battery charge.



300 REMS pressing tools for more than 450 pressfitting systems

> 360° rotating pressing tongs seat

automatic locking of the pressing tongs

Patent EP 1 952 948
Patent EP 2 347 862

one-hand operation thanks to inline design and optimum weight distribution

LED work light, machine status check with charging level indication

A2 22 kN

5 YEARS WARRANTY[E)]

Made in Germany

[E)] Warranty conditions and registration for extension of the manufacturer's warranty to 5 years under www.rems.de/service.



Fig. original size
just 34 cm long (with V 15 pressing tongs just 38 cm)

only 1.8 kg (2.2 kg with battery)

NEW REMS product design
ergonomic, compact, intuitive

automatic switch-off and automatic retraction after completed pressing process

powerful, electro-hydraulic drive,
22 kN thrust force

pressing in less than 4 s

NEW high-current 12 V battery system

battery dust and splash
water-protected in accordance with IP54



Drive unit with inserted pressing tongs can be put down on the battery ready to pick up.



With V 15 A2-22 kN pressing tongs, just 38 cm long, universally usable, even in very confined spaces.



REMS pressing ring (PR-2B S), continuously swivellable, for places with difficult access.[1)]



LED work lights arranged in a circle for even illumination of the workplace.



Dust and splash water-protected – ideal for harsh building site conditions.



REMS Li-Ion 12 V battery – perfectly adapted to the performance data of the REMS cordless 12 V tools.

Design

- Super light, super small, super handy. Drive unit with battery only 2.2 kg.
- Super compact, drive unit with pressing tongs V 15 A2-22 kN only 38 cm long, only 14 cm high. Works anywhere, free-hand, overhead, also in particularly tight areas.
- Optimum weight distribution for single-hand operation. Drive unit with inserted pressing tongs can be put down ready to pick up.
- Ergonomically designed housing with strong carrying ring for a shoulder strap. Softgrip surfaces.
- LED work lights arranged in a circle directly behind the pressing tongs for even illumination of the workplace as required.
- Electronic machine status check with overload protection against too high currents and with charging level indication by two-coloured green/red LEDs (battery charged, empty or defective).
- Rotatable pressing tool holder A2-22 kN, rotation angle > 360 °.
- Secure seating of pressing tongs/adapter tongs by automatic locking.

Pressing operation by touch-control with ACC

- For reliable service, operating and functional safety.
- Automatic switch-off and automatic retraction after completion of pressing operation (automatic circuit control).
- Ultra fast Pressing under 4 s.

Drive

- Enormous thrust and pressing force for fast and perfect press jointing. Thrust force 22 kN.
- Powerful electro-hydraulic drive with powerful battery motor 12 V, 230 W output, robust planetary gear, eccentric reciprocating pump and compact high power hydraulic system. Safety tip switch.

Pressing tools for all common systems

- Complete assortment of REMS pressing tongs Mini A2-22 kN/pressing rings/pressing inserts for all common pressfitting systems. REMS PressFinder – Innovative online search system for quick and easy selection of the right pressing tool for your pressfitting system, see www.rems.de.
- Very compact design and low weight of the REMS pressing tongs Mini A2-22 kN due to special arrangement of the pressing tongs connection **(Patent EP 1 952 948)**. Recesses in the pressing jaws for safe guidance of the connecting plate for offset-free pressing **(Patent EP 2 347 862)**.

NEW! **High-current battery system 12 V**

- Dust and splash water-protected – ideal for harsh building site conditions.
- Powerful, high-current battery system 12 V for demanding applications, for reliable high permanent currents with low heat development and high power reserves for temporary peak currents. For high efficiency and very long service lives, e.g. REMS Mini-Press S 12 V A2-22 kN with Li-Ion 12 V, 4.0 Ah, 48 Wh battery for 190 Viega Profipress DN 15 pressings.[3)]
- Rapid charger C 12/22 V, 100 – 240 V, 100 W or FC 12/22 V, 100 – 240 V, 120 W, for shorter charging times, as accessory.

[1)] Adapter tongs required.
[3)] Ambient temperature approx. 20°C.

REMS Mini-Press S 12 V A2-22 kN

Universal, ultra-handy cordless radial press A2-22 kN with automatic circuit control for producing pipe pressing joints Ø 6 – 40 mm, Ø ¼ – 1 ¼". With pressing tool holder A2 for thrust force 22 kN. For operating with REMS pressing tongs Mini A2-22 kN/pressing rings/pressing inserts.





REMS Mini-Press S 12 V A2-22 kN Basic-Pack Softcase
Drive unit 12 V, with battery Li-Ion 12 V, 4.0 Ah, 48 Wh, rapid charger C 12/22 V, 100 – 240 V, 50 – 60 Hz, 100 W, in a sturdy soft case. Art.-No. 401022 R220G £ 1,220.00

£ 899.00

REMS Mini-Press S 12 V A2-22 kN Set PE +B1 Softcase
Mini-Press S 12 V A2-22 kN Basic-Pack Softcase
+ REMS pressing tong Mini Basic B1 A2-22 kN
+ 3 pieces REMS pressing inserts (PE), pack of 2
+ Promotion! Free extra battery (Art.-No. 500100 R12) included.

Set PE M 15 + 22 + 28 Art.-No. 401096 R220G £ 1,760.00



£ 1,199.00

Many other sets available.



Soft case with inlay for drive unit, 2 batteries, rapid charger, pressing tongs Mini Basic B1 A2-22 kN, 5 pressing inserts (PE), pack of 2.




REMS pressing inserts (PE), quick-change, according to the required contour and size.[2)]

[2)] Driven by REMS Mini Basic B1 A2-22kN pressing tongs.

£ excl. VAT. Promotion until 31st December 2026. We reserve the right to increase prices.





REMS Mini-Press S 12 V A2-22 kN Basic-Pack L-Boxx
drive unit 12 V, with battery Li-Ion 12 V, 4.0 Ah, 48 Wh,
rapid charger C 12/22 V, 100 – 240 V, 50 – 60 Hz, 100 W,
in L-Boxx system case. Art.-No. 401023 R220G £ 1,290.00

£ 899.00

REMS Mini-Press S 12 V A2-22 kN Basic-Pack L-Boxx
+ 3 REMS pressing tongs Mini A2-22 kN up to 35 mm
Mini-Press S 12 V A2-22 kN Basic-Pack L-Boxx
+ 3 REMS pressing tongs Mini A2-22 kN up to 35 mm
+ Promotion! Free extra battery (Art.-No. 500100 R12) included.



Art.-nr. 401032 R220G £ 1,760.00

£ 1,199.00

REMS Mini-Press S 12 V A2-22 kN Set L-Boxx
Mini-Press S 12 V A2-22 kN Basic-Pack L-Boxx
+ 3 pieces REMS pressing tong Mini A2-22 kN
+ Promotion! Free extra battery (Art.-No. 500100 R12) included.



Set M 15 + 22 + 28 Art.-No. 401073 R220G £ 1,760.00

£ 1,199.00



Grab our 401073 R220G REMS Mini-Press S 12 V A2-22kN Set M 15 + 22 + 28 L-Boxx set, upgrade your order by adding REMS pressing tong Mini M 35 (PZ-2B) A2-22 kN (Art.-No. 578390) at a special discounted price of £ 79.00!

Many other sets available.



L-Boxx system case with inlay for drive unit, 2 batteries, rapid charger, 4 pressing tongs Mini A2-22 kN (PZ-2B) or pressing tongs Mini Basic B1 A2-22 kN, 6 pressing inserts (PE), pack of 2.



REMS Mini A2-22 kN pressing tongs - with especially compact design and low weight.

Accessories



Info

REMS Pressing tongs Mini A2-22 kN/pressing rings/pressing inserts
Complete assortment of REMS pressing tongs Mini A2-22 kN/pressing rings/pressing inserts for all common pressfitting systems. REMS PressFinder – Innovative online search system for quick and easy selection of the right pressing tool for your pressfitting system, see www.rems.de



Info

REMS cropping tongs Mini A2-22 kN
High performance cropping tongs Mini A2-22 kN in forged and specially hardened steel for cutting threaded rods. Stahl, Steel, stainless steel up to hardness classification, 4.8 (400 N/mm²), M 6 – M 10, UNC ⅜", see www.rems.de



Description	Art.-No.	£
Adapter tong Mini Z8 A2-22 kN for driving REMS pressing rings (PR-2B S)	574700 R	**158.00**
Pressing tong Mini Basic B1 A2-22 kN for REMS pressing inserts (PE)	461001 R	**257.00**
Pressing tong Mini Basic E 01 A2-22 kN for pressing connection material for electric cables	578618	**331.00**
Mini-Press S 12 V A2-22 kN drive unit, without battery	401000 R12	**930.00**
Softcase with inserts	401175 R	**77.30**
L-Boxx system case with inserts	401170 R	**154.00**
Battery Li-Ion 12 V, 4.0 Ah, 48 Wh	500100 R12	**133.00**
Rapid charger C 12/22 V 100 – 240 V, 50 – 60 Hz, 100 W	500120 R220G	**191.00**
Rapid charger FC 12/22 V 100 – 240 V, 50 – 60 Hz, 120 W	500140 R220G	**212.00**


Power-Pack 12 V 4,0 Ah + 4,0 Ah + C 100 W, 96 Wh,
consisting of 2 batteries Li-Ion 12 V, 4,0 Ah, 48 Wh, rapid charger C 12/22 V, 100 – 240 V, 100 W

Art.-No. 571597 R220G **£ 440.00**

£ 299.00

REMS PressFinder

The innovative online search system for pressing tools



REMS (U.K.) LIMITED
Unit 5 · Ash Industrial Estate · Flex Meadow · Harlow · Essex CM19 5TJ · Phone +44 (0) 1279 41 36 98 · GBR@rems.de
www.rems.de @remstools

MA092026094189GBR00 · Subject to alterations and errors. © Copyright 2026 by REMS GmbH & Co KG, Waiblingen. £ excl. VAT.
Promotion until 31st December 2026. We reserve the right to increase prices. Sale through specialist dealers.

4 039976 366700