

for all common pressfitting systems

**Select REMS pressing tongs Mini/  
REMS pressing rings yourself!**

Find the desired press fitting system in the table below and choose the size of pressing tongs/pressing rings that you require. Please note that pressfitting systems for gas installation may only be pressed with the REMS pressing tongs Mini/pressing rings which are highlighted in yellow in the table.

Highly durable pressing tongs/pressing rings made of tenacious, specially hardened special steel. Pressing contours of REMS pressing tongs/pressing rings are system-specific and correspond with the respective pressfitting system. Thus perfect system-conformity, safe press jointing. Pressing jaws of pressing tongs/pressing rings manufactured on CNC production centres ensure high-precision machining of pressing contour. Low production tolerances as a result.

Can be driven by all REMS radial presses 22 kN. Adapter tongs (page 166) required for driving REMS (PR) pressing rings. Read and observe the instructions for use and assembly instructions of the system provider/manufacturer.

**REMS pressing tongs Mini (PZ-2B)**

REMS Mini pressing tongs (PZ-2B) with 2 swivellable monoblock pressing jaws. Very compact design and low weight of the REMS Mini pressing tongs due to special arrangement of the pressing tongs connection (**Patent EP 1 952 948**). Recesses in the pressing jaws for safe guidance of the connecting plate for offset-free pressing (**Patent EP 2 347 862**).

REMS Mini ACz, Fz, HEz, RFz, RFlz pressing tongs with teeth prevent formation of burr on the pressfitting (**Patent EP 2 027 971**).

**REMS pressing ring 45° (PR-2B)**

REMS pressing ring 45° (PR-2B), with 2 pressing jaws, for secure engagement of the pressing jaws in places of difficult access by 45° inclination (**Patent EP 2 774 725**). Adapter tongs required for driving the REMS 45° (PR-2B) pressing rings, see page 166.

**Traceability according to EN 1775:2007**

REMS pressing tongs Mini with pressing contour F, M, V, SA, B, RN and UP have worked a specific marking into the pressing contour which leaves a lasting impression on the pressed fitting after the pressing process. This enables the user to check again whether the most suitable pressing tongs have been used to make the pressfit connection even after the pressing process.

With this traceability REMS fulfils the recommendations of the European standard EN 1775:2007 for the installation of pressfitting systems for gas.



Patent EP 1 952 948  
Patent EP 2 347 862

German Quality Product



REMS Mini pressing tongs (PZ-2B)



REMS pressing ring 45° (PR-2B)  
Patent EP 2 774 725


**Confirmation of suitability**

See page 213.


**Hold-Harmless and Indemnification Agreement**

See page 214.





Pressing tongs with teeth prevent formation of burr on the pressfitting. Patent EP 2 027 971



Example REMS pressing tongs Mini V: "V" imprint on pressed fitting for traceability according to EN 1775:2007

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
<b>A</b>			
AC-FIX PRESS (Global Piping Systems)	H 12		578396
	H 16		578400
	H 20		578406
	H 25		578408
	H 32		578412
	RFz 12		578490
	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
	VX 16		578552
	VX 20		578554
AC-FIX PRESS DUO (Global Piping Systems)	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	U 16		578374
	U 20		578378
	U 25		578380
AC-FIX PRESS-MULTI (Global Piping Systems)	H 16		578400
	H 18		578404
	H 20		578406
	H 25		578408
	H 32		578412
	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
	U 16		578374
	U 18		578376
	U 20		578378
U 25		578380	
U 32		578382	
ACOME ACOPEX ALU	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	U 16		578374
U 20		578378	
U 32		578382	
ACOME MT	ACz 12		578608
	ACz 16		578610
	ACz 20		578612
	ACz 25		578614
AHLSELL A-press elförzinkad M	M 12		578310
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 45° (PR-2B)	Mini Z1	574520
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526
	M 28 45° (PR-2B)	Mini Z1	574528
M 35 45° (PR-2B)	Mini Z1	574530	
AHLSELL A-press elförzinkad V	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 45° (PR-2B)	Mini Z1	574502
	V 15 45° (PR-2B)	Mini Z1	574504
	V 18 45° (PR-2B)	Mini Z1	574506
	V 22 45° (PR-2B)	Mini Z1	574508
	V 28 45° (PR-2B)	Mini Z1	574510
V 35 45° (PR-2B)	Mini Z1	574512	
AHLSELL A-press koppar M	M 12		578310
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 45° (PR-2B)	Mini Z1	574520
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526
	M 28 45° (PR-2B)	Mini Z1	574528
M 35 45° (PR-2B)	Mini Z1	574530	
AHLSELL A-press koppar V	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 45° (PR-2B)	Mini Z1	574502
	V 15 45° (PR-2B)	Mini Z1	574504
	V 18 45° (PR-2B)	Mini Z1	574506
	V 22 45° (PR-2B)	Mini Z1	574508
	V 28 45° (PR-2B)	Mini Z1	574510
V 35 45° (PR-2B)	Mini Z1	574512	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
AHLSELL A-press rostfritt	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526
	M 28 45° (PR-2B)	Mini Z1	574528
	M 35 45° (PR-2B)	Mini Z1	574530
AIRBEL PRESSCLIM	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526
	M 28 45° (PR-2B)	Mini Z1	574528
	M 35 45° (PR-2B)	Mini Z1	574530
AIRBEL SERTINOX	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526
	M 28 45° (PR-2B)	Mini Z1	574528
	M 35 45° (PR-2B)	Mini Z1	574530
ALB Sistema Multicapa	TH 16		578352
	TH 18		578358
	TH 20		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
	U 16		578374
	U 18		578376
	U 20		578378
C 26		578392	
U 32		578382	
U 40		578386	
ALB Sistema Multicapa Gas	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	U 16		578374
	U 20		578378
C 26		578392	
U 32		578382	
ALTECH Altech	RFz 12		578490
	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
APE MULTYGAS Serie AP Gas	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
APE Serie AP	B 16		578468
	B 20		578472
	B 26		578474
	B 32		578476
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	U 16		578374
U 40		578386	
APE Serie APL	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
U 16		578374	
U 20		578378	
AQUATECHNIK Press-fitting metal	H 16		578400
	H 20		578406
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 32		578364
AQUATECHNIK Universal	U 16		578374
	U 20		578378
	U 32		578382
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
TH 32		578364	
U 16		578374	
U 20		578378	
C 26		578392	
U 32		578382	

# REMS pressing tongs Mini REMS pressing rings

## Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
ARKA DUROsystem	H 16		578400	
	H 20		578406	
	H 25		578408	
	H 26		578410	
	H 32		578412	
	TH 16		578352	
	TH 20		578358	
	TH 25		578360	
	TH 26		578362	
	TH 32		578364	
	U 16		578374	
	U 20		578378	
	Aschl NIR	M 15		578312
M 18			578314	
M 22			578316	
M 28			578318	
M 35			578390	
M 15 45° (PR-2B)		Mini Z1	574522	
M 18 45° (PR-2B)		Mini Z1	574524	
M 22 45° (PR-2B)		Mini Z1	574526	
M 28 45° (PR-2B)		Mini Z1	574528	
M 35 45° (PR-2B)		Mini Z1	574530	
ASSOTHERM IPC-RAC Carbon Steel	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 45° (PR-2B)	Mini Z1	574522	
	M 18 45° (PR-2B)	Mini Z1	574524	
	M 22 45° (PR-2B)	Mini Z1	574526	
ASSOTHERM IPI-RAX Inox	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 45° (PR-2B)	Mini Z1	574522	
	M 18 45° (PR-2B)	Mini Z1	574524	
	M 22 45° (PR-2B)	Mini Z1	574526	
ASSOTHERM IPI-RAX Inox Gas	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 45° (PR-2B)	Mini Z1	574522	
	M 18 45° (PR-2B)	Mini Z1	574524	
	M 22 45° (PR-2B)	Mini Z1	574526	
ASSOTHERM IPM-Multistrato	H 16		578400	
	H 20		578406	
	H 26		578410	
	H 32		578412	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	THL 32		578368	
	TH 40		578624	
	U 16		578374	
	U 20		578378	
	C 26		578392	
	U 32		578392	
	ASSOTHERM IPR-RRA Copper	M 15		578312
		M 18		578314
		M 22		578316
M 28			578318	
M 35			578390	
M 15 45° (PR-2B)		Mini Z1	574522	
M 18 45° (PR-2B)		Mini Z1	574524	
M 22 45° (PR-2B)		Mini Z1	574526	
ASSOTHERM IPR-RRA Copper Gas	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 45° (PR-2B)	Mini Z1	574522	
	M 18 45° (PR-2B)	Mini Z1	574524	
	M 22 45° (PR-2B)	Mini Z1	574526	
ASTM F 1807 (Fittings with Copper Crimp Ring for PEX tubing)	US ¾"		578534	
	US ½"		578536	
	US ¾"		578538	
	US 1"		578540	
	AYOR FIXOCONNECT Press	H 12		578396
		H 16		578400
		H 20		578406
H 25			578408	
RFz 12			578490	
RFz 16			578492	
RFz 20			578494	
RFz 25			578496	
U 16			578374	
U 20			578378	
U 25		578380		

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
AYOR FIXOMULTIX	H 16		578400	
	H 20		578406	
	H 26		578410	
	H 32		578412	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	U 16		578374	
	U 20		578378	
	U 32		578382	
	U 40		578386	
	AYOR SOMATHERM FOR YOU -1	H 16		578400
H 20			578406	
H 26			578410	
TH 16			578352	
TH 20			578358	
TH 26			578362	
AYOR SOMATHERM FOR YOU -2	H 12		578396	
	H 16		578400	
	H 20		578406	
	H 25		578408	
	RFz 12		578490	
	RFz 16		578492	
	RFz 20		578494	
B Bampi BALPEX serie LP	U 16		578374	
	U 20		578378	
	U 25		578380	
	Bampi BALPEX serie MP	H 16		578400
		H 18		578404
		H 20		578406
		H 26		578410
		H 32		578412
		TH 16		578352
		TH 18		578356
TH 20			578358	
TH 26			578362	
TH 32			578364	
Bampi BALPEX Gas	U 16		578374	
	U 20		578378	
	TH 16		578352	
	TH 18		578356	
	TH 20		578358	
	TH 26		578362	
BARBI EASYPRESS (Industrial Blansol)	U 16		578374	
	U 20		578378	
	U 25		578380	
	U 32		578382	
	H 12		578396	
	H 16		578400	
	H 20		578406	
	H 25		578408	
	H 32		578412	
	RFz 12		578490	
	RFz 16		578492	
	RFz 20		578494	
	RFz 25		578496	
BARBI MULTIPLEX (Industrial Blansol)	RFz 32		578498	
	U 16		578374	
	U 20		578378	
	U 25		578380	
	U 32		578382	
	H 14		578398	
	H 16		578400	
	H 18		578404	
	H 20		578406	
	H 25		578408	
BEGETUBE/ IVAR	H 26		578362	
	H 32		578364	
	U 16		578374	
	U 18		578376	
	U 20		578378	
	U 25		578380	
	U 32		578382	
	U 40		578386	
	B 14		578466	
	B 16		578468	
B 18		578470		
B 20		578472		
B 26		578474		
B 32		578476		

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1<sup>st</sup> quarter of 2008), "208" (2<sup>nd</sup> quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Only pressing tongs from designation "117" (1<sup>st</sup> quarter of 2017), "217" (2<sup>nd</sup> quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 14.10.2020. For the updated situation regarding suitability status check our website: [www.rems.de](http://www.rems.de) → Downloads → Product catalogues, brochures → REMS Catalogue.

See page 166 for adapter tongs. Pressing tongs for additional pressfitting systems on request.

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
Béné inox Série 41	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526
	M 28 45° (PR-2B)	Mini Z1	574528
	M 35 45° (PR-2B)	Mini Z1	574530
BRASELI GPF GAS	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 32		578364
BRASELI Pressfitting PE-X	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
BRASELI Pressfitting Multicapa	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
Brass Form Master Press	H 16		578400
	H 18		578404
	H 20		578406
	TH 16		578352
	TH 18		578356
	TH 20		578358
	U 16		578374
	U 18		578376
Brass & Fittings PRESSMAN MultiPress	RFz 16		578492
	RFz 18		578638
	ACz 20		578612
	RFz 25		578496
	RFz 32		578498
Brass & Fittings PRESSMAN RetiPress	RFz 16		578492
	RFz 18		578638
	ACz 20		578612
	RFz 25		578496
	RFz 32		578498
BRASSTECH MULTitermoSAN Brasspress	B 16		578468
	B 20		578472
	B 26		578474
	B 32		578476
	F 16		578456
	F 20		578460
	F 26		578462
	F 16 45° (PR-2B)	Mini Z1	574550
	F 20 45° (PR-2B)	Mini Z1	574552
	F 26 45° (PR-2B)	Mini Z1	574554
H 16		578400	
H 18		578404	
H 20		578406	
H 26		578410	
TH 16		578352	
TH 18		578356	
TH 20		578358	
TH 26		578362	
TH 32		578364	
TH 40		578624	
U 16		578374	
U 18		578376	
U 20		578378	
C 26		578392	
U 32		578382	
<b>C</b>			
Cello Products <B>Press	VUS ½" (OD 15,9mm)		578566
	VUS ¾" (OD 22,2mm)		578568
	VUS 1" (OD 28,6mm)		578570
	VUS 1¼" (OD 34,9mm)		578606
	H 16		578400
CGR DYNAFLU multicouche	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	U 16		578374
	U 20		578378
	U 32		578382
CGR DYNAFLU PER	H 12		578396
	H 16		578400
	H 20		578406
	H 25		578408
	RFz 12		578490
CHIALI CHIALIPEX	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
Climatek Clima Therm	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
Climatrix Climatrix Rhinopex	TH 32		578364
	H 16		578400
	H 20		578406
	U 16		578374
	U 20		578378
	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
TH 32		578364	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
ClouSet	TH 16		578352
	TH 18		578356
	TH 20		578358
Comap PEX Press	RFz 12		578490
	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
Comap Multiskin	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	THL 32		578368
	TH 40		578624
	U 16		578374
	U 20		578378
	U 32		578382
	Comap Multiskin Gas	TH 16	
TH 20			578358
TH 26			578362
TH 32			578364
THL 32			578368
U 16			578374
U 20			578378
COMISA Press System	U 32		578382
	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	H 14		578398
	H 16		578400
	H 18		578404
COMISA Press System Gas	H 20		578406
	H 26		578410
	H 32		578412
	B 14		578466
	B 16		578468
	B 18		578470
	B 20		578472
	B 26		578474
	B 32		578476
	TH 16		578352
	TH 20		578358
	TH 26		578362
TH 32		578364	
CONEL CONNECT MULTI	F 16		578456
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 45° (PR-2B)	Mini Z1	574550
	F 20 45° (PR-2B)	Mini Z1	574552
	F 26 45° (PR-2B)	Mini Z1	574554
	F 32 45° (PR-2B)	Mini Z1	574556
	H 16		578400
	H 20		578406
CONEL CONNECT MV2	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
Conex Bänninger >B< Flex	VP 16		578482
	VP 20		578484
	VP 32		578488
	F 16		578456
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 45° (PR-2B)	Mini Z1	574550
	F 20 45° (PR-2B)	Mini Z1	574552
	F 26 45° (PR-2B)	Mini Z1	574554
Conex Bänninger >B< Flex	F 32 45° (PR-2B)	Mini Z1	574556
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	F 16		578456
	F 18		578458
	F 20		578460
	F 32		578464
	F 16 45° (PR-2B)	Mini Z1	574550
F 20 45° (PR-2B)	Mini Z1	574552	
F 32 45° (PR-2B)	Mini Z1	574556	
H 16		578400	
H 18		578404	
H 20		578406	
H 25		578408	
H 32		578412	
RFz 16		578492	
RFz 18		578638	
RFz 20		578494	
RFz 25		578496	
RFz 32		578498	
TH 16		578352	
TH 18		578356	
TH 20		578358	
TH 25		578360	
TH 32		578364	
U 16		578374	
U 18		578376	
U 20		578378	
U 25		578380	
U 32		578382	

# REMS pressing tongs Mini REMS pressing rings

## Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
Conex Bänninger >B< MaxiPro	BMP ½"		578700	
	BMP ¾"		578702	
	BMP 1"		578704	
	BMP 1 ¼"		578706	
	BMP 1 ½"		578708	
	BMP 1 ¾"		578710	
	BMP 2"		578712	
Conex Bänninger >B< Press	V 12		578324	
	V 14		578326	
	V 15		578328	
	V 16		578330	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 12 45° (PR-2B)	Mini Z1	574502	
	V 14 45° (PR-2B)	Mini Z1	574532	
	V 15 45° (PR-2B)	Mini Z1	574504	
	V 16 45° (PR-2B)	Mini Z1	574534	
	V 18 45° (PR-2B)	Mini Z1	574506	
	V 22 45° (PR-2B)	Mini Z1	574508	
	V 28 45° (PR-2B)	Mini Z1	574510	
	V 35 45° (PR-2B)	Mini Z1	574512	
	Conex Bänninger >B< Press Carbon	V 15		578328
V 18			578332	
V 22			578334	
V 28			578336	
V 35			578604	
V 15 45° (PR-2B)		Mini Z1	574504	
V 18 45° (PR-2B)		Mini Z1	574506	
V 22 45° (PR-2B)		Mini Z1	574508	
V 28 45° (PR-2B)		Mini Z1	574510	
V 35 45° (PR-2B)		Mini Z1	574512	
Conex Bänninger >B< Press Gas		V 12		578324
		V 14		578326
		V 15		578328
		V 16		578330
		V 18		578332
		V 22		578334
		V 28		578336
	V 35		578604	
	V 12 45° (PR-2B)	Mini Z1	574502	
	V 14 45° (PR-2B)	Mini Z1	574532	
	V 15 45° (PR-2B)	Mini Z1	574504	
	V 16 45° (PR-2B)	Mini Z1	574534	
	V 18 45° (PR-2B)	Mini Z1	574506	
	V 22 45° (PR-2B)	Mini Z1	574508	
	V 28 45° (PR-2B)	Mini Z1	574510	
	V 35 45° (PR-2B)	Mini Z1	574512	
	Conex Bänninger >B< Press Inox	V 15		578328
V 18			578332	
V 22			578334	
V 28			578336	
V 35			578604	
V 15 45° (PR-2B)		Mini Z1	574504	
V 18 45° (PR-2B)		Mini Z1	574506	
V 22 45° (PR-2B)		Mini Z1	574508	
V 28 45° (PR-2B)		Mini Z1	574510	
V 35 45° (PR-2B)		Mini Z1	574512	
Conex Bänninger >B< Press Solar		V 12		578324
		V 14		578326
		V 15		578328
		V 16		578330
		V 18		578332
		V 22		578334
		V 28		578336
	V 35		578604	
	V 12 45° (PR-2B)	Mini Z1	574502	
	V 14 45° (PR-2B)	Mini Z1	574532	
	V 15 45° (PR-2B)	Mini Z1	574504	
	V 16 45° (PR-2B)	Mini Z1	574534	
	V 18 45° (PR-2B)	Mini Z1	574506	
	V 22 45° (PR-2B)	Mini Z1	574508	
	V 28 45° (PR-2B)	Mini Z1	574510	
	V 35 45° (PR-2B)	Mini Z1	574512	
	<b>D</b>			
Debrunner Acifer d-a Presssystem C-Stahl	M 12		578310	
	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 12 45° (PR-2B)	Mini Z1	574520	
	M 15 45° (PR-2B)	Mini Z1	574522	
	M 18 45° (PR-2B)	Mini Z1	574524	
	M 22 45° (PR-2B)	Mini Z1	574526	
	M 28 45° (PR-2B)	Mini Z1	574528	
	M 35 45° (PR-2B)	Mini Z1	574530	
	DIWAsystems	TH 14		578348
TH 16			578352	
TH 20			578358	
TH 26			578362	
TH 32			578364	
TH 40			578624	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
DUOFIL MKSYSTEM	U 16		578374	
	U 18		578376	
	U 20		578378	
	U 25		578380	
	U 32		578382	
DW Verbundrohr multitubo systems	U 16		578374	
	U 18		578376	
	U 20		578378	
	U 25		578380	
	U 32		578382	
<b>E</b>				
EBRILLE Isomoniflex	U 16		578374	
	U 18		578376	
	U 20		578378	
	U 25		578380	
	H 26		578410	
	TH 26		578362	
EBRILLE Moniflex	U 14		578372	
	U 16		578374	
	U 18		578376	
	U 20		578378	
	U 25		578380	
	H 26		578410	
EFFEBI PRESSTIGE	U 32		578382	
	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
EFFEBI TOF-GAS MULTIPINZA	M 15 45° (PR-2B)	Mini Z1	574522	
	M 18 45° (PR-2B)	Mini Z1	574524	
	M 22 45° (PR-2B)	Mini Z1	574526	
	M 28 45° (PR-2B)	Mini Z1	574528	
	M 35 45° (PR-2B)	Mini Z1	574530	
	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 15 45° (PR-2B)	Mini Z1	574504	
	V 18 45° (PR-2B)	Mini Z1	574506	
	V 22 45° (PR-2B)	Mini Z1	574508	
V 28 45° (PR-2B)	Mini Z1	574510		
V 35 45° (PR-2B)	Mini Z1	574512		
EFFEBI TOF MULTIPINZA	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	H 16		578400	
	H 20		578406	
	H 26		578410	
	H 32		578412	
	U 16		578374	
	U 20		578378	
	U 32		578382	
	EFFEBI TOF MULTIPINZA	TH 16		578352
		TH 18		578356
TH 20			578358	
TH 26			578362	
TH 32			578364	
TH 40			578624	
F 16			578456	
F 18			578458	
F 20			578460	
F 26			578462	
F 32			578464	
Fz 40			578478	
F 16 45° (PR-2B)		Mini Z1	574550	
F 20 45° (PR-2B)	Mini Z1	574552		
F 26 45° (PR-2B)	Mini Z1	574554		
F 32 45° (PR-2B)	Mini Z1	574556		
H 16		578400		
H 18		578404		
H 20		578406		
H 26		578410		
H 32		578412		
U 16		578374		
U 18		578376		
U 20		578378		
U 25		578380		
C 26		578392		
U 32		578382		
U 40		578386		
B 16		578468		
B 18		578470		
B 20		578472		
B 26		578474		
B 32		578476		
EFIELD MULTILAYER PRESS DINGAS	U 16		578374	
	U 18		578376	
	U 20		578378	
	U 25		578380	
	U 32		578382	

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- Only pressing tongs from designation "108" (1<sup>st</sup> quarter of 2008), "208" (2<sup>nd</sup> quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- For taking suitable pressing inserts.
- Only pressing tongs from designation "117" (1<sup>st</sup> quarter of 2017), "217" (2<sup>nd</sup> quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 14.10.2020. For the updated situation regarding suitability status check our website: [www.rems.de](http://www.rems.de) → Downloads → Product catalogues, brochures → REMS Catalogue.

See page 166 for adapter tongs. Pressing tongs for additional pressfitting systems on request.

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
EFIELD MULTILAYER PRESS WATER	U 16		578374	
	U 18		578376	
	U 20		578378	
	U 25		578380	
	U 32		578382	
Elkhart APOLLOXPRESS	VUS ½" (OD 15,9 mm)		578566	
	VUS ¾" (OD 22,2 mm)		578568	
	Fittings Copper		578570	
	and Low-Lead Brass		578606	
	VUS 1¼" (OD 34,9 mm)		578606	
EMMETT GERPEX- FIVPRESS	B 16		578468	
	B 20		578472	
	B 26		578474	
	B 32		578476	
	F 16		578456	
	F 20		578460	
	H 16		578400	
	H 20		578406	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	U 16		578374	
	U 20		578378	
	EMPUR	TH 14		578348
		TH 15		578350
TH 16			578352	
TH 17			578354	
TH 20			578358	
TH 25			578360	
TH 32			578364	
EURACCORDI SYCPRESS STAINLESS STEEL PRESS FITTINGS	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 45° (PR-2B)	Mini Z1	574522	
	M 18 45° (PR-2B)	Mini Z1	574524	
	M 22 45° (PR-2B)	Mini Z1	574526	
	M 28 45° (PR-2B)	Mini Z1	574528	
	M 35 45° (PR-2B)	Mini Z1	574530	
EURACCORDI SYCPRESS CARBON STEEL PRESS FITTINGS	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 45° (PR-2B)	Mini Z1	574522	
	M 18 45° (PR-2B)	Mini Z1	574524	
	M 22 45° (PR-2B)	Mini Z1	574526	
	M 28 45° (PR-2B)	Mini Z1	574528	
	M 35 45° (PR-2B)	Mini Z1	574530	
EUROTUBI EUROPA C-Steel Pressfitting System M-Profile <sup>1)</sup>	M 12		578310	
	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 12 45° (PR-2B)	Mini Z1	574520	
	M 15 45° (PR-2B)	Mini Z1	574522	
	M 18 45° (PR-2B)	Mini Z1	574524	
	M 22 45° (PR-2B)	Mini Z1	574526	
EUROTUBI EUROPA Inox Pressfitting System M-Profile <sup>1)</sup>	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 45° (PR-2B)	Mini Z1	574522	
	M 18 45° (PR-2B)	Mini Z1	574524	
	M 22 45° (PR-2B)	Mini Z1	574526	
	M 28 45° (PR-2B)	Mini Z1	574528	
	M 35 45° (PR-2B)	Mini Z1	574530	
Evans Components Presslok	VAU 15 (½")		578630	
	VAU 20 (¾")		578632	
	VAU 25 (1")		578634	
<b>F</b>				
FAR Rubinetterie PRESSFAR	TH 14		578348	
	TH 16		578352	
	TH 17		578354	
	TH 18		578356	
	TH 20		578358	
	TH 25		578360	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	H 14		578398	
	H 16		578400	
	H 18		578404	
	H 20		578406	
	H 26		578410	
	H 32		578412	
	U 14		578372	
	F.B.Q. BARONIO BQ press	U 16		578374
U 18			578376	
U 20			578378	
U 25			578380	
U 32			578382	
U 40			578386	
V 12			578324	
V 14			578326	
V 15			578328	
V 16			578330	
V 18			578332	
V 22			578334	
V 28			578336	
V 35			578604	
V 12 45° (PR-2B)		Mini Z1	574502	
V 14 45° (PR-2B)	Mini Z1	574504		
V 15 45° (PR-2B)	Mini Z1	574506		
V 16 45° (PR-2B)	Mini Z1	574508		
V 18 45° (PR-2B)	Mini Z1	574510		
V 22 45° (PR-2B)	Mini Z1	574512		
V 28 45° (PR-2B)	Mini Z1	574514		
V 35 45° (PR-2B)	Mini Z1	574516		

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
F.B.Q. BARONIO BQ press carbon steel	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 15 45° (PR-2B)	Mini Z1	574504	
	V 18 45° (PR-2B)	Mini Z1	574506	
	V 22 45° (PR-2B)	Mini Z1	574508	
	V 28 45° (PR-2B)	Mini Z1	574510	
	V 35 45° (PR-2B)	Mini Z1	574512	
	F.B.Q. BARONIO BQ press gas	V 15		578328
		V 18		578332
V 22			578334	
V 28			578336	
V 35			578604	
V 15 45° (PR-2B)		Mini Z1	574504	
V 18 45° (PR-2B)		Mini Z1	574506	
V 22 45° (PR-2B)		Mini Z1	574508	
V 28 45° (PR-2B)		Mini Z1	574510	
V 35 45° (PR-2B)		Mini Z1	574512	
Fercofloor DUO Press FERCO PEX		RFz 16		578492
		RFz 20		578494
	RFz 25		578496	
	RFz 32		578498	
	TH 16		578352	
	TH 20		578358	
	TH 25		578360	
Fercofloor DUO Press MULTIFER	RFz 16		578492	
	RFz 20		578494	
	RFz 25		578496	
	RFz 32		578498	
	TH 16		578352	
	TH 20		578358	
	TH 25		578360	
	TH 32		578364	
	TH 40		578624	
	U 16		578374	
	U 18		578376	
	FILINOX Instalpress Steel	M 15		578312
M 18			578314	
M 22			578316	
M 28			578318	
M 35			578390	
M 15 45° (PR-2B)		Mini Z1	574522	
M 18 45° (PR-2B)		Mini Z1	574524	
M 22 45° (PR-2B)		Mini Z1	574526	
M 28 45° (PR-2B)		Mini Z1	574528	
M 35 45° (PR-2B)		Mini Z1	574530	
FILINOX Instalpress Inox	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 45° (PR-2B)	Mini Z1	574522	
	M 18 45° (PR-2B)	Mini Z1	574524	
	M 22 45° (PR-2B)	Mini Z1	574526	
	M 28 45° (PR-2B)	Mini Z1	574528	
	M 35 45° (PR-2B)	Mini Z1	574530	
Fittings Estándar ECO-PRESS	RFz 16		578492	
	RFz 20		578494	
	RFz 25		578496	
	RFz 32		578498	
Fittings Estándar MULTICAPA	RFz 16		578492	
	RFz 18		578638	
	RFz 20		578494	
	RFz 25		578496	
Fittings Estándar PE-X	RFz 16		578492	
	RFz 20		578494	
	RFz 25		578496	
	RFz 32		578498	
FOHS HEIZTECHNIK FOHSPRESS	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	B 16		578468	
	B 20		578472	
FORNARA ForPress	B 26		578474	
	B 32		578476	
	F 16		578456	
	F 20		578460	
	F 26		578462	
	F 32		578464	
	F 16 45° (PR-2B)	Mini Z1	574550	
	F 20 45° (PR-2B)	Mini Z1	574552	
	F 26 45° (PR-2B)	Mini Z1	574554	
	F 32 45° (PR-2B)	Mini Z1	574556	
FRABO FRABOPRESS 316 GAS M	H 16		578400	
	H 20		578406	
	H 26		578410	
	H 32		578412	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	U 16		578374	
	U 20		578378	
	C 26		578392	
	U 32		578382	
	M 15		578312	
	M 18		578314	
	M 22		578316	
M 28		578318		
M 35		578390		
M 15 45° (PR-2B)	Mini Z1	574522		
M 18 45° (PR-2B)	Mini Z1	574524		
M 22 45° (PR-2B)	Mini Z1	574526		
M 28 45° (PR-2B)	Mini Z1	574528		
M 35 45° (PR-2B)	Mini Z1	574530		

# REMS pressing tongs Mini REMS pressing rings

## Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
FRABO FRABOPRESS 316 GAS V	V 15		578328	FRABO FRABOPRESS M	M 12		578310	
	V 18		578332		M 15		578312	
	V 22		578334		M 18		578314	
	V 28		578336		M 22		578316	
	V 35		578604		M 28		578318	
	V 15 45° (PR-2B)	Mini Z1	574504		M 35		578390	
	V 18 45° (PR-2B)	Mini Z1	574506		M 12 45° (PR-2B)	Mini Z1	574520	
	V 22 45° (PR-2B)	Mini Z1	574508		M 15 45° (PR-2B)	Mini Z1	574522	
	V 28 45° (PR-2B)	Mini Z1	574510		M 18 45° (PR-2B)	Mini Z1	574524	
	V 35 45° (PR-2B)	Mini Z1	574512		M 22 45° (PR-2B)	Mini Z1	574526	
FRABO FRABOPRESS 316 M	M 15		578312	FRABO FRABOPRESS SOLAR	V 15		578328	
	M 18		578314		V 18		578332	
	M 22		578316		V 22		578334	
	M 28		578318		V 28		578336	
	M 35		578390		V 35		578604	
	M 15 45° (PR-2B)	Mini Z1	574522		V 15 45° (PR-2B)	Mini Z1	574504	
	M 18 45° (PR-2B)	Mini Z1	574524		V 18 45° (PR-2B)	Mini Z1	574506	
	M 22 45° (PR-2B)	Mini Z1	574526		V 22 45° (PR-2B)	Mini Z1	574508	
	M 28 45° (PR-2B)	Mini Z1	574528		V 28 45° (PR-2B)	Mini Z1	574510	
	M 35 45° (PR-2B)	Mini Z1	574530		V 35 45° (PR-2B)	Mini Z1	574512	
FRABO FRABOPRESS 316 V	V 12		578324	FRABO FRABOPRESS TS	M 22		578316	
	V 15		578328		M 22 45° (PR-2B)	Mini Z1	574526	
	V 18		578332		V 22		578334	
	V 22		578334		V 22 45° (PR-2B)	Mini Z1	574508	
	V 28		578336		FRABO FRABOPRESS V	V 12		578324
	V 35		578604			V 15		578328
	V 12 45° (PR-2B)	Mini Z1	574502			V 18		578332
	V 15 45° (PR-2B)	Mini Z1	574504			V 22		578334
	V 18 45° (PR-2B)	Mini Z1	574506			V 28		578336
	V 22 45° (PR-2B)	Mini Z1	574508			V 35		578604
V 28 45° (PR-2B)	Mini Z1	574510	V 12 45° (PR-2B)	Mini Z1		574502		
V 35 45° (PR-2B)	Mini Z1	574512	V 15 45° (PR-2B)	Mini Z1		574504		
FRABO FRABOPRESS CHROME	V 12		578324	FRÄNKISCHE alpeX-duo		B 16		578468
	V 15		578328			B 18		578470
	V 18		578332		B 20		578472	
	V 22		578334		B 26		578474	
	V 12 45° (PR-2B)	Mini Z1	574502		B 32		578476	
	V 15 45° (PR-2B)	Mini Z1	574504		F 16		578456	
	V 18 45° (PR-2B)	Mini Z1	574506		F 18		578458	
	V 22 45° (PR-2B)	Mini Z1	574508		F 20		578460	
	FRABO FRABOPRESS C-STEEL M	M 15			578312	F 26		578462
		M 18			578314	F 32		578464
M 22			578316	F 16 45° (PR-2B)	Mini Z1	574550		
M 28			578318	F 20 45° (PR-2B)	Mini Z1	574552		
M 35			578390	F 26 45° (PR-2B)	Mini Z1	574554		
M 15 45° (PR-2B)		Mini Z1	574522	F 32 45° (PR-2B)	Mini Z1	574556		
M 18 45° (PR-2B)		Mini Z1	574524	TH 16		578352		
M 22 45° (PR-2B)		Mini Z1	574526	TH 18		578356		
M 28 45° (PR-2B)		Mini Z1	574528	TH 20		578358		
M 35 45° (PR-2B)		Mini Z1	574530	TH 26		578362		
FRABO FRABOPRESS C-STEEL V	V 12		578324	FRÄNKISCHE alpeX-duo XS	F 16		578456	
	V 15		578328		F 20		578460	
	V 18		578332		F 26		578462	
	V 22		578334		F 32		578464	
	V 28		578336		F 16 45° (PR-2B)	Mini Z1	574550	
	V 35		578604		F 20 45° (PR-2B)	Mini Z1	574552	
	V 12 45° (PR-2B)	Mini Z1	574502		F 26 45° (PR-2B)	Mini Z1	574554	
	V 15 45° (PR-2B)	Mini Z1	574504		F 32 45° (PR-2B)	Mini Z1	574556	
	V 18 45° (PR-2B)	Mini Z1	574506		TH 16		578352	
	V 22 45° (PR-2B)	Mini Z1	574508		TH 20		578358	
FRABO FRABOPRESS GAS M	V 28 45° (PR-2B)	Mini Z1	574510	FRÄNKISCHE alpeX F50 PROFIL	TH 26		578362	
	V 35 45° (PR-2B)	Mini Z1	574512		TH 32		578364	
	M 12		578310		F 16		578456	
	M 15		578312		F 20		578460	
	M 18		578314		F 26		578462	
	M 22		578316		F 32		578464	
	M 28		578318		F 16 45° (PR-2B)	Mini Z1	574550	
	M 35		578390		F 20 45° (PR-2B)	Mini Z1	574552	
	M 12 45° (PR-2B)	Mini Z1	574520		F 26 45° (PR-2B)	Mini Z1	574554	
	M 15 45° (PR-2B)	Mini Z1	574522		F 32 45° (PR-2B)	Mini Z1	574556	
FRABO FRABOPRESS GAS V	M 18 45° (PR-2B)	Mini Z1	574524	(DN 26)	U 16		578400	
	M 22 45° (PR-2B)	Mini Z1	574526		H 16		578400	
	M 28 45° (PR-2B)	Mini Z1	574528		H 20		578400	
	M 35 45° (PR-2B)	Mini Z1	574530		H 26		578410	
	V 12		578324		H 32		578412	
	V 15		578328		TH 16		578352	
	V 18		578332		TH 20		578358	
	V 22		578334		TH 26		578362	
	V 28		578336		TH 32		578364	
	V 35		578604		U 16		578374	
FRABO FRABOPRESS KOMBİ	V 12 45° (PR-2B)	Mini Z1	574502	U 20		578378		
	V 15 45° (PR-2B)	Mini Z1	574504	U 25		578380		
	V 18 45° (PR-2B)	Mini Z1	574506	U 32		578382		
	V 22 45° (PR-2B)	Mini Z1	574508	VP 16		578482		
	V 28 45° (PR-2B)	Mini Z1	574510	VP 20		578484		
	V 35 45° (PR-2B)	Mini Z1	574512	VP 32		578488		

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- Only pressing tongs from designation "108" (1<sup>st</sup> quarter of 2008), "208" (2<sup>nd</sup> quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- For taking suitable pressing inserts.
- Only pressing tongs from designation "117" (1<sup>st</sup> quarter of 2017), "217" (2<sup>nd</sup> quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 14.10.2020. For the updated situation regarding suitability status check our website: [www.rems.de](http://www.rems.de) → Downloads → Product catalogues, brochures → REMS Catalogue.

See page 166 for adapter tongs. Pressing tongs for additional pressfitting systems on request.



System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
Fränkische alpeX-gas	F 20		578460	
	F 26		578462	
	F 32		578464	
	F 20 45° (PR-2B)	Mini Z1	574552	
	F 26 45° (PR-2B)	Mini Z1	574554	
	F 32 45° (PR-2B)	Mini Z1	574556	
Fränkische alpeX L	Fz 40		578478	
<b>G</b>				
gaboTherm H+S	TH 10		578342	
	TH 12		578346	
	TH 14		578348	
	TH 15		578350	
	TH 16		578352	
	TH 17		578354	
	TH 18		578356	
	TH 20		578358	
	TH 25		578360	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	Gallagher USA YogaPipe ACR	H 12 (1/2")		578396
		U 14 (3/4")		578372
U 16 (1/2")			578374	
U 18 (3/4")			578376	
U 20 (1/2")			578378	
U 25 (3/4")			578380	
U 32 (1 1/4")			578382	
Geberit Mapress C-STAHl	M 12		578310	
	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 12 45° (PR-2B)	Mini Z1	574520	
	M 15 45° (PR-2B)	Mini Z1	574522	
	M 18 45° (PR-2B)	Mini Z1	574524	
	M 22 45° (PR-2B)	Mini Z1	574526	
	M 28 45° (PR-2B)	Mini Z1	574528	
	M 35 45° (PR-2B)	Mini Z1	574530	
	Geberit Mapress Edelstahl	M 12		578310
M 15			578312	
M 18			578314	
M 22			578316	
M 28			578318	
M 35			578390	
M 12 45° (PR-2B)		Mini Z1	574520	
M 15 45° (PR-2B)		Mini Z1	574522	
M 18 45° (PR-2B)		Mini Z1	574524	
M 22 45° (PR-2B)		Mini Z1	574526	
M 28 45° (PR-2B)		Mini Z1	574528	
M 35 45° (PR-2B)		Mini Z1	574530	
Geberit Mapress Edelstahl Gas		M 15		578312
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 45° (PR-2B)	Mini Z1	574522	
	M 18 45° (PR-2B)	Mini Z1	574524	
	M 22 45° (PR-2B)	Mini Z1	574526	
	M 28 45° (PR-2B)	Mini Z1	574528	
	M 35 45° (PR-2B)	Mini Z1	574530	
	Geberit Mapress Kupfer	M 12		578310
		M 15		578312
		M 18		578314
M 22			578316	
M 28			578318	
M 35			578390	
M 12 45° (PR-2B)		Mini Z1	574520	
M 15 45° (PR-2B)		Mini Z1	574522	
M 18 45° (PR-2B)		Mini Z1	574524	
M 22 45° (PR-2B)		Mini Z1	574526	
M 28 45° (PR-2B)		Mini Z1	574528	
M 35 45° (PR-2B)		Mini Z1	574530	
Geberit Mapress Kupfer Gas		M 15		578312
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
	M 15 45° (PR-2B)	Mini Z1	574522	
	M 18 45° (PR-2B)	Mini Z1	574524	
	M 22 45° (PR-2B)	Mini Z1	574526	
	M 28 45° (PR-2B)	Mini Z1	574528	
	M 35 45° (PR-2B)	Mini Z1	574530	
	Geberit Mepla	G 16		578444
		G 20		578446
		G 26		578448
G 32			578450	
G 40			578452	
Geberit Mepla Therm	G 16		578444	
	G 20		578446	
	G 26		578448	
Geberit VoleX	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
General Fittings 5T00	H 16		578400	
	H 20		578406	
	H 26		578410	
	H 32		578412	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	U 16		578374	
	U 20		578378	
U 32		578382		

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
General Fittings Serie 5S00	B 16		578468	
	B 18		578470	
	B 20		578472	
	B 26		578474	
	B 32		578476	
	F 16		578456	
	F 20		578460	
	F 26		578462	
	F 32		578464	
	F 16 45° (PR-2B)	Mini Z1	574550	
	F 20 45° (PR-2B)	Mini Z1	574552	
	F 26 45° (PR-2B)	Mini Z1	574554	
	F 32 45° (PR-2B)	Mini Z1	574556	
	H 16		578400	
	H 18		578404	
	H 20		578406	
	H 25		578408	
	H 26		578410	
	H 32		578412	
	TH 16		578352	
	TH 18		578356	
	TH 20		578358	
	TH 25		578360	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	U 16		578374	
	U 18		578376	
	U 20		578378	
	U 25		578380	
	U 32		578382	
	U 40		578386	
	General Fittings Trident	B 16		578468
F 16			578456	
F 16 45° (PR-2B)		Mini Z1	574550	
H 16			578400	
H 20			578406	
H 26			578410	
H 32			578412	
TH 16			578352	
TH 20			578358	
TH 26			578362	
TH 32			578364	
U 16			578374	
U 20			578378	
U 32		578382		
General Fittings Trident Gas	H 16		578400	
	H 20		578406	
	H 26		578410	
	H 32		578412	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	U 16		578374	
	U 20		578378	
	U 32		578382	
	Giacomini Raccordi RM Giacomini	H 16		578400
		H 20		578406
H 26			578410	
H 32			578412	
TH 16			578352	
TH 20			578358	
TH 26			578362	
TH 32			578364	
TH 40			578624	
U 16			578374	
U 20			578378	
U 32			578382	
Giacomini RM MULTIGAS		H 16		578400
	H 20		578406	
	H 26		578410	
	H 32		578412	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	U 16		578374	
	U 20		578378	
	U 32		578382	
	Giacomini Valvole Giacomini serie R850V	V 15		578328
V 18			578332	
V 22			578334	
V 28			578336	
V 35			578604	
V 15 45° (PR-2B)		Mini Z1	574504	
V 18 45° (PR-2B)		Mini Z1	574506	
V 22 45° (PR-2B)		Mini Z1	574508	
V 28 45° (PR-2B)		Mini Z1	574510	
V 35 45° (PR-2B)		Mini Z1	574512	
SA 15			578514	
SA 18			578518	
SA 22			578520	
SA 28		578522		
M 15		578312		
M 18		578314		
M 22		578316		
M 28		578318		
M 35		578390		
M 15 45° (PR-2B)	Mini Z1	574522		
M 18 45° (PR-2B)	Mini Z1	574524		
M 22 45° (PR-2B)	Mini Z1	574526		
M 28 45° (PR-2B)	Mini Z1	574528		
M 35 45° (PR-2B)	Mini Z1	574530		
Golan Pipe Systems (Scandinavia) Alu-Press	U 16		578374	
	U 20		578378	
	U 25		578380	
	U 32		578382	
	U 40		578386	

# REMS pressing tongs Mini REMS pressing rings

## Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
Grinnell G-PRESS Copper Fittings	VUS ½" (OD 15,9 mm)		578566	
	VUS ¾" (OD 22,2 mm)		578568	
	VUS 1" (OD 28,6 mm)		578570	
	VUS 1½" (OD 34,9 mm)		578606	
GS Wärmesysteme System TH	TH 14		578348	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
GS Wärmesysteme System V	TH 40		578624	
	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 15 45° (PR-2B)	Mini Z1	574504	
	V 18 45° (PR-2B)	Mini Z1	574506	
	V 22 45° (PR-2B)	Mini Z1	574508	
	V 28 45° (PR-2B)	Mini Z1	574510	
V 35 45° (PR-2B)	Mini Z1	574512		
<b>H</b>				
HakaGerodur HAKASAN	TH 10		578342	
	TH 11,6		578344	
	TH 12		578346	
	TH 14		578348	
	TH 16		578352	
	TH 17		578354	
	TH 18		578356	
	TH 20		578358	
	TH 25		578360	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	HASTINIK Hastinik/Hitpress	M 15		578312
		M 18		578314
M 22			578316	
M 28			578318	
M 35			578390	
M 15 45° (PR-2B)		Mini Z1	574522	
M 18 45° (PR-2B)		Mini Z1	574524	
M 22 45° (PR-2B)		Mini Z1	574526	
heima24	M 28 45° (PR-2B)	Mini Z1	574528	
	M 35 45° (PR-2B)	Mini Z1	574530	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
HELIROMA kiimapress	TH 40		578624	
	U 16		578374	
	U 18		578376	
	U 20		578378	
	U 25		578380	
HELIROMA romapress	U 32		578382	
	U 40		578386	
	RFz 16		578492	
	RFz 20		578494	
Henco	RFz 25		578496	
	RFz 32		578498	
	TH 14		578348	
	TH 16		578352	
	TH 18		578356	
	TH 20		578358	
Herotec TEMPUS-PRESS PLUS	TH 26		578362	
	HE 32		578370	
	HEz 40 <sup>1)</sup>		578572	
	H 16		578400	
	H 20		578406	
	H 25		578408	
	H 32		578412	
	RFz 16		578492	
	RFz 20		578494	
	RFz 25		578496	
	RFz 32		578498	
	TH 16		578352	
	TH 20		578358	
	TH 25		578360	
TH 32		578364		
HERZ PIPEFIX	U 16		578374	
	U 20		578378	
	U 25		578380	
	U 32		578382	
	U 40		578386	
	TH 10		578342	
	TH 16		578352	
	TH 20		578358	
TH 26		578362		
HIDRONIX MULTIGAS	TH 32		578364	
	TH 40		578624	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
HIDRONIX MULTIPIPE	TH 14		578348	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	H 14		578398	
	H 16		578400	
	H 18		578404	
	H 20		578406	
	H 26		578410	
	H 32		578412	
	U 14		578372	
	U 16		578374	
	U 18		578376	
	U 20		578378	
	C 26		578392	
U 32		578382		
HIDRONIX UNICO	TH 14		578348	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	H 14		578398	
	H 16		578400	
	H 18		578404	
	H 20		578406	
	H 26		578410	
	H 32		578412	
	U 14		578372	
	U 16		578374	
	U 18		578376	
U 20		578378		
C 26		578392		
U 32		578382		
HITEC Sistema Multistrato	TH 14		578348	
	TH 16		578352	
	TH 18		578356	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	Hopewell press fit system	M 15		578312
M 18			578314	
M 22			578316	
M 28			578318	
hp praski BAVARIAA-press	M 35		578390	
	TH 10		578342	
	TH 14		578348	
	TH 16		578352	
	TH 17		578354	
	TH 20		578358	
	TH 25		578360	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	<b>I</b>			
	IBP >B< Flex	U 16		578374
U 18			578376	
U 20			578378	
U 25			578380	
U 32			578382	
IBP >B< Press	V 12		578324	
	V 14		578326	
	V 15		578328	
	V 16		578330	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 12 45° (PR-2B)	Mini Z1	574502	
	V 14 45° (PR-2B)	Mini Z1	574532	
	V 15 45° (PR-2B)	Mini Z1	574504	
	V 16 45° (PR-2B)	Mini Z1	574534	
	V 18 45° (PR-2B)	Mini Z1	574506	
	V 22 45° (PR-2B)	Mini Z1	574508	
V 28 45° (PR-2B)	Mini Z1	574510		
V 35 45° (PR-2B)	Mini Z1	574512		
IBP >B< Press Carbon	V 12		578324	
	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 12 45° (PR-2B)	Mini Z1	574502	
	V 15 45° (PR-2B)	Mini Z1	574504	
	V 18 45° (PR-2B)	Mini Z1	574506	
	V 22 45° (PR-2B)	Mini Z1	574508	
	V 28 45° (PR-2B)	Mini Z1	574510	
V 35 45° (PR-2B)	Mini Z1	574512		

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1<sup>st</sup> quarter of 2008), "208" (2<sup>nd</sup> quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Only pressing tongs from designation "117" (1<sup>st</sup> quarter of 2017), "217" (2<sup>nd</sup> quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 14.10.2020. For the updated situation regarding suitability status check our website: [www.rems.de](http://www.rems.de) → Downloads → Product catalogues, brochures → REMS Catalogue.

See page 166 for adapter tongs. Pressing tongs for additional pressfitting systems on request.

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
IBP >B< Press Gas	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 45° (PR-2B)	Mini Z1	574504
	V 18 45° (PR-2B)	Mini Z1	574506
	V 22 45° (PR-2B)	Mini Z1	574508
	V 28 45° (PR-2B)	Mini Z1	574510
V 35 45° (PR-2B)	Mini Z1	574512	
IBP >B< Press Inox	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 45° (PR-2B)	Mini Z1	574504
	V 18 45° (PR-2B)	Mini Z1	574506
	V 22 45° (PR-2B)	Mini Z1	574508
	V 28 45° (PR-2B)	Mini Z1	574510
V 35 45° (PR-2B)	Mini Z1	574512	
IBP >B< Press Solar	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 45° (PR-2B)	Mini Z1	574504
	V 18 45° (PR-2B)	Mini Z1	574506
	V 22 45° (PR-2B)	Mini Z1	574508
	V 28 45° (PR-2B)	Mini Z1	574510
V 35 45° (PR-2B)	Mini Z1	574512	
ICMA Sempiter	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	U 16		578374
	U 20		578378
	C 26		578392
	U 32		578382
	U 40		578386
ICMA Sempigas	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
Idrosanitaria Bonomi	TH 16		578352
	TH 20		578358
	TH 26		578362
Idrosanitaria Homegas	TH 16		578352
	TH 20		578358
	TH 26		578362
Idrosanitaria Bonomi Idropress	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16		578352
	TH 20		578358
	TH 26		578362
IDROSISTEMI Ta-Press	TH 32		578364
	TH 40		578624
	F 16		578456
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 45° (PR-2B)	Mini Z1	574550
	F 20 45° (PR-2B)	Mini Z1	574552
	F 26 45° (PR-2B)	Mini Z1	574554
	F 32 45° (PR-2B)	Mini Z1	574556
	Fz 40		578478
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	U 16		578374
	U 20		578378
	C 26		578392
	U 32		578382
	U 40		578386
	B 16		578468
	B 20		578472
	B 26		578474
B 32		578476	
IDROTRADE Storm Multipinza	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	U 16		578374
	U 20		578378
	U 40		578386
	IDROTRADE Storm Multistrato	H 14	
H 16			578400
H 20			578406
H 26			578410
H 32			578412
U 40			578386
IDROTRADE StormPRES		M 15	
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
IDROTRADE StormSTEEL	M 12		578310	
	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
ILTA INOX/CHIBRO Pressfitting Cuni	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
	M 35		578390	
ILTA INOX/CHIBRO Pressfitting inox	M 15 45° (PR-2B)	Mini Z1	574522	
	M 18 45° (PR-2B)	Mini Z1	574524	
	M 22 45° (PR-2B)	Mini Z1	574526	
	M 28 45° (PR-2B)	Mini Z1	574528	
	M 35 45° (PR-2B)	Mini Z1	574530	
	M 15		578312	
	M 18		578314	
	M 22		578316	
	M 28		578318	
Instantor Copper Press Imperial	M 35		578390	
	M 15 45° (PR-2B)	Mini Z1	574522	
	M 18 45° (PR-2B)	Mini Z1	574524	
	M 22 45° (PR-2B)	Mini Z1	574526	
	M 28 45° (PR-2B)	Mini Z1	574528	
	M 35 45° (PR-2B)	Mini Z1	574530	
	VI 1/2" (OD 14,7 mm)		578716	
	VI 3/4" (OD 21,0 mm)		578718	
	VI 1" (OD 27,4 mm)		578720	
Instantor Copper Press Metric	M 15		578312	
	M 22		578316	
	M 28		578318	
Instantor Press System	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
IPA IPANA Press	TH 10		578342	
	TH 11,6		578344	
	TH 12		578346	
	TH 14		578348	
	TH 15		578350	
	TH 16		578352	
	TH 17		578354	
	TH 18		578356	
	TH 20		578358	
	TH 22		578360	
	TH 25		578362	
	TH 26		578364	
	TH 28		578366	
IPA THu IPANA Press	TH 32		578364	
	TH 40		578624	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
IPALPEX (Industrie du Plastique et Accessoires)	TH 32		578364	
	TH 40		578624	
	TH 14		578348	
	TH 16		578352	
	TH 18		578356	
	TH 20		578358	
	TH 26		578362	
	THL 32		578368	
	TH 40		578624	
	K16/P18		578592	
IPLEX PIPELINES AUSTRALIA Iplex Pro-fit	K16/P18		578592	
	K/20		578594	
	K/25		578596	
	K32		578598	
	K1/40		578600	
	K16/P18		578592	
	K/20		578594	
	K/25		578596	
	IPLEX PIPELINES AUSTRALIA Iplex K2 ISOTUBI NUMEPRESS	M 15		578312
		M 18		578314
M 22			578316	
M 28			578318	
M 35			578390	
M 15 45° (PR-2B)		Mini Z1	574522	
M 18 45° (PR-2B)		Mini Z1	574524	
M 22 45° (PR-2B)		Mini Z1	574526	
M 28 45° (PR-2B)		Mini Z1	574528	
M 35 45° (PR-2B)		Mini Z1	574530	
IVAR ALPEX-GAS	B 20		578472	
	B 26		578474	
	B 32		578476	
	B 14		578466	
IVAR Ivar-Press	B 16		578468	
	B 18		578470	
	B 20		578472	
	B 26		578474	
	B 32		578476	
	Fz 40		578478	
	IVAR MULTI PRESS GAS	TH 16		578352
		TH 20		578358
TH 26			578362	
TH 32			578364	
B 16			578468	
B 20			578472	
IVAR MULTI PRESS GAS	B 26		578474	
	B 32		578476	
	B 16		578468	
	B 20		578472	

# REMS pressing tongs Mini REMS pressing rings

## Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
IVAR MULTI PRESS GAS ITALIA	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	H 16		578400	
	H 20		578406	
	H 26		578410	
	H 32		578412	
	U 16		578374	
	U 20		578378	
	U 32		578382	
	IVAR Multi Press MP	TH 16		578352
		TH 18		578356
		TH 20		578358
TH 25			578360	
TH 26			578362	
TH 32			578364	
TH 40			578624	
F 16			578456	
F 18			578458	
F 20			578460	
F 26			578462	
F 32			578464	
Fz 40			578478	
F 16 45° (PR-2B)		Mini Z1	574550	
F 20 45° (PR-2B)		Mini Z1	574552	
F 26 45° (PR-2B)		Mini Z1	574554	
F 32 45° (PR-2B)		Mini Z1	574556	
H 16			578400	
H 18			578404	
H 20			578406	
H 25			578408	
H 26			578410	
H 32			578412	
U 16			578374	
U 18			578376	
U 20			578378	
U 25			578380	
C 26			578392	
U 32			578382	
U 40			578386	
B 16			578468	
B 18			578470	
B 20			578472	
B 26		578474		
B 32		578476		
IVAR Multi Press Leak (MPL)	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	F 16		578456	
	F 20		578460	
	F 26		578462	
	F 32		578464	
	F 16 45° (PR-2B)	Mini Z1	574550	
	F 20 45° (PR-2B)	Mini Z1	574552	
	F 26 45° (PR-2B)	Mini Z1	574554	
	F 32 45° (PR-2B)	Mini Z1	574556	
	H 16		578400	
	H 20		578406	
	H 26		578410	
	H 32		578412	
	U 16		578374	
	U 20		578378	
C 26		578392		
U 32		578382		
B 16		578468		
B 20		578472		
B 26		578474		
B 32		578476		
IVAR Plastic Multi Press PMP	TH 16		578352	
	TH 20		578358	
	TH 25		578360	
	TH 26		578362	
	TH 32		578364	
	F 16		578456	
	F 20		578460	
	F 26		578462	
	F 32		578464	
	F 16 45° (PR-2B)	Mini Z1	574550	
	F 20 45° (PR-2B)	Mini Z1	574552	
	F 26 45° (PR-2B)	Mini Z1	574554	
	F 32 45° (PR-2B)	Mini Z1	574556	
	H 16		578400	
	H 20		578406	
	H 25		578408	
	H 26		578410	
	H 32		578412	
	U 16		578374	
	U 20		578378	
	U 25		578380	
	C 26		578392	
	U 32		578382	
	B 16		578468	
	B 20		578472	
	B 26		578474	
	B 32		578476	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
IVAR Plastic Multi Press Leak (PMPL)	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	F 16		578456
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 45° (PR-2B)	Mini Z1	574550
	F 20 45° (PR-2B)	Mini Z1	574552
	F 26 45° (PR-2B)	Mini Z1	574554
	F 32 45° (PR-2B)	Mini Z1	574556
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	U 16		578374
	U 20		578378
	C 26		578392
	U 32		578382
B 16		578468	
B 20		578472	
B 26		578474	
B 32		578476	
IVT Edelstahl- Presssystem	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526
	M 28 45° (PR-2B)	Mini Z1	574528
	M 35 45° (PR-2B)	Mini Z1	574530
	IVT PRIPRESS	TH 16	
TH 20			578358
TH 26			578362
TH 32			578364
TH 40			578624
<b>J</b>			
Jäger - Aquatec Aquapress H	H 14		578398
	H 16		578400
	H 17		578402
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
	U 40		578386
Jäger - Aquatec C-Stahl Press Typ M	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526
Jäger - Aquatec Edelstahl Press Typ M	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526
Jäger - Aquatec Kupfer Press Typ V	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 45° (PR-2B)	Mini Z1	574504
	V 18 45° (PR-2B)	Mini Z1	574506
	V 22 45° (PR-2B)	Mini Z1	574508
Jansen AG JANSEN prima	TH 14		578348
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
Jaraflex- Presssystem	TH 14		578348
	TH 16		578352
	TH 17		578354
	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1<sup>st</sup> quarter of 2008), "208" (2<sup>nd</sup> quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Only pressing tongs from designation "117" (1<sup>st</sup> quarter of 2017), "217" (2<sup>nd</sup> quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 14.10.2020. For the updated situation regarding suitability status check our website:

www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue.

See page 166 for adapter tongs. Pressing tongs for additional pressfitting systems on request.

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
JUNGWOO JWPress	VUS ½" (OD 15,9 mm) VUS ¾" (OD 22,2 mm) VUS 1" (OD 28,6 mm) VUS 1¼" (OD 34,9 mm)		578566 578568 578570 578606
<b>K</b>			
KAN KAN-therm Press	U 16 U 20 U 25 C 26 U 32 U 40		578374 578378 578380 578392 578382 578386
KAN KAN-therm Press LBP	TH 14 TH 16 TH 20 TH 25 TH 26 TH 32 TH 40 U 14 U 16 U 20 U 25 C 26 U 32 U 40		578348 578352 578358 578360 578362 578364 578624 578372 578374 578378 578380 578392 578382 578386
KAN KAN-therm Inox	M 12 M 15 M 18 <sup>1)</sup> M 22 M 28 <sup>1)</sup> M 35 M 12 45° (PR-2B) M 15 45° (PR-2B) M 18 45° (PR-2B) M 22 45° (PR-2B) M 28 45° (PR-2B) M 35 45° (PR-2B)		578310 578312 578314 578316 578318 578390 574520 574522 574524 574526 574528 574530
KAN KAN-therm Steel	M 12 M 15 M 18 <sup>1)</sup> M 22 M 28 <sup>1)</sup> M 35 M 12 45° (PR-2B) M 15 45° (PR-2B) M 18 45° (PR-2B) M 22 45° (PR-2B) M 28 45° (PR-2B) M 35 45° (PR-2B)		578310 578312 578314 578316 578318 578390 574520 574522 574524 574526 574528 574530
KE KELIT KELIT KELOX	U 16 U 18 U 20 U 25 U 32 U 40		578374 578376 578378 578380 578382 578386
KE KELIT COPPERFIX Kupfer	M 15 M 18 M 22 M 28 M 35 M 15 45° (PR-2B) M 18 45° (PR-2B) M 22 45° (PR-2B) M 28 45° (PR-2B) M 35 45° (PR-2B)		578312 578314 578316 578318 578390 574522 574524 574526 574528 574530
KE KELIT steelFIX C-Stahl	M 15 M 18 M 22 M 28 M 35 M 15 45° (PR-2B) M 18 45° (PR-2B) M 22 45° (PR-2B) M 28 45° (PR-2B) M 35 45° (PR-2B)		578312 578314 578316 578318 578390 574522 574524 574526 574528 574530
KE KELIT steelFIX Edelstahl	M 15 M 18 M 22 M 28 M 35 M 15 45° (PR-2B) M 18 45° (PR-2B) M 22 45° (PR-2B) M 28 45° (PR-2B) M 35 45° (PR-2B)		578312 578314 578316 578318 578390 574522 574524 574526 574528 574530
KEMBLA KemPress (AUS)	VAU 15 (OD 12,7 mm) VAU 20 (OD 19,1 mm) VAU 25 (OD 25,4 mm) VAU 32 (OD 31,8 mm)		578630 578632 578634 578636
KEMBLA KemPress Gas (AUS)	VAU 15 (OD 12,7 mm) VAU 20 (OD 19,1 mm) VAU 25 (OD 25,4 mm) VAU 32 (OD 31,8 mm)		578630 578632 578634 578636
KISAN Kisan KD	KI 16 KI 20 KI 25 TH 16 TH 20 TH 25		578524 578526 578528 578352 578358 578360
KISAN Kisan WL	KI 16 KI 20 KI 25 KI 32 TH 16 TH 20 TH 25 TH 32		578524 578526 578528 578530 578352 578358 578360 578364

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
KISAN Kisan WM	KI 16 KI 20 KI 25 KI 32		578524 578526 578528 578530
KISAN Kisan WR	U 20 U 25 U 32 U 40 TH 20 TH 25 TH 32 TH 40		578378 578380 578382 578386 578358 578360 578364 578624
KISAN Kistal C	M 15 M 18 M 22 M 28 M 35 M 15 45° (PR-2B) M 18 45° (PR-2B) M 22 45° (PR-2B) M 28 45° (PR-2B) M 35 45° (PR-2B)		578312 578314 578316 578318 578390 574522 574524 574526 574528 574530
KISAN Kistal Inox	M 15 M 18 M 22 M 28 M 35 M 15 45° (PR-2B) M 18 45° (PR-2B) M 22 45° (PR-2B) M 28 45° (PR-2B) M 35 45° (PR-2B)		578312 578314 578316 578318 578390 574522 574524 574526 574528 574530
KME cuprotherm CTX	TH 14 TH 16 TH 18 TH 20 TH 26		578348 578352 578356 578358 578362
KME QTEC - Comap SkinPress	TH 14 TH 16 TH 20 TH 26		578348 578352 578358 578362
KME QTEC - Oventrop Cofit	H 16 A H 20 A H 26 A		578420 578426 578430
<b>L</b>			
LEGEND-PRESS press fitting system	VUS ½" (OD 15,9 mm) VUS ¾" (OD 22,2 mm) VUS 1" (OD 28,6 mm) VUS 1¼" (OD 34,9 mm)		578566 578568 578570 578606
LK Systems LK >B<Press	V 12 V 15 V 18 V 22 V 28 V 35 V 12 45° (PR-2B) V 15 45° (PR-2B) V 18 45° (PR-2B) V 22 45° (PR-2B) V 28 45° (PR-2B) V 35 45° (PR-2B)		578324 578328 578332 578334 578336 578604 574502 574504 574506 574508 574510 574512
LK Systems LK >B<Press Eifözinkat	V 12 V 15 V 18 V 22 V 28 V 35 V 12 45° (PR-2B) V 15 45° (PR-2B) V 18 45° (PR-2B) V 22 45° (PR-2B) V 28 45° (PR-2B) V 35 45° (PR-2B)		578324 578328 578332 578334 578336 578604 574502 574504 574506 574508 574510 574512
LK Systems LK >B<Press Gas	V 15 V 18 V 22 V 28 V 35 V 15 45° (PR-2B) V 18 45° (PR-2B) V 22 45° (PR-2B) V 28 45° (PR-2B) V 35 45° (PR-2B)		578328 578332 578334 578336 578604 574504 574506 574508 574510 574512
LK Systems LK Universal	TH 16 TH 20 TH 25 TH 32 TH 40		578352 578358 578360 578364 578624
LVI-DAHL Altech-Aluapex	U 16 U 20 U 25 U 32		578374 578378 578380 578382
<b>M</b>			
MAINCOR MAINPRESS	U 16 U 20 U 25 U 32 U 40		578374 578378 578380 578382 578386
MAINCOR MAINFLOR	U 16 U 20		578374 578378
Mair Heiztechnik M-Press	H 11,5 TH 16 TH 20 TH 26 TH 32 TH 40		578394 578352 578358 578362 578364 578624

# REMS pressing tongs Mini REMS pressing rings

## Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
Master System PRESSMASTER	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	H 14		578398
	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
	U 14		578372
	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
U 40		578386	
Meier Tobler Metalplast - Stramax	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
U 40		578386	
METALGRUP Permatubo	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
U 40		578386	
METALGRUP PexGrup	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
METALGRUP MultiGrup	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
Mueller Industries Streamline PRS	VUS 1/2" (OD 15,9mm)		578566
	VUS 3/4" (OD 22,2mm)		578568
	VUS 1" (OD 28,6mm)		578570
	VUS 1 1/2" (OD 34,9mm)		578606
MULTITHERM PRESSSYSTEM	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
Multicapas Industrial AIS PEX	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
	U 16		578374
U 20		578378	
U 25		578380	
U 32		578382	
U 40		578386	
Multicapas Industrial multitubo systems MC	U 16		578374
	U 18		578376
	U 20		578378
	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
	Multicapas Industrial multitubo systems MM	H 16	
H 20			578406
H 25			578408
H 26			578410
H 32			578412
RFz 16			578492
RFz 20			578494
RFz 25			578496
RFz 32			578498
TH 16			578352
TH 20			578358
TH 25			578360
TH 26			578362
TH 32			578364
TH 40			578624
U 16		578374	
U 20		578378	
U 25		578380	
U 32		578382	
U 40		578386	
<b>N</b>			
NEUTHERM MEKUPRESS-HT	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
NIBCO (USA) Press System Copper	VUS 1/2" (OD 15,9mm)		578566
	VUS 3/4" (OD 22,2mm)		578568
	VUS 1" (OD 28,6mm)		578570
	VUS 1 1/2" (OD 34,9mm)		578606

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
Nicoll Fluxo	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
NIUPI Industrie Italiane Multinupi	B 16		578468
	B 18		578470
	B 20		578472
	B 26		578474
	B 32		578476
	F 16		578456
	F 18		578458
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 45° (PR-2B)	Mini Z1	574550
	F 20 45° (PR-2B)	Mini Z1	574552
	F 26 45° (PR-2B)	Mini Z1	574554
	F 32 45° (PR-2B)	Mini Z1	574556
	H 16		578400
H 18		578404	
H 20		578406	
H 25		578408	
H 26		578410	
H 32		578412	
TH 16		578352	
TH 18		578356	
TH 20		578358	
TH 25		578360	
TH 26		578362	
TH 32		578364	
U 14		578372	
U 16		578374	
U 18		578376	
U 20		578378	
U 25		578380	
C 26		578392	
U 32		578382	
U 40		578386	
Nussbaum Optifitt-Press	VMP 3/4" (OD 17,2mm)		578660
	VMP 1/2" (OD 21,3mm)		578662
Nussbaum Optiflex-Flowpress	VRX 16		578640
	VRX 20		578642
	VRX 25		578644
	VRX 32		578646
Nussbaum Optipress Aquaplus	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 45° (PR-2B)	Mini Z1	574504
	V 18 45° (PR-2B)	Mini Z1	574506
	V 22 45° (PR-2B)	Mini Z1	574508
	V 28 45° (PR-2B)	Mini Z1	574510
	V 35 45° (PR-2B)	Mini Z1	574512
Nussbaum Optipress Gaz	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 45° (PR-2B)	Mini Z1	574504
	V 18 45° (PR-2B)	Mini Z1	574506
	V 22 45° (PR-2B)	Mini Z1	574508
	V 28 45° (PR-2B)	Mini Z1	574510
	V 35 45° (PR-2B)	Mini Z1	574512
Nussbaum Optipress-Therm	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 45° (PR-2B)	Mini Z1	574504
	V 18 45° (PR-2B)	Mini Z1	574506
	V 22 45° (PR-2B)	Mini Z1	574508
	V 28 45° (PR-2B)	Mini Z1	574510
	V 35 45° (PR-2B)	Mini Z1	574512
<b>O</b>			
O.M.T. - Press	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
Oventrop Cofit P	H 16 A		578420
	H 20 A		578426
	H 26 A		578430
	H 32 A		578432
Oventrop Cofit PD	H 16 A		578420
	H 20 A		578426
	H 26 A		578430
Oventrop Cofit PDK	H 16 A		578420
	H 20 A		578426
Oventrop Cofit PD-HT	H 16 A		578420
	H 20 A		578426
Oventrop Cofit PDK-HT	H 16 A		578420
	H 20 A		578426

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1<sup>st</sup> quarter of 2008), "208" (2<sup>nd</sup> quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Only pressing tongs from designation "117" (1<sup>st</sup> quarter of 2017), "217" (2<sup>nd</sup> quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 14.10.2020. For the updated situation regarding suitability status check our website: [www.rems.de](http://www.rems.de) → Downloads → Product catalogues, brochures → REMS Catalogue.

See page 166 for adapter tongs. Pressing tongs for additional pressfitting systems on request.

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
<b>P</b>			
PBTub SERTIPRESS	RFz 12 RFz 16 RFz 20 RFz 25		578490 578492 578494 578496
PBTub SERTI-STEEL <sup>1)</sup>	M 15 M 18 M 22 M 28 M 15 45° (PR-2B) M 18 45° (PR-2B) M 22 45° (PR-2B) M 28 45° (PR-2B)		578312 578314 578316 578318 574522 574524 574526 574528
Pegler Yorkshire XPress Carbon	M 12 M 15 M 18 <sup>1)</sup> M 22 M 28 <sup>1)</sup> M 35 M 12 45° (PR-2B) M 15 45° (PR-2B) M 18 45° (PR-2B) M 22 45° (PR-2B) M 28 45° (PR-2B) M 35 45° (PR-2B)		578310 578312 578314 578316 578318 578390 574520 574522 574524 574526 574528 574530
Pegler Yorkshire XPress Copper	M 12 M 15 M 18 <sup>1)</sup> M 22 M 28 <sup>1)</sup> M 35 M 12 45° (PR-2B) M 15 45° (PR-2B) M 18 45° (PR-2B) M 22 45° (PR-2B) M 28 45° (PR-2B) M 35 45° (PR-2B)		578310 578312 578314 578316 578318 578390 574520 574522 574524 574526 574528 574530
Pegler Yorkshire XPress Copper Gas	M 15 M 18 <sup>1)</sup> M 22 M 28 <sup>1)</sup> M 35		578312 578314 578316 578318 578390
Pegler Yorkshire XPress Stainless	M 15 M 18 <sup>1)</sup> M 22 M 28 <sup>1)</sup> M 35 M 15 45° (PR-2B) M 18 45° (PR-2B) M 22 45° (PR-2B) M 28 45° (PR-2B) M 35 45° (PR-2B)		578312 578314 578316 578318 578390 574522 574524 574526 574528 574530
Pegler Yorkshire XPress Stainless Gas	M 15 M 18 <sup>1)</sup> M 22 M 28 <sup>1)</sup> M 35		578312 578314 578316 578318 578390
PERFEXIM PERFEKT SYSTEM	U 16 U 20 U 25 U 32		578374 578378 578380 578382
PERFILTUBO PERFILALUPEX	U 16 U 18 U 20 U 25 U 32 U 40		578374 578376 578378 578380 578382 578386
PERFILTUBO PERFILPRESS	M 15 M 18 M 22 M 28 M 35 M 15 45° (PR-2B) M 18 45° (PR-2B) M 22 45° (PR-2B) M 28 45° (PR-2B) M 35 45° (PR-2B)		578312 578314 578316 578318 578390 574522 574524 574526 574528 574530
PEXTUBE PexTube	RFz 16 RFz 20 RFz 25 RFz 32		578492 578494 578496 578498
Pipelife C-PRESS	M 15 M 18 M 22 M 28 M 35 M 15 45° (PR-2B) M 18 45° (PR-2B) M 22 45° (PR-2B) M 28 45° (PR-2B) M 35 45° (PR-2B)		578312 578314 578316 578318 578390 574522 574524 574526 574528 574530
Pipelife RADOPRESS	TH 16 TH 18 TH 20 TH 26 TH 32 TH 40		578352 578356 578358 578362 578364 578624
Pipetec Connect	TH 16 TH 20 TH 26 TH 32 TH 40		578352 578358 578362 578364 578624
PLASTICA ALFA Multypex	TH 16 TH 20 TH 26 TH 32		578352 578358 578362 578364
PLASTICA ALFA Multypex Air	TH 16 TH 20 TH 26 TH 32		578352 578358 578362 578364
PLASTICA ALFA Multypexalfa Gas	TH 16 TH 20 TH 26		578352 578358 578362

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
PLASTICA ALFA Multypexalfa Gas protek	TH 16 TH 20 TH 26		578352 578358 578362
PLASTICA ALFA Multypex Plus	TH 16 TH 20 TH 26 TH 32		578352 578358 578362 578364
PLASTICA ALFA Multypex Thermo	TH 16 TH 20 TH 26 TH 32		578352 578358 578362 578364
PLASTICA ALFA Multypex Thermo Plus	TH 16 TH 20 TH 26 TH 32		578352 578358 578362 578364
PLÁSTICOS FERRO FERROPLAST GPF MC PRESS Pressfitting MULTICAPA	U 16 U 20 U 25 U 32		578374 578378 578380 578382
PLÁSTICOS FERRO FERROPLAST GPF PPSU Pressfitting PE-X y MULTICAPA	U 16 U 20 U 25 U 32		578374 578378 578380 578382
PLÁSTICOS FERRO FERROPLAST GPF PRESS Pressfitting PE-X	RFz 16 RFz 20 RFz 25 RFz 32		578492 578494 578496 578498
PLUMBING PLUS EZIPEX Crimp (AUS)	K16/P18 K20 K25 K32 K1/40		578592 578594 578596 578598 578600
PLUMBING PLUS EZIPEX Gas (AUS)	K16/P18 K20 K25 K32 K1/40		578592 578594 578596 578598 578600
PLUMBING PLUS EZIPRESS Gas (AUS)	VAU 15 (OD 12,7 mm) VAU 20 (OD 19,1 mm) VAU 25 (OD 25,4 mm) VAU 32 (OD 31,8 mm) VAU 15 45° (PR-2B) (OD 12,7 mm) VAU 20 45° (PR-2B) (OD 19,1 mm) VAU 25 45° (PR-2B) (OD 25,4 mm)		578630 578632 578634 578636 574540 574542 574544
PLUMBING PLUS EZIPRESS Solar (AUS)	VAU 15 (OD 12,7 mm) VAU 20 (OD 19,1 mm) VAU 25 (OD 25,4 mm) VAU 15 45° (PR-2B) (OD 12,7 mm) VAU 20 45° (PR-2B) (OD 19,1 mm) VAU 25 45° (PR-2B) (OD 25,4 mm)		578630 578632 578634 574540 574542 574544
PLUMBING PLUS EZIPRESS Water (AUS)	VAU 15 (OD 12,7 mm) VAU 20 (OD 19,1 mm) VAU 25 (OD 25,4 mm) VAU 32 (OD 31,8 mm) VAU 15 45° (PR-2B) (OD 12,7 mm) VAU 20 45° (PR-2B) (OD 19,1 mm) VAU 25 45° (PR-2B) (OD 25,4 mm)		578630 578632 578634 578636 574540 574542 574544
POLYPIPE POLYSURE	TH 10 TH 15 TH 22 TH 28		578342 578350 578588 578590
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	M 15 M 18 M 22 M 28 M 35		578312 578314 578316 578318 578390
POLYSAN- C Stahl-Press- System M	M 15 45° (PR-2B) M 18 45° (PR-2B) M 22 45° (PR-2B) M 28 45° (PR-2B) M 35 45° (PR-2B)		574522 574524 574526 574528 574530
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	M 15 M 18 M 22 M 28 M 35		578312 578314 578316 578318 578390
POLYSAN- Edelstahl Press-System 1.4520	M 15 45° (PR-2B) M 18 45° (PR-2B) M 22 45° (PR-2B) M 28 45° (PR-2B) M 35 45° (PR-2B)		574522 574524 574526 574528 574530
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	M 15 M 18 M 22 M 28 M 35		578312 578314 578316 578318 578390
POLYSAN- Edelstahl Press-System Gas	M 15 45° (PR-2B) M 18 45° (PR-2B) M 22 45° (PR-2B) M 28 45° (PR-2B) M 35 45° (PR-2B)		574522 574524 574526 574528 574530
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	M 15 M 18 M 22 M 28 M 35		578312 578314 578316 578318 578390
POLYSAN- Edelstahl Press-System	M 15 45° (PR-2B) M 18 45° (PR-2B) M 22 45° (PR-2B) M 28 45° (PR-2B) M 35 45° (PR-2B)		574522 574524 574526 574528 574530
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	TH 14 TH 16 TH 17 TH 18 TH 20		578348 578352 578354 578356 578358
POLYSAN- Press-System	TH 16 TH 20 TH 26 TH 32		578362 578364 578362 578624

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Österreich)	TH 14		578348
	TH 16		578352
	TH 17		578354
	TH 18		578356
	TH 20		578358
	TH 26		578362
POLYSAN-Henco-Press-System	HE 32		578370
	HEz 40 <sup>3)</sup>		578572
POLYSAN (España) „Rainbow“	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
Prandelli Multyrama Pf	H 14		578398
	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
	U 40		578386
Prandelli Multyrama Pfm	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	U 16		578374
	U 18		578376
U 20		578378	
U 40		578386	
PURMO Cleverfit Radial	F 16		578456
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 45° (PR-2B)	Mini Z1	574550
	F 20 45° (PR-2B)	Mini Z1	574552
	F 26 45° (PR-2B)	Mini Z1	574554
	F 32 45° (PR-2B)	Mini Z1	574556
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 14		578348
	TH 16		578352
	TH 17		578354
	TH 20		578358
	TH 26		578362
TH 32		578364	
TH 40		578624	
U 16		578374	
U 20		578378	
U 32		578382	
VP 16		578482	
VP 20		578484	
VP 32		578488	
<b>R</b>			
Raccorderie Metalliche aesPRES <sup>1)</sup>	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526
	M 28 45° (PR-2B)	Mini Z1	574528
	M 35 45° (PR-2B)	Mini Z1	574530
Raccorderie Metalliche inoxPRES <sup>1)</sup>	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526
	M 28 45° (PR-2B)	Mini Z1	574528
	M 35 45° (PR-2B)	Mini Z1	574530
Raccorderie Metalliche MARINEPRES <sup>1)</sup>	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526
	M 28 45° (PR-2B)	Mini Z1	574528
	M 35 45° (PR-2B)	Mini Z1	574530
Raccorderie Metalliche steelpRES <sup>1)</sup>	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526
	M 28 45° (PR-2B)	Mini Z1	574528
	M 35 45° (PR-2B)	Mini Z1	574530

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
RBM Tita-fix	B 14		578466
	B 16		578468
	B 18		578470
	B 20		578472
	B 26		578474
	F 16		578456
	F 18		578458
	F 20		578460
	F 16 45° (PR-2B)	Mini Z1	574550
	F 20 45° (PR-2B)	Mini Z1	574552
	H 14		578398
	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
	H 40		578386
	TH 14		578348
	TH 16		578352
	TH 18		578354
TH 20		578358	
TH 26		578362	
TH 32		578364	
TH 40		578624	
U 14		578372	
U 16		578374	
U 18		578376	
U 20		578378	
RBM Tita-gas	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
Redi Nicoll Fluxo	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
Redi Nicoll Fluxo Gas	TH 16		578352
	TH 20		578358
	TH 26		578362
RIFENG LD PRESS FITTING (F8)	LD 16		578652
	LD 20		578654
	LD 25		578656
RIFENG U PRESS FITTING (F5)	U 14		578372
	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
RIFENG TH PRESS FITTING (F9)	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 26		578362
RIQUIER A SERTIR	RFz 12		578490
	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
Roth PressCheck	RN 14		578434
	RN 16		578454
	RN 17		578436
	RN 20		578438
	RN 25/26		578440
Roth Ibérica Rothapress	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 25		578360
Rubinetteria Bresciane Bonomi TURBO INOX	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526
	M 28 45° (PR-2B)	Mini Z1	574528
	M 35 45° (PR-2B)	Mini Z1	574530
Rubinetteria Bresciane Bonomi TURBO STEEL	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526
	M 28 45° (PR-2B)	Mini Z1	574528
	M 35 45° (PR-2B)	Mini Z1	574530
Rubinetteria Bresciane Bonomi TURBO PRESS	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
Rubinetteria Bresciane Bonomi TURBO PRESS GAS	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
			578624

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1<sup>st</sup> quarter of 2008), "208" (2<sup>nd</sup> quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Only pressing tongs from designation "117" (1<sup>st</sup> quarter of 2017), "217" (2<sup>nd</sup> quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 14.10.2020. For the updated situation regarding suitability status check our website: [www.rems.de](http://www.rems.de) → Downloads → Product catalogues, brochures → REMS Catalogue.

See page 166 for adapter tongs. Pressing tongs for additional pressfitting systems on request.



# REMS pressing tongs Mini

## REMS pressing rings

### Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
<b>S</b>				
SA.MI plastic	TH 14		578348	
	TH 16		578352	
	TH 18		578356	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
SA.MI plastic Multistrato Gas	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	SANHA 3Hit-Press Pb-free Serie 25000	B 16		578468
		B 20		578472
B 26			578474	
B 32			578476	
F 16			578456	
F 20			578460	
F 26			578462	
F 32			578464	
Fz 40			578478	
F 16 45° (PR-2B)		Mini Z1	574550	
F 20 45° (PR-2B)		Mini Z1	574552	
F 26 45° (PR-2B)		Mini Z1	574554	
F 32 45° (PR-2B)		Mini Z1	574556	
H 16			578400	
H 20			578406	
H 26			578410	
H 32			578412	
TH 16			578352	
TH 20			578358	
TH 26			578362	
TH 32			578364	
TH 40			578624	
U 16			578374	
U 20			578378	
C 26			578392	
U 32			578382	
U 40		578386		
SANHA 3Hit-Press PPSU Serie 35000	B 16		578468	
	B 20		578472	
	B 26		578474	
	B 32		578476	
	F 16		578456	
	F 20		578460	
	F 26		578462	
	F 32		578464	
	F 16 45° (PR-2B)	Mini Z1	574550	
	F 20 45° (PR-2B)	Mini Z1	574552	
	F 26 45° (PR-2B)	Mini Z1	574554	
	F 32 45° (PR-2B)	Mini Z1	574556	
	H 16		578400	
	H 20		578406	
	H 26		578410	
	H 32		578412	
	TH 16		578352	
	TH 20		578358	
TH 26		578362		
TH 32		578364		
U 16		578374		
U 20		578378		
C 26		578392		
U 32		578382		
SANHA-NiroSan Gas Presssystem Serie 17000	SA 15		578514	
	SA 18		578518	
	SA 22		578520	
	SA 28		578522	
	M 15 <sup>1)</sup>		578312	
	M 18 <sup>1)</sup>		578314	
	M 22 <sup>1)</sup>		578316	
	M 28		578318	
	M 35		578390	
	M 15 45° (PR-2B)	Mini Z1	574522	
	M 18 45° (PR-2B)	Mini Z1	574524	
	M 22 45° (PR-2B)	Mini Z1	574526	
	M 28 45° (PR-2B)	Mini Z1	574528	
	M 35 45° (PR-2B)	Mini Z1	574530	
	V 15 <sup>1)</sup>		578328	
	V 18 <sup>1)</sup>		578332	
	V 22 <sup>1)</sup>		578334	
	V 28		578336	
	V 35		578604	
	V 15 45° (PR-2B)	Mini Z1	574504	
	V 18 45° (PR-2B)	Mini Z1	574506	
	V 22 45° (PR-2B)	Mini Z1	574508	
V 28 45° (PR-2B)	Mini Z1	574510		
V 35 45° (PR-2B)	Mini Z1	574512		
SANHA-NiroSan Industry Presssystem Serie 18000	SA 15		578514	
	SA 18		578518	
	SA 22		578520	
	SA 28		578522	
	M 15 <sup>1)</sup>		578312	
	M 18 <sup>1)</sup>		578314	
	M 22 <sup>1)</sup>		578316	
	M 28		578318	
	M 35		578390	
	M 15 45° (PR-2B)	Mini Z1	574522	
	M 18 45° (PR-2B)	Mini Z1	574524	
	M 22 45° (PR-2B)	Mini Z1	574526	
	M 28 45° (PR-2B)	Mini Z1	574528	
	M 35 45° (PR-2B)	Mini Z1	574530	
	V 15 <sup>1)</sup>		578328	
	V 18 <sup>1)</sup>		578332	
	V 22 <sup>1)</sup>		578334	
	V 28		578336	
	V 35		578604	
	V 15 45° (PR-2B)	Mini Z1	574504	
	V 18 45° (PR-2B)	Mini Z1	574506	
	V 22 45° (PR-2B)	Mini Z1	574508	
V 28 45° (PR-2B)	Mini Z1	574510		
V 35 45° (PR-2B)	Mini Z1	574512		

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
SANHA-NiroSan-Presssystem Serie 9000	SA 15		578514
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 15 <sup>1)</sup>		578312
	M 18 <sup>1)</sup>		578314
	M 22 <sup>1)</sup>		578316
	M 28		578318
	M 35		578390
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526
	M 28 45° (PR-2B)	Mini Z1	574528
	M 35 45° (PR-2B)	Mini Z1	574530
	V 15 <sup>1)</sup>		578328
	V 18 <sup>1)</sup>		578332
	V 22 <sup>1)</sup>		578334
	V 28		578336
	V 35		578604
	V 15 45° (PR-2B)	Mini Z1	574504
V 18 45° (PR-2B)	Mini Z1	574506	
V 22 45° (PR-2B)	Mini Z1	574508	
V 28 45° (PR-2B)	Mini Z1	574510	
V 35 45° (PR-2B)	Mini Z1	574512	
SANHA-NiroSan SF Presssystem Serie 19000 (silicone free)	SA 15		578514
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 15 <sup>1)</sup>		578312
	M 18 <sup>1)</sup>		578314
	M 22 <sup>1)</sup>		578316
	M 28		578318
	M 35		578390
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526
	M 28 45° (PR-2B)	Mini Z1	574528
	M 35 45° (PR-2B)	Mini Z1	574530
	V 15 <sup>1)</sup>		578328
	V 18 <sup>1)</sup>		578332
	V 22 <sup>1)</sup>		578334
	V 28		578336
	V 35		578604
	V 15 45° (PR-2B)	Mini Z1	574504
V 18 45° (PR-2B)	Mini Z1	574506	
V 22 45° (PR-2B)	Mini Z1	574508	
V 28 45° (PR-2B)	Mini Z1	574510	
V 35 45° (PR-2B)	Mini Z1	574512	
SANHA NiroTherm Serie 91000	SA 15		578514
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 15 <sup>1)</sup>		578312
	M 18 <sup>1)</sup>		578314
	M 22 <sup>1)</sup>		578316
	M 28		578318
	M 35		578390
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526
	M 28 45° (PR-2B)	Mini Z1	574528
	M 35 45° (PR-2B)	Mini Z1	574530
SANHA NiroTherm Industry Serie 98000	SA 15		578514
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 15 <sup>1)</sup>		578312
	M 18 <sup>1)</sup>		578314
	M 22 <sup>1)</sup>		578316
	M 28		578318
	M 35		578390
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526
	M 28 45° (PR-2B)	Mini Z1	574528
	M 35 45° (PR-2B)	Mini Z1	574530
	V 15 <sup>1)</sup>		578328
	V 18 <sup>1)</sup>		578332
	V 22 <sup>1)</sup>		578334
	V 28		578336
	V 35		578604
	V 15 45° (PR-2B)	Mini Z1	574504
	V 18 45° (PR-2B)	Mini Z1	574506
	V 22 45° (PR-2B)	Mini Z1	574508
V 28 45° (PR-2B)	Mini Z1	574510	
V 35 45° (PR-2B)	Mini Z1	574512	

# REMS pressing tongs Mini REMS pressing rings

## Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
SANHA-Press Chrom Serie 16000	SA 12		578510	SANHA-Press SOLAR Pressfittings Serie 12000/ Serie 13000	SA 12		578510
	SA 15		578514		SA 15		578514
	SA 18		578518		SA 18		578518
	SA 22		578520		SA 22		578520
	SA 28		578522		SA 28		578522
	M 12		578310		M 12		578310
	M 15 <sup>1)</sup>		578312		M 15 <sup>1)</sup>		578312
	M 18 <sup>1)</sup>		578314		M 18 <sup>1)</sup>		578314
	M 22 <sup>1)</sup>		578316		M 22 <sup>1)</sup>		578316
	M 28		578318		M 28		578318
	M 12 45° (PR-2B)	Mini Z1	574520		M 35		578390
	M 15 45° (PR-2B)	Mini Z1	574522		M 12 45° (PR-2B)	Mini Z1	574520
	M 18 45° (PR-2B)	Mini Z1	574524		M 15 45° (PR-2B)	Mini Z1	574522
	M 22 45° (PR-2B)	Mini Z1	574526		M 18 45° (PR-2B)	Mini Z1	574524
	M 28 45° (PR-2B)	Mini Z1	574528		M 22 45° (PR-2B)	Mini Z1	574526
	V 12		578324		M 28 45° (PR-2B)	Mini Z1	574528
	V 15 <sup>1)</sup>		578328		M 35 45° (PR-2B)	Mini Z1	574530
	V 18 <sup>1)</sup>		578332		V 12		578324
	V 22 <sup>1)</sup>		578334		V 15 <sup>1)</sup>		578328
	V 28		578336		V 18 <sup>1)</sup>		578332
	V 12 45° (PR-2B)	Mini Z1	574502		V 22 <sup>1)</sup>		578334
	V 15 45° (PR-2B)	Mini Z1	574504		V 28		578336
	V 18 45° (PR-2B)	Mini Z1	574506		V 35		578604
	V 22 45° (PR-2B)	Mini Z1	574508		V 12 45° (PR-2B)	Mini Z1	574502
	V 28 45° (PR-2B)	Mini Z1	574510		V 15 45° (PR-2B)	Mini Z1	574504
					V 18 45° (PR-2B)	Mini Z1	574506
					V 22 45° (PR-2B)	Mini Z1	574508
			V 28 45° (PR-2B)	Mini Z1	574510		
			V 35 45° (PR-2B)	Mini Z1	574512		
SANHA-Press GAS Pressfittings Serie 10000/ Serie 11000	SA 12		578510	SANHA PURAPRESS Serie 8000	SA 12		578510
	SA 14		578512		SA 14		578512
	SA 15		578514		SA 15		578514
	SA 16		578516		SA 16		578516
	SA 18		578518		SA 18		578518
	SA 22		578520		SA 22		578520
	SA 28		578522		SA 28		578522
	M 12		578310		M 12 <sup>1)</sup>		578310
	M 15 <sup>1)</sup>		578312		M 15 <sup>1)</sup>		578312
	M 18 <sup>1)</sup>		578314		M 18 <sup>1)</sup>		578314
	M 22 <sup>1)</sup>		578316		M 22 <sup>1)</sup>		578316
	M 28		578318		M 28 <sup>1)</sup>		578318
	M 35		578390		M 35 <sup>1)</sup>		578390
	M 12 45° (PR-2B)	Mini Z1	574520		M 12 45° (PR-2B)	Mini Z1	574520
	M 15 45° (PR-2B)	Mini Z1	574522		M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524		M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526		M 22 45° (PR-2B)	Mini Z1	574526
	M 28 45° (PR-2B)	Mini Z1	574528		M 28 45° (PR-2B)	Mini Z1	574528
	M 35 45° (PR-2B)	Mini Z1	574530		M 35 45° (PR-2B)	Mini Z1	574530
	V 12		578324		V 12		578324
	V 14		578326		V 14		578326
	VG 16		578340		VG 14		578338
	V 15 <sup>1)</sup>		578328		V 15 <sup>1)</sup>		578328
	V 16		578330		V 16		578330
	VG 16		578340		VG 16		578340
	V 18 <sup>1)</sup>		578332		V 18 <sup>1)</sup>		578332
	V 22 <sup>1)</sup>		578334		V 22 <sup>1)</sup>		578334
	V 28		578336		V 28		578336
	V 35		578604		V 28		578336
	V 12 45° (PR-2B)	Mini Z1	574502		V 35		578604
	VG 14 45° (PR-2B)	Mini Z1	574536		V 12 45° (PR-2B)	Mini Z1	574502
	V 15 45° (PR-2B)	Mini Z1	574504		VG 14 45° (PR-2B)	Mini Z1	574536
	VG 16 45° (PR-2B)	Mini Z1	574538		V 15 45° (PR-2B)	Mini Z1	574504
	V 18 45° (PR-2B)	Mini Z1	574506		VG 16 45° (PR-2B)	Mini Z1	574538
	V 22 45° (PR-2B)	Mini Z1	574508		V 18 45° (PR-2B)	Mini Z1	574506
	V 28 45° (PR-2B)	Mini Z1	574510		V 22 45° (PR-2B)	Mini Z1	574508
V 35 45° (PR-2B)	Mini Z1	574512	V 28 45° (PR-2B)	Mini Z1	574510		
			V 35 45° (PR-2B)	Mini Z1	574512		
SANHA-Press Pressfittings Serie 6000	SA 12		578510	SANHA-Therm Serie 24000	SA 12		578510
	SA 14		578512		SA 15		578514
	SA 15		578514		SA 18		578518
	SA 16		578516		SA 22		578520
	SA 18		578518		SA 28		578522
	SA 22		578520		M 12		578310
	SA 28		578522		M 15 <sup>1)</sup>		578312
	M 12		578310		M 18 <sup>1)</sup>		578314
	M 15 <sup>1)</sup>		578312		M 22 <sup>1)</sup>		578316
	M 18 <sup>1)</sup>		578314		M 28		578318
	M 22 <sup>1)</sup>		578316		M 35		578390
	M 28		578318		M 12 45° (PR-2B)	Mini Z1	574520
	M 35		578390		M 15 45° (PR-2B)	Mini Z1	574522
	M 12 45° (PR-2B)	Mini Z1	574520		M 18 45° (PR-2B)	Mini Z1	574524
	M 15 45° (PR-2B)	Mini Z1	574522		M 22 45° (PR-2B)	Mini Z1	574526
	M 18 45° (PR-2B)	Mini Z1	574524		M 28 45° (PR-2B)	Mini Z1	574528
	M 22 45° (PR-2B)	Mini Z1	574526		M 35 45° (PR-2B)	Mini Z1	574530
	M 28 45° (PR-2B)	Mini Z1	574528		V 12		578324
	M 35 45° (PR-2B)	Mini Z1	574530		V 15 <sup>1)</sup>		578328
	V 12		578324		V 18 <sup>1)</sup>		578332
	V 14		578326		V 22 <sup>1)</sup>		578334
	VG 14		578338		V 28		578336
	V 15 <sup>1)</sup>		578328		V 35		578604
	V 16		578330		V 12 45° (PR-2B)	Mini Z1	574502
	VG 16		578340		V 15 45° (PR-2B)	Mini Z1	574504
	V 18 <sup>1)</sup>		578332		V 18 45° (PR-2B)	Mini Z1	574506
	V 22 <sup>1)</sup>		578334		V 22 45° (PR-2B)	Mini Z1	574508
	V 28		578336		V 28 45° (PR-2B)	Mini Z1	574510
	V 35		578604		V 35 45° (PR-2B)	Mini Z1	574512
	V 12 45° (PR-2B)	Mini Z1	574502				
	VG 14 45° (PR-2B)	Mini Z1	574536				
	V 15 45° (PR-2B)	Mini Z1	574504				
	VG 16 45° (PR-2B)	Mini Z1	574538				
	V 18 45° (PR-2B)	Mini Z1	574506				
	V 22 45° (PR-2B)	Mini Z1	574508				
	V 28 45° (PR-2B)	Mini Z1	574510				
V 35 45° (PR-2B)	Mini Z1	574512					

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1<sup>st</sup> quarter of 2008), "208" (2<sup>nd</sup> quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Only pressing tongs from designation "117" (1<sup>st</sup> quarter of 2017), "217" (2<sup>nd</sup> quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 14.10.2020. For the updated situation regarding suitability status check our website: [www.rems.de](http://www.rems.de) → Downloads → Product catalogues, brochures → REMS Catalogue.

See page 166 for adapter tongs. Pressing tongs for additional pressfitting systems on request.

# REMS pressing tongs Mini

## REMS pressing rings

### Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
SANHA-Therm Industry Serie 28000	SA 12		578510
	SA 15		578514
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 12		578310
	M 15 <sup>1)</sup>		578312
	M 18 <sup>1)</sup>		578314
	M 22 <sup>1)</sup>		578316
	M 28		578318
	M 35		578390
	M 12 45° (PR-2B)	Mini Z1	574520
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526
	M 28 45° (PR-2B)	Mini Z1	574528
	M 35 45° (PR-2B)	Mini Z1	574530
	V 12		578324
	V 15 <sup>1)</sup>		578328
	V 18 <sup>1)</sup>		578332
	V 22 <sup>1)</sup>		578334
	V 28		578336
	V 35		578604
	V 12 45° (PR-2B)	Mini Z1	574502
	V 15 45° (PR-2B)	Mini Z1	574504
	V 18 45° (PR-2B)	Mini Z1	574506
	V 22 45° (PR-2B)	Mini Z1	574508
	V 28 45° (PR-2B)	Mini Z1	574510
	V 35 45° (PR-2B)	Mini Z1	574512
	SANITOP PERMATUBO INOX	M 15	
M 18			578314
M 22			578316
M 28			578318
M 35			578390
M 15 45° (PR-2B)		Mini Z1	574522
M 18 45° (PR-2B)		Mini Z1	574524
M 22 45° (PR-2B)		Mini Z1	574526
M 28 45° (PR-2B)		Mini Z1	574528
M 35 45° (PR-2B)		Mini Z1	574530
SANPRO THPRESS	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
SATEC SK VII Term	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	U 40		578386
Schütz duo-flex tri-o-flex	TH 14		578348
	TH 16		578352
	TH 17		578354
	TH 20		578358
	TH 25		578360
Schwer Fittings AQUApress	M 12		578310
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 45° (PR-2B)	Mini Z1	574520
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526
	M 28 45° (PR-2B)	Mini Z1	574528
	M 35 45° (PR-2B)	Mini Z1	574530
	Seppelfricke VSH SudoPress C-Stahl Visu-Control	V 12	
V 15			578328
V 18			578332
V 22			578334
V 28			578336
V 35			578604
V 12 45° (PR-2B)		Mini Z1	574502
V 15 45° (PR-2B)		Mini Z1	574504
V 18 45° (PR-2B)		Mini Z1	574506
V 22 45° (PR-2B)		Mini Z1	574508
V 28 45° (PR-2B)		Mini Z1	574510
V 35 45° (PR-2B)		Mini Z1	574512
Seppelfricke VSH SudoPress C-Stahl Visu-Control		V 12	
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 45° (PR-2B)	Mini Z1	574502
	V 15 45° (PR-2B)	Mini Z1	574504
	V 18 45° (PR-2B)	Mini Z1	574506
	V 22 45° (PR-2B)	Mini Z1	574508
	V 28 45° (PR-2B)	Mini Z1	574510
	V 35 45° (PR-2B)	Mini Z1	574512
	Seppelfricke VSH SudoPress Kupfer Visu-Control	V 12	
V 15			578328
V 18			578332
V 22			578334
V 28			578336
V 35			578604
V 12 45° (PR-2B)		Mini Z1	574502
V 15 45° (PR-2B)		Mini Z1	574504
V 18 45° (PR-2B)		Mini Z1	574506
V 22 45° (PR-2B)		Mini Z1	574508
V 28 45° (PR-2B)		Mini Z1	574510
V 35 45° (PR-2B)		Mini Z1	574512
Seppelfricke VSH SudoPress Kupfer Gas Visu-Control		V 12	
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 45° (PR-2B)	Mini Z1	574502
	V 15 45° (PR-2B)	Mini Z1	574504
	V 18 45° (PR-2B)	Mini Z1	574506
	V 22 45° (PR-2B)	Mini Z1	574508
	V 28 45° (PR-2B)	Mini Z1	574510
	V 35 45° (PR-2B)	Mini Z1	574512

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
Seppelfricke VSH SudoPress Kupfer Solar Visu-Control	V 15		578328	
	V 18		578332	
	V 22		578334	
	V 15 45° (PR-2B)	Mini Z1	574504	
	V 18 45° (PR-2B)	Mini Z1	574506	
	V 22 45° (PR-2B)	Mini Z1	574508	
	Seppelfricke VSH XPress C-Stahl	M 12		578310
		M 15		578312
		M 18 <sup>1)</sup>		578314
		M 22		578316
M 28 <sup>1)</sup>			578318	
M 35			578390	
M 12 45° (PR-2B)		Mini Z1	574520	
M 15 45° (PR-2B)		Mini Z1	574522	
M 18 45° (PR-2B)		Mini Z1	574524	
M 22 45° (PR-2B)		Mini Z1	574526	
Seppelfricke VSH XPress Edelstahl	M 15		578312	
	M 18 <sup>1)</sup>		578314	
	M 22		578316	
	M 28 <sup>1)</sup>		578318	
	M 35		578390	
	M 15 45° (PR-2B)	Mini Z1	574522	
	M 18 45° (PR-2B)	Mini Z1	574524	
	M 22 45° (PR-2B)	Mini Z1	574526	
	M 28 45° (PR-2B)	Mini Z1	574528	
	M 35 45° (PR-2B)	Mini Z1	574530	
Seppelfricke VSH XPress Edelstahl gas	M 15		578312	
	M 18 <sup>1)</sup>		578314	
	M 22		578316	
	M 28 <sup>1)</sup>		578318	
	M 35		578390	
	Seppelfricke VSH XPress Kupfer	M 12		578310
		M 15		578312
		M 18 <sup>1)</sup>		578314
		M 22		578316
		M 28 <sup>1)</sup>		578318
M 35			578390	
M 12 45° (PR-2B)		Mini Z1	574520	
M 15 45° (PR-2B)		Mini Z1	574522	
M 18 45° (PR-2B)		Mini Z1	574524	
M 22 45° (PR-2B)		Mini Z1	574526	
Seppelfricke VSH XPress Kupfer gas	M 15		578312	
	M 18 <sup>1)</sup>		578314	
	M 22		578316	
	M 28 <sup>1)</sup>		578318	
	M 35		578390	
	SESTA SESTA GAS	TH 14		578348
		TH 16		578352
		TH 20		578358
		TH 26		578362
		TH 32		578364
SESTA sistema multistrato		H 16		578400
	H 20		578406	
	TH 14		578348	
	TH 16		578352	
	TH 18		578356	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	U 16		578374	
SIGMA LI Premium	TH 16		578352	
	TH 20		578358	
	TH 25		578360	
	TH 32		578364	
	U 16		578374	
	U 20		578378	
	U 25		578380	
	U 32		578382	
	SLOVARM PEX-THERM	U 16		578374
		U 20		578378
H 26			578410	
U 32			578382	
H 16			578400	
H 20			578406	
H 26			578410	
H 32			578412	
STANDARD HIDRAULICA MultiStandard		H 16		578400
		H 20		578406
	H 25		578408	
	H 32		578412	
	RFz 16		578492	
	RFz 20		578494	
	RFz 25		578496	
	RFz 32		578498	
	TH 16		578352	
	TH 20		578358	
STELBI Polikraft	TH 25		578360	
	TH 32		578364	
	U 16		578374	
	U 18		578376	
	U 20		578378	
	U 25		578380	
	U 32		578382	
	U 40		578386	
	H 16		578400	
	H 20		578406	
H 26		578410		
TH 16		578352		
TH 20		578358		
TH 26		578362		
TH 32		578364		
TH 40		578624		
U 16		578374		
U 20		578378		

# REMS pressing tongs Mini REMS pressing rings

## Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
STELBI Steigas	TH 16		578352
	TH 20		578358
	TH 26		578362
STPC STPEX	TH 16		578352
	TH 20		578358
	TH 26		578362
System Ewoprex	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	U 16		578374
	U 20		578378
	U 32		578382
System WELCO-Gas	H 16 A		578420
	H 20 A		578426
	H 26 A		578430
	H 32 A		578432
System WOPREX	H 14 A		578418
	H 16 A		578420
	H 17 A		578422
	H 20 A		578426
	H 26 A		578430
	H 32 A		578432
<b>T</b>			
TDM BRASS Serie 1600	H 16		578400
	H 18		578404
	H 20		578406
	H 25		578408
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 26		578362
	THL 32		578368
	TH 40		578624
	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
C 26		578392	
U 32		578382	
TDM BRASS Serie 1700 gas	TH 16		578352
	TH 20		578358
	TH 26		578362
	THL 32		578368
	Basic E01 <sup>1)</sup>		578618
TermoConcept TC-PRESS			
THERMOLUTZ	H 14		578398
	H 16		578400
	TH 20		578358
TE-SA TE-SA press serie 800	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
TH 40		578624	
TIEMME AL-COBRAPEX Serie 1650	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 26		578362
	THL 32		578368
TH 40		578624	
TIEMME Serie 1700 PE-X a pressare	RFz 12		578490
	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
TIEMME TIEMME Gas	TH 16		578352
	TH 20		578358
	TH 26		578362
	THL 32		578368
TIGRE ALPEX GÁS	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
TKM Systemtechnik	TH 14		578348
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
TRA MULTITRAPRESS	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
TRA TRAPRESS	H 12		578396
	H 16		578400
	H 20		578406
	H 25		578408
	H 32		578412
	RFz 12		578490
	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
TUBIPLAST ITALY MULTILAYER PIPE	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
TUBIPLAST ITALY MULTILAYER PIPE GAS SYSTEM	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
TWEETOP	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
<b>U</b>			
UNICAL AG MAX-MULTIPEX	U 16		578374
	U 20		578378
	H 26		578410
	C 26		578392
	U 32		578382
UNIDELTA DeltAll	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	H 16		578400
UNIDELTA DeltAll GAS	H 20		578406
	H 26		578410
	H 32		578412
	U 16		578374
	U 20		578378
	U 32		578382
	U 40		578386
	TH 16		578352
Uponor MLC	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	U 16		578374
	U 20		578378
Uponor MLC-D	UP 14		578576
	UP 16		578578
	UP 18		578580
	UP 20		578582
	UP 25		578584
	UP 32		578586
Uponor MLC-G	UP 16		578578
	UP 20		578582
	UP 25		578584
	UP 32		578586
Uponor S-Press PLUS	UP 16		578578
	UP 20		578582
	UP 25		578584
	UP 32		578586
Uponor Uni Pipe PLUS	UP 16		578578
	UP 20		578582
	UP 25		578584
	UP 32		578586

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1<sup>st</sup> quarter of 2008), "208" (2<sup>nd</sup> quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Only pressing tongs from designation "117" (1<sup>st</sup> quarter of 2017), "217" (2<sup>nd</sup> quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 14.10.2020. For the updated situation regarding suitability status check our website: [www.rems.de](http://www.rems.de) → Downloads → Product catalogues, brochures → REMS Catalogue.

See page 166 for adapter tongs. Pressing tongs for additional pressfitting systems on request.

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
<b>V</b>			
Valsir Bravopress	B 16 B 20 B 26 B 32 F 16 F 20 F 26 F 16 45° (PR-2B) F 20 45° (PR-2B) F 26 45° (PR-2B) H 16 H 20 H 26 H 32 H 32 V TH 16 TH 20 TH 26 TH 32 U 16 U 20 C 26 U 32		578468 578472 578474 578476 578456 578460 578462 574550 574552 574554 578400 578406 578410 578412 578602 578352 578358 578362 578364 578374 578378 578392 578382
Valsir PEXAL	H 14 H 16 H 20 H 26 H 32 H 32 V TH 16 TH 20 TH 26 TH 32 U 16 U 20 C 26 U 32		578398 578400 578406 578410 578412 578602 578352 578358 578362 578364 578374 578378 578392 578382
Van Marcke NV Tubipex	TH 16 TH 17 TH 20 TH 26 TH 32 TH 40		578352 578354 578358 578362 578364 578624
Van Marcke NV Tubipress	M 12 M 15 M 18 M 22 M 28 M 35 M 12 45° (PR-2B) M 15 45° (PR-2B) M 18 45° (PR-2B) M 22 45° (PR-2B) M 28 45° (PR-2B) M 35 45° (PR-2B)		578310 578312 578314 578316 578318 578390 574520 574522 574524 574526 574528 574530
Variotherm System TH	TH 11,6 TH 16 TH 20		578344 578352 578358
VESBO VPREMIUM	U 16 U 20 U 25 U 32 U 40		578374 578378 578380 578382 578386
Viega Fonterra	VX 12 VP 14/15 VP 16/17 VP 20 VP 25		578550 578480 578482 578484 578486
Viega Megapress	VMP ½" (OD 17,2 mm) VMP ½" (OD 21,3 mm)		578660 578662
Viega MegapressS	VMP ¾" (OD 17,2 mm) VMP ¾" (OD 21,3 mm)		578660 578662
Viega Pexfit	VX 16 VX 20 VX 25		578552 578554 578556
Viega Pexfit Fosta G	VX 16 VX 20 VX 25		578552 578554 578556
Viega Prestabo	V 12 V 15 V 18 V 22 V 28 V 12 45° (PR-2B) V 15 45° (PR-2B) V 18 45° (PR-2B) V 22 45° (PR-2B) V 28 45° (PR-2B)		578324 578328 578332 578334 578336 574502 574504 574506 574508 574510
Viega Profipress	V 12 VG 14 V 15 VG 16 V 18 V 22 V 28 V 35 V 12 45° (PR-2B) VG 14 45° (PR-2B) V 15 45° (PR-2B) VG 16 45° (PR-2B) V 18 45° (PR-2B) V 22 45° (PR-2B) V 28 45° (PR-2B) V 35 45° (PR-2B)		578324 578338 578328 578340 578332 578334 578336 578604 574502 574536 574504 574538 574506 574508 574510 574512

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
Viega Profipress G	V 12 VG 14 V 15 VG 16 V 18 V 22 V 28 V 35 V 12 45° (PR-2B) VG 14 45° (PR-2B) V 15 45° (PR-2B) VG 16 45° (PR-2B) V 18 45° (PR-2B) V 22 45° (PR-2B) V 28 45° (PR-2B) V 35 45° (PR-2B)		578324 578338 578328 578340 578332 578334 578336 578604 574502 574536 574504 574538 574506 574508 574510 574512
Viega Profipress S	V 12 V 15 V 18 V 22 V 28 V 35 V 12 45° (PR-2B) V 15 45° (PR-2B) V 18 45° (PR-2B) V 22 45° (PR-2B) V 28 45° (PR-2B) V 35 45° (PR-2B)		578324 578328 578332 578334 578336 578604 574502 574504 574506 574508 574510 574512
Viega Profipress Therm	V 12 V 15 V 18 V 22 V 12 45° (PR-2B) V 15 45° (PR-2B) V 18 45° (PR-2B) V 22 45° (PR-2B)		578324 578328 578332 578334 574502 574504 574506 574508
Viega ProPress System USA	VUS ½" (OD 15,9 mm) VUS ¾" (OD 22,2 mm) VUS 1" (OD 28,6 mm) VUS 1¼" (OD 34,9 mm)		578566 578568 578570 578606
Viega Propress WATER System AUS	VAU 15 (OD 12,7 mm) VAU 20 (OD 19,1 mm) VAU 25 (OD 25,4 mm) VAU 32 (OD 31,8 mm)		578630 578632 578634 578636
Viega PropressG GAS System AUS	VAU 15 (OD 12,7 mm) VAU 20 (OD 19,1 mm) VAU 25 (OD 25,4 mm) VAU 32 (OD 31,8 mm)		578630 578632 578634 578636
Viega Raxinox	VRX 16 VRX 20		578640 578642
Viega Raxofix	VRX 16 VRX 20 VRX 25 VRX 32		578640 578642 578644 578646
Viega Sanfix	VP 16/17 VP 20 VP 25 VP 32		578482 578484 578486 578488
Viega Sanfix Fosta	VP 16/17 VP 20 VP 25 VP 32		578482 578484 578486 578488
Viega Sanpress	V 12 V 15 V 18 V 22 V 28 V 35 V 12 45° (PR-2B) V 15 45° (PR-2B) V 18 45° (PR-2B) V 22 45° (PR-2B) V 28 45° (PR-2B) V 35 45° (PR-2B)		578324 578328 578332 578334 578336 578604 574502 574504 574506 574508 574510 574512
Viega Sanpress Inox	V 15 V 18 V 22 V 28 V 35 V 15 45° (PR-2B) V 18 45° (PR-2B) V 22 45° (PR-2B) V 28 45° (PR-2B) V 35 45° (PR-2B)		578328 578332 578334 578336 578604 574504 574506 574508 574510 574512
Viega Sanpress Inox G	V 15 V 18 V 22 V 28 V 35 V 15 45° (PR-2B) V 18 45° (PR-2B) V 22 45° (PR-2B) V 28 45° (PR-2B) V 35 45° (PR-2B)		578328 578332 578334 578336 578604 574504 574506 574508 574510 574512
Viega Smartpress	VX 16 VX 20 VX 25		578552 578554 578556
Viessmann	TH 14 TH 16 TH 20 TH 26 TH 32		578348 578352 578358 578362 578364
Vogel & Noot EASYTEC	TH 16 TH 20 TH 26 TH 32 TH 40		578352 578358 578362 578364 578624

# REMS pressing tongs Mini REMS pressing rings

## Accessories for REMS radial presses 22 kN

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
VSH MultiPress	U 14		578372	
	U 16		578374	
	U 20		578378	
	U 25		578380	
	U 32		578382	
	U 40		578386	
	TH 14		578348	
	TH 16		578352	
	TH 20		578358	
	TH 25		578360	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	VSH SudoPress Carbon	V 12		578324
V 15			578328	
V 18			578332	
V 22			578334	
V 28			578336	
V 35			578604	
V 12 45° (PR-2B)		Mini Z1	574502	
V 15 45° (PR-2B)		Mini Z1	574504	
V 18 45° (PR-2B)		Mini Z1	574506	
V 22 45° (PR-2B)		Mini Z1	574508	
VSH SudoPress Copper	V 12		578324	
	V 14		578326	
	V 15		578328	
	V 16		578330	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	V 12 45° (PR-2B)	Mini Z1	574502	
	V 14 45° (PR-2B)	Mini Z1	574532	
	V 15 45° (PR-2B)	Mini Z1	574504	
	V 16 45° (PR-2B)	Mini Z1	574534	
	V 18 45° (PR-2B)	Mini Z1	574506	
	V 22 45° (PR-2B)	Mini Z1	574508	
VSH SudoPress Copper Gas	V 12		578324	
	V 14		578326	
	V 15		578328	
	V 16		578330	
	V 18		578332	
	V 22		578334	
	V 28		578336	
	V 35		578604	
	VSH SudoPress Stainless	V 15		578328
		V 18		578332
V 22			578334	
V 28			578336	
V 35			578604	
V 15 45° (PR-2B)		Mini Z1	574504	
V 18 45° (PR-2B)		Mini Z1	574506	
V 22 45° (PR-2B)		Mini Z1	574508	
V 28 45° (PR-2B)		Mini Z1	574510	
V 35 45° (PR-2B)		Mini Z1	574512	
VSH XPress Carbon	M 12		578310	
	M 15		578312	
	M 18 <sup>1)</sup>		578314	
	M 22		578316	
	M 28 <sup>1)</sup>		578318	
	M 35		578390	
	M 12 45° (PR-2B)	Mini Z1	574520	
	M 15 45° (PR-2B)	Mini Z1	574522	
	M 18 45° (PR-2B)	Mini Z1	574524	
	M 22 45° (PR-2B)	Mini Z1	574526	
VSH XPress Copper	M 12		578310	
	M 15		578312	
	M 18 <sup>1)</sup>		578314	
	M 22		578316	
	M 28 <sup>1)</sup>		578318	
	M 35		578390	
	M 12 45° (PR-2B)	Mini Z1	574520	
	M 15 45° (PR-2B)	Mini Z1	574522	
	M 18 45° (PR-2B)	Mini Z1	574524	
	M 22 45° (PR-2B)	Mini Z1	574526	
VSH XPress Copper GAS	M 15		578312	
	M 18 <sup>1)</sup>		578314	
	M 22		578316	
	M 28 <sup>1)</sup>		578318	
	M 35		578390	

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
VSH XPress Stainless	M 15		578312
	M 18 <sup>1)</sup>		578314
	M 22		578316
	M 28 <sup>1)</sup>		578318
	M 35		578390
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
VSH XPress Stainless Gas	M 22 45° (PR-2B)	Mini Z1	574526
	M 28 45° (PR-2B)	Mini Z1	574528
	M 15		578312
	M 18 <sup>1)</sup>		578314
<b>W</b>	Watts MTR Art press	TH 16	578352
		TH 20	578358
		TH 26	578362
		TH 32	578364
	WATTS RADIANT	US ¾"	578534
		US ½"	578536
	Watts WaterPEX	US ¾"	578538
		US 1"	578540
	WATTS RADIANT	US ¾"	578534
		US ½"	578536
Watts RadiantPEX	US ¾"	578538	
	US 1"	578540	
Watts RadiantPEX	U 16 (½")	578374	
	U 20 (¾")	578378	
	U 25 (¾")	578380	
	U 32 (1")	578382	
	U 14	578372	
Wavin Tigris K1/M1	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	U 40	578386	
Wavin Tigris K5/M5	B 14	578466	
	B 16	578468	
	B 20	578472	
	B 32	578476	
	H 14	578398	
	H 16	578400	
	H 20	578406	
	H 25	578408	
	H 32	578412	
	TH 14	578348	
WeeConPress Alu	TH 16	578352	
	TH 20	578358	
	TH 25	578360	
	TH 32	578364	
	TH 40	578624	
	U 14	578372	
	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	U 40	578386	
	UP 14	578576	
	UP 16	578578	
	UP 20	578582	
UP 25	578584		
UP 32	578586		
WeeConPress Alu	M 12		578310
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 45° (PR-2B)	Mini Z1	574520
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526
	M 28 45° (PR-2B)	Mini Z1	574528
	M 35 45° (PR-2B)	Mini Z1	574530
	V 12		578324
	V 15		578328
V 18		578332	
V 22		578334	
V 28		578336	
V 35		578604	
V 12 45° (PR-2B)	Mini Z1	574502	
V 15 45° (PR-2B)	Mini Z1	574504	
V 18 45° (PR-2B)	Mini Z1	574506	
V 22 45° (PR-2B)	Mini Z1	574508	
V 28 45° (PR-2B)	Mini Z1	574510	
V 35 45° (PR-2B)	Mini Z1	574512	
WeeConPress Alu	SA 12		578510
	SA 15		578514
	SA 18		578518
	SA 22		578520
	SA 28		578522

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1<sup>st</sup> quarter of 2008), "208" (2<sup>nd</sup> quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Only pressing tongs from designation "117" (1<sup>st</sup> quarter of 2017), "217" (2<sup>nd</sup> quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 14.10.2020. For the updated situation regarding suitability status check our website: [www.rems.de](http://www.rems.de) → Downloads → Product catalogues, brochures → REMS Catalogue.

See page 166 for adapter tongs. Pressing tongs for additional pressfitting systems on request.

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.
WeeConPress C-Stahl	M 12		578310
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 45° (PR-2B)	Mini Z1	574520
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526
	M 28 45° (PR-2B)	Mini Z1	574528
	M 35 45° (PR-2B)	Mini Z1	574530
	WeeConPress Inox	M 12	
M 15			578312
M 18			578314
M 22			578316
M 28			578318
M 35			578390
M 12 45° (PR-2B)		Mini Z1	574520
M 15 45° (PR-2B)		Mini Z1	574522
M 18 45° (PR-2B)		Mini Z1	574524
M 22 45° (PR-2B)		Mini Z1	574526
M 28 45° (PR-2B)		Mini Z1	574528
M 35 45° (PR-2B)		Mini Z1	574530
WeeConPress Kupfer		M 12	
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 45° (PR-2B)	Mini Z1	574520
	M 15 45° (PR-2B)	Mini Z1	574522
	M 18 45° (PR-2B)	Mini Z1	574524
	M 22 45° (PR-2B)	Mini Z1	574526
	M 28 45° (PR-2B)	Mini Z1	574528
	M 35 45° (PR-2B)	Mini Z1	574530
	WeeConFlex MVR	H 16	
H 20			578406
H 26			578410
H 32			578412
U 40			578386
TH 16			578352
TH 20			578358
TH 26			578362
TH 32			578364
TH 40			578624
WEM	U 16		578374
	TH 14		578348
WIELAND cuprotherm CTX	TH 16		578352
	TH 18		578356
WKS-Press	TH 20		578358
	TH 26		578362
	TH 14		578348
	TH 16		578352
	TH 17		578354
	TH 20		578358
	TH 26		578362
WÜRTH Würth	TH 32		578364
	TH 40		578624
	TH 16		578352
	HE 32		578370

System	Pressing tongs / pressing rings	Driven by adapter tongs	Art.-No.	
<b>X</b>				
XtraConnect	F 16		578456	
	F 20		578460	
	F 26		578462	
	F 32		578464	
	F 16 45° (PR-2B)	Mini Z1	574550	
	F 20 45° (PR-2B)	Mini Z1	574552	
	F 26 45° (PR-2B)	Mini Z1	574554	
	F 32 45° (PR-2B)	Mini Z1	574556	
	H 16		578400	
	H 20		578406	
	H 26		578410	
	H 32		578412	
	TH 16		578352	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	(DN 26)	U 16		578374
U 20			578378	
U 25			578380	
U 32			578382	
VP 16			578482	
VP 20			578484	
VP 32			578488	
<b>Z</b>				
Zetaesse Multistrato EUROPEX		TH 14		578348
		TH 16		578352
	TH 18		578356	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	U 14		578372	
	U 16		578374	
	U 18		578376	
	U 20		578378	
Zetaesse Multistrato ISOPEX	TH 14		578348	
	TH 16		578352	
	TH 18		578356	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	U 14		578372	
	U 16		578374	
	U 18		578376	
	U 20		578378	
ZEWOTHERM Zewo Press Premium	TH 12		578346	
	TH 16		578352	
	TH 17		578354	
	TH 18		578356	
	TH 20		578358	
	TH 26		578362	
	TH 32		578364	
	TH 40		578624	
	ZEWOTHERM Zewo Press PPSU	TH 16		578352
		TH 20		578358
TH 26			578362	
TH 32			578364	
ZURN INDUSTRIES ZURN PEX	US ¾"		578534	
	US ½"		578536	
	US ¾"		578538	
	US 1"		578540	

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- Only pressing tongs from designation "108" (1<sup>st</sup> quarter of 2008), "208" (2<sup>nd</sup> quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- For taking suitable pressing inserts.
- Only pressing tongs from designation "117" (1<sup>st</sup> quarter of 2017), "217" (2<sup>nd</sup> quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 14.10.2020. For the updated situation regarding suitability status check our website:

[www.rems.de](http://www.rems.de) → Downloads → Product catalogues, brochures → REMS Catalogue.

See page 166 for adapter tongs. Pressing tongs for additional pressfitting systems on request.

#### Accessories

Description	Art.-No.
<b>Adapter tongs Mini Z1</b> for driving REMS pressing rings 45° (PR-2B)	578558
<b>Steel case</b> with insert for adapter tongs Mini Z1 and adapter tongs Z1 and 6 REMS pressing rings V 12–35 45° (PR-2B) or M 12–35 45° (PR-2B) or F 16–32 45° (PR-2B)	574516
<b>Steel case</b> with insert for 8 pressing tongs Mini/cropping tongs Mini and compartment for pipe cutter up to 42 mm	578295
<b>L-Boxx system case</b> with inserts for 11 pressing tongs Mini and 6 pressing rings 45° (PR-2B)	578659

