

for all common pressfitting systems

Select REMS pressing tongs Mini/ REMS pressing rings yourself!

Find the desired press fitting system in the table below and choose the size of pressing tongs/pressing rings that you require. Please note that pressfitting systems for gas installation may only be pressed with the REMS pressing tongs Mini/pressing rings which are highlighted in yellow in the table. Adapter tongs (page 146) are necessary for driving the REMS pressing rings (PR).

Highly durable pressing tongs/pressing rings made of tenacious, specially hardened special steel. Pressing contours of REMS pressing tongs/pressing rings are system-specific and correspond with the respective pressfitting system. Thus perfect system-conformity, safe press jointing. Pressing jaws of pressing tongs/pressing rings manufactured on CNC production centres ensure high-precision machining of pressing contour. Low production tolerances as a result.

Driven by REMS Mini-Press ACC, REMS Mini-Press 22 V ACC and REMS Mini-Press S 22 V ACC. Read and follow the installation and assembly instructions of the system provider/manufacturer.

REMS pressing tongs Mini

REMS Mini pressing tongs with 2 swivellable monoblock pressing jaws. Very compact design and low weight of the REMS Mini pressing tongs due to special arrangement of the pressing tongs connection (**Patent EP 1 952 948**). Recesses in the pressing jaws for safe guidance of the connecting plate for offset-free pressing (**Patent EP 2 347 862**).

REMS Mini ACz, Fz, HEz, RFz, RFlz pressing tongs with teeth prevent formation of burr on the pressing sleeve (**Patent EP 2 027 971**).

REMS pressing ring 45° (PR-2B)

REMS pressing ring 45° (PR-2B), with 2 pressing jaws, for secure engagement of the pressing jaws in places of difficult access by 45° inclination (**Patent EP 2 774 725**). Drive with adapter tongs.

Traceability according to EN 1775:2007

REMS pressing tongs Mini with pressing contour F, M, V, SA, B, RN and UP have worked a specific marking into the pressing contour which leaves a lasting impression on the pressed fitting after the pressing process. This enables the user to check again whether the most suitable pressing tongs have been used to make the pressfit connection even after the pressing process.

With this traceability REMS fulfils the recommendations of the European standard EN 1775:2007 for the installation of pressfitting systems for gas.



German Quality Product



REMS Mini pressing tongs



REMS pressing ring 45° (PR-2B)
 Patent EP 2 774 725

Hold-Harmless and Indemnification Agreement

See page 178.


Confirmation of suitability

See page 177.




REMS pressing tongs Mini REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22V ACC and REMS Mini-Press S 22V ACC



Pressing tongs with teeth
Patent EP 2 027 971



Example REMS pressing tongs Mini V:
"V" imprint on pressed fitting for
traceability according to EN 1775:2007

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22V ACC and REMS Mini-Press S 22V ACC

System	Pressing contour	Art.-No.
BRASELI GPF GAS	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
BRASELI Pressfitting PE-X	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
BRASELI Pressfitting Multicapa	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
Brass Form Master Press	H 16	578400
	H 18	578404
	H 20	578406
	TH 16	578352
	TH 18	578356
	TH 20	578358
Brass & Fittings PRESSMAN MultiPress	RFz 16	578492
	RFz 18	578638
	ACz 20	578612
	RFz 25	578496
	RFz 32	578498
Brass & Fittings PRESSMAN RetiPress	RFz 16	578492
	RFz 18	578638
	ACz 20	578612
	RFz 25	578496
	RFz 32	578498
BRASSTECH MULTitermoSAN Brasspress	B 16	578468
	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578456
	F 20	578460
	F 26	578462
	F 16 45° (PR-2B) ³⁾	574550 R
	F 20 45° (PR-2B) ³⁾	574552 R
	F 26 45° (PR-2B) ³⁾	574554 R
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 18	578376
	U 20	578378
	C 26	578392
	U 32	578382

C

Cello Products Press	VUS ½" (OD 15,9 mm)	578566
	VUS ¾" (OD 22,2 mm)	578568
	VUS 1" (OD 28,6 mm)	578570
	VUS 1½" (OD 34,9 mm)	578606
CHIALI CHIALIPEX	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
Climatek Clima Therm	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
Climatrix Climatrix Rhinopex	H 16	578400
	H 20	578406
	U 16	578374
	U 20	578378
	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
ClouSet	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
Comap PEX Press	RFz 12	578490
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496

System	Pressing contour	Art.-No.	
Comap Multiskin	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	THL 32	578368	
	TH 40	578624	
	TH 16	578352	
	TH 20	578358	
	THL 32	578368	
Comap Multiskin Gas	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	THL 32	578368	
	COMISA Press System	TH 14	578348
		TH 16	578352
		TH 18	578356
		TH 20	578358
		TH 25	578360
		TH 26	578362
TH 32		578364	
TH 40		578624	
H 14		578398	
H 16		578400	
COMISA Press System Gas	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	CONEL CONNECT MULTI	F 16	578456
		F 20	578460
		F 26	578462
		F 32	578464
		F 16 45° (PR-2B) ³⁾	574550 R
		F 20 45° (PR-2B) ³⁾	574552 R
F 26 45° (PR-2B) ³⁾		574554 R	
F 32 45° (PR-2B) ³⁾		574556 R	
H 16		578400	
H 20		578406	
(DN 26)	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
VP 16	VP 16	578482	
	VP 20	578484	
	VP 32	578488	

D

DIWAsystems	TH 14	578348
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
DUOFIL MKSYSYSTEM	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
DW Verbundrohr multitubo systems	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382

E

EBRILLE Isomonflex	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	H 26	578410
	TH 26	578362
EBRILLE Monflex	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	H 26	578410
U 32	U 32	578382
	U 40	578386

System	Pressing contour	Art.-No.	
EFFEBI PRESSTIGE	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522 R	
	M 18 45° (PR-2B) ³⁾	574524 R	
	M 22 45° (PR-2B) ³⁾	574526 R	
	M 28 45° (PR-2B) ³⁾	574528 R	
	M 35 45° (PR-2B) ³⁾	574530 R	
	V 15	578328	
	V 18	578332	
	V 22	578334	
EFFEBI TOF-GAS MULTIPINZA	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 20	578378	
	U 32	578382	
	EFFEBI TOF MULTIPINZA	TH 16	578352
		TH 18	578356
TH 20		578358	
TH 26		578362	
TH 32		578364	
TH 40		578624	
F 16		578456	
F 18		578458	
F 20		578460	
F 26		578462	
F 32		578464	
Fz 40		578478	
F 16 45° (PR-2B) ³⁾		574550 R	
F 20 45° (PR-2B) ³⁾	574552 R		
F 26 45° (PR-2B) ³⁾	574554 R		
F 32 45° (PR-2B) ³⁾	574556 R		
EFIELD MULTILAYER PRESS DINGAS	H 16	578400	
	H 18	578404	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	EFIELD MULTILAYER PRESS WATER	U 16	578374
		U 18	578376
		U 20	578378
U 25		578380	
U 32		578382	
Elkhart APOLLOXPRESS Fittings Copper and Low-Lead Brass	VUS ½" (OD 15,9 mm)	578566	
	VUS ¾" (OD 22,2 mm)	578568	
	VUS 1" (OD 28,6 mm)	578570	
	VUS 1½" (OD 34,9 mm)	578606	
	B 16	578468	
EMMETI GERPEX- FIVPRESS	B 20	578472	
	B 26	578474	
	B 32	578476	
	F 16	578456	
	F 20	578460	
	H 16	578400	
	H 20	578406	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
EMPUR	TH 15	578350	
	TH 17	578354	
	TH 20	578358	

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 146.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2018. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue. Pressing tongs for additional pressfitting systems on request.

System	Pressing contour	Art.-No.	
Herotec TEMPUS-PRESS PLUS	H 16	578400	
	H 20	578406	
	H 25	578408	
	H 32	578412	
	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	
	RFz 32	578498	
	TH 16	578352	
	TH 20	578358	
	TH 25	578360	
	TH 32	578364	
	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	U 40	578386	
	Herz PIPEFIX	TH 10	578342
		TH 16	578352
		TH 20	578358
TH 26		578362	
TH 32		578364	
TH 40	578624		
HIDRONIX MULTIGAS	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
HIDRONIX MULTIPIPE	TH 14	578348	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	H 14	578398	
	H 16	578400	
	H 18	578404	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 14	578372	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	C 26	578392	
	U 32	578382	
HIDRONIX UNICO	TH 14	578348	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	H 14	578398	
	H 16	578400	
	H 18	578404	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 14	578372	
	U 16	578374	
	U 18	578376	
U 20	578378		
C 26	578392		
U 32	578382		
HITEC Sistema Multistrato	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
Hopewell press fit system	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
hp praski BAVARIA-press	TH 10	578342	
	TH 14	578348	
	TH 16	578352	
	TH 17	578354	
	TH 20	578358	
	TH 25	578360	
	TH 26	578362	
	TH 32	578364	
TH 40	578624		
IBP >B< Flex	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	IBP >B< Press	V 12	578324
		V 14	578326
		V 15	578328
		V 16	578330
		V 18	578332
V 22		578334	
V 28		578336	
V 35		578604	
V 12 45° (PR-2B) ³⁾		574502 R	
V 14 45° (PR-2B) ³⁾		574532 R	
V 15 45° (PR-2B) ³⁾		574504 R	
V 16 45° (PR-2B) ³⁾		574534 R	
V 18 45° (PR-2B) ³⁾		574506 R	
V 22 45° (PR-2B) ³⁾		574508 R	
V 28 45° (PR-2B) ³⁾		574510 R	
V 35 45° (PR-2B) ³⁾		574512 R	

System	Pressing contour	Art.-No.	
IBP >B< Press Carbon	V 12	578324	
	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) ³⁾	574502 R	
	V 15 45° (PR-2B) ³⁾	574504 R	
	V 18 45° (PR-2B) ³⁾	574506 R	
	V 22 45° (PR-2B) ³⁾	574508 R	
	V 28 45° (PR-2B) ³⁾	574510 R	
	V 35 45° (PR-2B) ³⁾	574512 R	
	IBP >B< Press Gas	V 15	578328
		V 18	578332
		V 22	578334
		V 28	578336
		V 35	578604
V 15 45° (PR-2B) ³⁾		574504 R	
V 18 45° (PR-2B) ³⁾		574506 R	
V 22 45° (PR-2B) ³⁾		574508 R	
V 28 45° (PR-2B) ³⁾		574510 R	
V 35 45° (PR-2B) ³⁾		574512 R	
IBP >B< Press Inox	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504 R	
	V 18 45° (PR-2B) ³⁾	574506 R	
	V 22 45° (PR-2B) ³⁾	574508 R	
	V 28 45° (PR-2B) ³⁾	574510 R	
	V 35 45° (PR-2B) ³⁾	574512 R	
IBP >B< Press Solar	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504 R	
	V 18 45° (PR-2B) ³⁾	574506 R	
	V 22 45° (PR-2B) ³⁾	574508 R	
	V 28 45° (PR-2B) ³⁾	574510 R	
	V 35 45° (PR-2B) ³⁾	574512 R	
	ICMA Sempiter	H 16	578400
		H 20	578406
H 26		578410	
H 32		578412	
TH 16		578352	
TH 20		578358	
TH 26		578362	
TH 32		578364	
TH 40		578624	
U 16		578374	
ICMA Sempigas	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	U 40	578386	
Idrosanitaria Bonomi Homegas	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
Idrosanitaria Bonomi Idropress	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
IDROSISTEMI Ta-Press	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 32	578464	
	F 16 45° (PR-2B) ³⁾	574550 R	
F 20 45° (PR-2B) ³⁾	574552 R		
F 26 45° (PR-2B) ³⁾	574554 R		
F 32 45° (PR-2B) ³⁾	574556 R		
IDROTRADE Storm Multipinza	Fz 40	578478	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 20	578378	
	C 26	578392	
	U 32	578382	
	U 40	578386	
	B 16	578468	
	B 20	578472	
B 26	578474		
B 32	578476		
IDROTRADE Storm Multipinza	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	U 16	578374	
	U 20	578378	
	U 40	578386	

System	Pressing contour	Art.-No.
IDROTRADE Storm Multistrato	H 14	578398
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
IDROTRADE StormPRES	U 40	578386
	M 15	578312
	M 18	578314
	M 22	578316
IDROTRADE StormSTEEL	M 28	578318
	M 12	578310
	M 15	578312
	M 18	578314
ILTA INOX/CHIBRO Pressfitting Cuni	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522 R
ILTA INOX/CHIBRO Pressfitting inox	M 18 45° (PR-2B) ³⁾	574524 R
	M 22 45° (PR-2B) ³⁾	574526 R
	M 28 45° (PR-2B) ³⁾	574528 R
	M 35 45° (PR-2B) ³⁾	574530 R
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522 R
IPA IPANA Press	M 18 45° (PR-2B) ³⁾	574524 R
	M 22 45° (PR-2B) ³⁾	574526 R
	M 28 45° (PR-2B) ³⁾	574528 R
	M 35 45° (PR-2B) ³⁾	574530 R
	TH 10	578342
	TH 11,6	578344
	TH 12	578346
	TH 14	578348
	TH 15	578350
	TH 16	578352
TH 17	578354	
TH 18	578356	
TH 20	578358	
TH 22	578588	
TH 25	578360	
TH 26	578362	
TH 28	578590	
TH 32	578364	
TH 40	578624	
IPA THu IPANA Press	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
IPALPEX (Industrie du Plastique et Accessoires)	TH 40	578624
	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
THL 32	578368	
TH 40	578624	
IPLEX PIPELINES AUSTRALIA Iplex Pro-fit	K16/P18	578592
	K16/P18	578592
IPLEX PIPELINES AUSTRALIA Iplex K1 (Gas)	K/20	578594
	K/25	578596
	K32	578598
	K1/40	578600
IPLEX PIPELINES AUSTRALIA Iplex K2	K16/P18	578592
	K/20	578594
	K/25	578596
ISOTUBI NUMEPRESS	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
IVAR Ivar-Press	M 15 45° (PR-2B) ³⁾	574522 R
	M 18 45° (PR-2B) ³⁾	574524 R
	M 22 45° (PR-2B) ³⁾	574526 R
	M 28 45° (PR-2B) ³⁾	574528 R
	M 35 45° (PR-2B) ³⁾	574530 R
	B 14	578466
	B 16	578468
	B 18	578470
	B 20	578472
	B 26	578474
B 32	578476	
Fz 40	578478	
IVAR MULTI PRESS GAS	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	B 16	578468
	B 20	578472
	B 26	578474
	B 32	578476
IVAR MULTI PRESS GAS ITALIA	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412

System	Pressing contour	Art.-No.	
IVAR Multi Press MP	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 25	578360	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	F 16	578456	
	F 18	578458	
	F 20	578460	
	F 26	578462	
	F 32	578464	
	Fz 40	578478	
	F 16 45° (PR-2B) ³⁾	574550 R	
	F 20 45° (PR-2B) ³⁾	574552 R	
	F 26 45° (PR-2B) ³⁾	574554 R	
	F 32 45° (PR-2B) ³⁾	574556 R	
	H 16	578400	
	H 18	578404	
	H 20	578406	
	H 25	578408	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
	C 26	578392	
	U 32	578382	
	U 40	578386	
	B 16	578468	
	B 18	578470	
	B 20	578472	
B 26	578474		
B 32	578476		
IVAR Multi Press Leak (MPL)	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 32	578464	
	F 16 45° (PR-2B) ³⁾	574550 R	
	F 20 45° (PR-2B) ³⁾	574552 R	
	F 26 45° (PR-2B) ³⁾	574554 R	
	F 32 45° (PR-2B) ³⁾	574556 R	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 20	578378	
	C 26	578392	
	U 32	578382	
	B 16	578468	
	B 20	578472	
	B 26	578474	
	B 32	578476	
	IVAR Plastic Multi Press PMP	TH 16	578352
		TH 20	578358
		TH 25	578360
		TH 26	578362
		TH 32	578364
		F 16	578456
		F 20	578460
		F 26	578462
		F 32	578464
F 16 45° (PR-2B) ³⁾		574550 R	
F 20 45° (PR-2B) ³⁾		574552 R	
F 26 45° (PR-2B) ³⁾		574554 R	
F 32 45° (PR-2B) ³⁾		574556 R	
H 16		578400	
H 20		578406	
H 25		578408	
H 26		578410	
H 32		578412	
U 16		578374	
U 20		578378	
U 25		578380	
C 26		578392	
U 32		578382	
B 16		578468	
B 20		578472	
B 26		578474	
B 32		578476	

System	Pressing contour	Art.-No.	
IVAR Plastic Multi Press Leak (PMPL)	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 32	578464	
	F 16 45° (PR-2B) ³⁾	574550 R	
	F 20 45° (PR-2B) ³⁾	574552 R	
	F 26 45° (PR-2B) ³⁾	574554 R	
	F 32 45° (PR-2B) ³⁾	574556 R	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 16	578374	
	U 20	578378	
	C 26	578392	
	B 16	578468	
	B 20	578472	
	B 26	578474	
	B 32	578476	
	IVT PRIPRESS	TH 16	578352
		TH 20	578358
		TH 26	578362
		TH 32	578364
J			
Jäger - Aquatec Aquatec H		H 14	578398
	H 16	578400	
	H 17	578402	
	H 18	578404	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	U 40	578386	
	Jäger - Aquatec C-Stahl - Press Typ M	M 15	578312
		M 18	578314
M 22		578316	
M 28		578318	
M 35		578390	
M 15 45° (PR-2B) ³⁾		574522 R	
M 18 45° (PR-2B) ³⁾		574524 R	
M 22 45° (PR-2B) ³⁾		574526 R	
M 28 45° (PR-2B) ³⁾		574528 R	
M 35 45° (PR-2B) ³⁾		574530 R	
Jäger - Aquatec Edelstahl - Press Typ M	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522 R	
	M 18 45° (PR-2B) ³⁾	574524 R	
	M 22 45° (PR-2B) ³⁾	574526 R	
	M 28 45° (PR-2B) ³⁾	574528 R	
	M 35 45° (PR-2B) ³⁾	574530 R	
Jäger - Aquatec Kupfer - Press Typ V	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504 R	
	V 18 45° (PR-2B) ³⁾	574506 R	
	V 22 45° (PR-2B) ³⁾	574508 R	
	V 28 45° (PR-2B) ³⁾	574510 R	
	V 35 45° (PR-2B) ³⁾	574512 R	
Jansen JANSEN prima	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 25	578360	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	Jaraflex- Presssystem	TH 14	578348
		TH 16	578352
TH 18		578356	
TH 20		578358	
TH 25		578360	
TH 26		578362	
TH 32		578364	
TH 40		578624	
JUNGWOO JWPress		VUS ½" (OD 15,9 mm)	578566
		VUS ¾" (OD 22,2 mm)	578568
	VUS 1" (OD 28,6 mm)	578570	
	VUS 1¼" (OD 34,9 mm)	578606	

System	Pressing contour	Art.-No.	
K			
KAN KAN-therm	U 16	578374	
	U 20	578378	
	U 25	578380	
	C 26	578392	
	U 32	578382	
	U 40	578386	
	KAN KAN-therm LBP	TH 14	578348
		TH 16	578352
TH 20		578358	
TH 25		578360	
TH 26		578362	
TH 32		578364	
TH 40		578624	
U 14		578372	
U 16		578374	
U 20		578378	
KAN KAN-therm Inox	M 15	578312	
	M 18 ¹⁾	578314	
	M 22	578316	
	M 28 ¹⁾	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522 R	
	M 18 45° (PR-2B) ³⁾	574524 R	
	M 22 45° (PR-2B) ³⁾	574526 R	
	M 28 45° (PR-2B) ³⁾	574528 R	
	M 35 45° (PR-2B) ³⁾	574530 R	
KAN KAN-therm Steel	M 15	578312	
	M 18 ¹⁾	578314	
	M 22	578316	
	M 28 ¹⁾	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522 R	
	M 18 45° (PR-2B) ³⁾	574524 R	
	M 22 45° (PR-2B) ³⁾	574526 R	
	M 28 45° (PR-2B) ³⁾	574528 R	
	M 35 45° (PR-2B) ³⁾	574530 R	
KE KELIT KELIT KELOX	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	U 40	578386	
KE KELIT COPPERFIX Kupfer	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522 R	
KE KELIT steelFIX C-Stahl	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522 R	
KE KELIT steelFIX Edelstahl	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522 R	
KEMBLA KemPress (AUS)	VAU 15 (OD 12,7 mm)	578630	
	VAU 20 (OD 19,1 mm)	578632	
	VAU 25 (OD 25,4 mm)	578634	
	VAU 32 (OD 31,8 mm)	578636	
KEMBLA KemPress Gas (AUS)	VAU 15 (OD 12,7 mm)	578630	
	VAU 20 (OD 19,1 mm)	578632	
	VAU 25 (OD 25,4 mm)	578634	
	VAU 32 (OD 31,8 mm)	578636	
KISAN Kisan KD	Ki 16	578524	
	Ki 20	578526	
	Ki 25	578528	
	TH 16	578352	
	TH 20	578358	
	TH 25	578360	

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 146.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2018. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue. Pressing tongs for additional pressfitting systems on request.

System	Pressing contour	Art.-No.
KISAN Kisan WL	KI 16	578524
	KI 20	578526
	KI 25	578528
	KI 32	578530
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 32	578364
KISAN Kisan WM	KI 16	578524
	KI 20	578526
	KI 25	578528
	KI 32	578530
KISAN Kisan WR	U 20	578378
	U 25	578380
KISAN Kistal C	U 32	578382
	U 40	578386
	M 15	578312
	M 18	578314
	M 22	578316
KISAN Kistal Inox	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522 R
	M 18 45° (PR-2B) ³⁾	574524 R
	M 22 45° (PR-2B) ³⁾	574526 R
	M 28 45° (PR-2B) ³⁾	574528 R
	M 35 45° (PR-2B) ³⁾	574530 R
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522 R
	M 18 45° (PR-2B) ³⁾	574524 R
	M 22 45° (PR-2B) ³⁾	574526 R
KME cuprotherm CTX	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
KME QTEC - Comap SkinPress	TH 14	578348
	TH 16	578352
	TH 20	578358
KME QTEC - Oventrop Cofit	H 16 A	578420
	H 20 A	578426
	H 26 A	578430

L

LECHAR ALCOBRAPEX	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
LECHAR COBRAPEX	TH 40	578624	
	U 16	578374	
	U 20	578378	
	U 25	578380	
LEGEND-PRESS press fitting system	U 32	578382	
	VUS ½" (OD 15,9mm)	578566	
	VUS ¾" (OD 22,2mm)	578568	
	VUS 1" (OD 28,6mm)	578570	
LK Systems LK >B<Press	VUS 1 ¼" (OD 34,9mm)	578606	
	V 12	578324	
	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) ³⁾	574502 R	
	V 15 45° (PR-2B) ³⁾	574504 R	
	V 18 45° (PR-2B) ³⁾	574506 R	
	V 22 45° (PR-2B) ³⁾	574508 R	
	V 28 45° (PR-2B) ³⁾	574510 R	
	V 35 45° (PR-2B) ³⁾	574512 R	
	LK Systems LK >B<Press Elförzinkat	V 12	578324
		V 15	578328
		V 18	578332
		V 22	578334
V 28		578336	
V 35		578604	
V 12 45° (PR-2B) ³⁾		574502 R	
V 15 45° (PR-2B) ³⁾		574504 R	
V 18 45° (PR-2B) ³⁾		574506 R	
V 22 45° (PR-2B) ³⁾		574508 R	
V 28 45° (PR-2B) ³⁾		574510 R	
LK Systems LK >B<Press Gas	V 35 45° (PR-2B) ³⁾	574512 R	
	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504 R	
	V 18 45° (PR-2B) ³⁾	574506 R	
	V 22 45° (PR-2B) ³⁾	574508 R	
	V 28 45° (PR-2B) ³⁾	574510 R	
	V 35 45° (PR-2B) ³⁾	574512 R	
LK Systems LK Universal	TH 16	578352	
	TH 20	578358	
	TH 25	578360	
	TH 32	578364	
LVI-DAHL Altech-Alupex	TH 40	578624	
	U 16	578374	
	U 20	578378	
	U 25	578380	
U 32	578382		

M

MAINCOR MAINPRESS	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386

System	Pressing contour	Art.-No.
MAINCOR	U 16	578374
	U 20	578378
Mair Heizechnik Gomafix Cu/E ¹⁾	M 12	578310
	M 15	578312
	M 18	578314
	M 22	578316
	M 12 45° (PR-2B) ³⁾	574520 R
	M 15 45° (PR-2B) ³⁾	574522 R
	M 18 45° (PR-2B) ³⁾	574524 R
	M 22 45° (PR-2B) ³⁾	574526 R
Mair Heizechnik Gomafix M	H 11,5	578394
	H 14	578398
	H 16	578400
	H 20	578406
	H 11,5	578394
Mair Heizechnik M-Press	H 14	578398
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	H 32	578412
Ma.s.ter System PRESSMASTER	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	H 14	578398
	H 16	578400
	H 18	578404
	H 20	578406
	H 26	578410
	H 32	578412
	U 14	578372
	U 16	578374
U 18	578376	
U 20	578378	
U 25	578380	
U 32	578382	
U 40	578386	
METALGRUP Permatubo	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
METALGRUP PexGrup	U 40	578386
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
METALGRUP MultiGrup	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 32	578382
Mueller Industries Streamline PRS	VUS ½" (OD 15,9mm)	578566
	VUS ¾" (OD 22,2mm)	578568
	VUS 1" (OD 28,6mm)	578570
	VUS 1 ¼" (OD 34,9mm)	578606
MULTITHERM PRESSSYSTEM	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
Multicapap Industrial AIS PEX	TH 40	578624
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	U 16	578374
Multicapap Industrial multitubo systems MC	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
	MT 20	578560
	MT 25	578562
	MT 32	578564
	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
Multicapap Industrial multitubo systems MM	U 32	578382
	U 40	578386
	H 16	578400
	H 20	578406
	H 25	578408
	H 26	578410
	H 32	578412
	MT 20	578560
	MT 25	578562
	MT 32	578564
	RFz 16	578492
Multicapap Industrial multitubo systems MM	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
	TH 16	578352
	TH 20	578358
	TH 25	578360
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386

N

NEUTHERM MEKUPRESS-HT	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	H 32	578412

System	Pressing contour	Art.-No.
NIBCO (USA) Press System Copper	VUS ½" (OD 15,9mm)	578566
	VUS ¾" (OD 22,2mm)	578568
	VUS 1" (OD 28,6mm)	578570
	VUS 1 ¼" (OD 34,9mm)	578606
Nicoll Fluxo	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	B 16	578468
	B 18	578470
NUPI Industrie Italiane Multinupi	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578456
	F 18	578458
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) ³⁾	574550 R
	F 20 45° (PR-2B) ³⁾	574552 R
	F 26 45° (PR-2B) ³⁾	574554 R
	F 32 45° (PR-2B) ³⁾	574556 R
	H 16	578400
	H 18	578404
	H 20	578406
H 26	578410	
H 32	578412	
TH 16	578352	
TH 18	578356	
TH 20	578358	
TH 26	578362	
TH 32	578364	
U 14	578372	
U 16	578374	
U 18	578376	
U 20	578378	
U 25	578380	
U 32	578382	
U 40	578386	
Nussbaum Optiflex-Flowpress	VRX 16	578640
	VRX 20	578642
	VRX 25	578644
	VRX 32	578646
Nussbaum Optiflex Press	VP 16	578482
	VP 20	578484
	VP 25	578486
	VP 32	578488
Nussbaum Optipress	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504 R
Nussbaum Optipress Gaz	V 18 45° (PR-2B) ³⁾	574506 R
	V 22 45° (PR-2B) ³⁾	574508 R
	V 28 45° (PR-2B) ³⁾	574510 R
	V 35 45° (PR-2B) ³⁾	574512 R
	V 15	578328
	V 18	578332
Nussbaum Optipress-Therm	V 22	578334
	V 28	578336
	V 35	578604
	V 15 45° (PR-2B) ³⁾	574504 R
	V 18 45° (PR-2B) ³⁾	574506 R
	V 22 45° (PR-2B) ³⁾	574508 R
	V 28 45° (PR-2B) ³⁾	574510 R
	V 35 45° (PR-2B) ³⁾	574512 R
	V 15	578328
	V 18	578332
	V 22	578334
V 28	578336	
V 35	578604	
V 15 45° (PR-2B) ³⁾	574504 R	
V 18 45° (PR-2B) ³⁾	574506 R	
V 22 45° (PR-2B) ³⁾	574508 R	
V 28 45° (PR-2B) ³⁾	574510 R	
V 35 45° (PR-2B) ³⁾	574512 R	

O

O.M.T. - Press	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
Oventrop Cofit P	TH 40	578624
	H 16 A	578420
	H 20 A	578426
	H 26 A	578430
Oventrop Cofit PD	H 32 A	578432
	H 16 A	578420
	H 20 A	578426
Oventrop Cofit PDK	H 26 A	578430
	H 16 A	578420
	H 20 A	578426
Oventrop Cofit PDK-HT	H 16 A	578420
	H 20 A	578426
	H 32 A	578432
Oventrop Cofit PDK-HT	H 16 A	578420
	H 20 A	578426
PBTab SERTIPRESS	RFz 12	578490
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496

P

System	Pressing contour	Art.-No.
PB Tub SERTI-STEEL ¹⁾	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 15 45° (PR-2B) ³⁾	574522 R
	M 18 45° (PR-2B) ³⁾	574524 R
	M 22 45° (PR-2B) ³⁾	574526 R
Pegler Yorkshire XPress Carbon	M 12	578310
	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520 R
	M 15 45° (PR-2B) ³⁾	574522 R
	M 18 45° (PR-2B) ³⁾	574524 R
	M 22 45° (PR-2B) ³⁾	574526 R
	M 28 45° (PR-2B) ³⁾	574528 R
	M 35 45° (PR-2B) ³⁾	574530 R
Pegler Yorkshire XPress Copper	M 12	578310
	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520 R
	M 15 45° (PR-2B) ³⁾	574522 R
	M 18 45° (PR-2B) ³⁾	574524 R
	M 22 45° (PR-2B) ³⁾	574526 R
	M 28 45° (PR-2B) ³⁾	574528 R
	M 35 45° (PR-2B) ³⁾	574530 R
Pegler Yorkshire XPress Copper Gas	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
Pegler Yorkshire XPress Stainless	M 15	578312
	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
Pegler Yorkshire XPress Stainless Gas	M 15 45° (PR-2B) ³⁾	574522 R
	M 18 45° (PR-2B) ³⁾	574524 R
	M 22 45° (PR-2B) ³⁾	574526 R
	M 28 45° (PR-2B) ³⁾	574528 R
	M 35 45° (PR-2B) ³⁾	574530 R
	M 15	578312
PERFEXIM "PERFEKT SYSTEM"	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
PERFILTUBO PERFILALUPEX	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
PERFILTUBO PERFILPRESS	U 16	578374
	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522 R
M 18 45° (PR-2B) ³⁾	574524 R	
M 22 45° (PR-2B) ³⁾	574526 R	
M 28 45° (PR-2B) ³⁾	574528 R	
M 35 45° (PR-2B) ³⁾	574530 R	
PEXTUBE PexTube	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
Pipelife C-PRESS	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522 R
	M 18 45° (PR-2B) ³⁾	574524 R
	M 22 45° (PR-2B) ³⁾	574526 R
	M 28 45° (PR-2B) ³⁾	574528 R
	M 35 45° (PR-2B) ³⁾	574530 R
Pipelife RADOPRESS	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
Pipetec Connect	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624

System	Pressing contour	Art.-No.
PLASTICA ALFA Multyplex	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
PLASTICA ALFA Multyplex Air	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
PLASTICA ALFA Multyplexalfa Gas	TH 16	578352
	TH 20	578358
	TH 26	578362
PLASTICA ALFA Multyplexalfa Gas protek	TH 16	578352
	TH 20	578358
	TH 26	578362
PLASTICA ALFA Multyplex Plus	TH 16	578352
	TH 20	578358
	TH 26	578362
PLASTICA ALFA Multyplex Thermo	TH 16	578352
	TH 20	578358
	TH 26	578362
PLASTICA ALFA Multyplex Thermo Plus	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
PLÁSTICOS FERRO FERROPLAST	U 16	578374
	U 20	578378
	U 25	578380
GPF MC PRESS Pressfitting MULTICAPA	U 32	578382
	U 16	578374
PLÁSTICOS FERRO	U 20	578378
	U 25	578380
FERROPLAST GPF PPSU Pressfitting PE-X y MULTICAPA	U 32	578382
	RFz 16	578492
PLÁSTICOS FERRO	RFz 20	578494
	RFz 25	578496
FERROPLAST GPF PRESS Pressfitting PE-X	RFz 32	578498
	K16/P18	578592
PLUMBING PLUS EZIPRESS Crimp (AUS)	K/20	578594
	K/25	578596
	K/32	578598
	K1/40	578600
	K16/P18	578592
PLUMBING PLUS EZIPRESS Gas (AUS)	K/20	578594
	K/25	578596
	K/32	578598
	K1/40	578600
	VAU 15 (OD 12,7 mm)	578630
	VAU 20 (OD 19,1 mm)	578632
	VAU 25 (OD 25,4 mm)	578634
	VAU 32 (OD 31,8 mm)	578636
	VAU 15 45° (PR-2B) ³⁾	574540 R
	(OD 12,7 mm)	
	VAU 20 45° (PR-2B) ³⁾	574542 R
(OD 19,1 mm)		
VAU 25 45° (PR-2B) ³⁾	574544 R	
(OD 25,4 mm)		
PLUMBING PLUS EZIPRESS Solar (AUS)	VAU 15 (OD 12,7 mm)	578630
	VAU 20 (OD 19,1 mm)	578632
	VAU 25 (OD 25,4 mm)	578634
	VAU 15 45° (PR-2B) ³⁾	574540 R
	(OD 12,7 mm)	
	VAU 20 45° (PR-2B) ³⁾	574542 R
	(OD 19,1 mm)	
	VAU 25 45° (PR-2B) ³⁾	574544 R
	(OD 25,4 mm)	
	VAU 15 (OD 12,7 mm)	578630
	VAU 20 (OD 19,1 mm)	578632
	VAU 25 (OD 25,4 mm)	578634
	VAU 32 (OD 31,8 mm)	578636
VAU 15 45° (PR-2B) ³⁾	574540 R	
(OD 12,7 mm)		
VAU 20 45° (PR-2B) ³⁾	574542 R	
(OD 19,1 mm)		
VAU 25 45° (PR-2B) ³⁾	574544 R	
(OD 25,4 mm)		
POLYPIPE POLYSURE	TH 10	578342
	TH 15	578350
	TH 22	578588
	TH 28	578590
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	M 15	578312
	M 18	578314
	M 22	578316
POLYSAN- C Stahl-Press- System M	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522 R
	M 18 45° (PR-2B) ³⁾	574524 R
	M 22 45° (PR-2B) ³⁾	574526 R
M 28 45° (PR-2B) ³⁾	574528 R	
	M 35 45° (PR-2B) ³⁾	574530 R

System	Pressing contour	Art.-No.	
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 15 45° (PR-2B) ³⁾	574504 R	
	V 18 45° (PR-2B) ³⁾	574506 R	
	V 22 45° (PR-2B) ³⁾	574508 R	
	V 28 45° (PR-2B) ³⁾	574510 R	
	V 35 45° (PR-2B) ³⁾	574512 R	
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522 R	
	M 18 45° (PR-2B) ³⁾	574524 R	
	M 22 45° (PR-2B) ³⁾	574526 R	
POLYSAN- Edelstahl Press-System Gas	M 28 45° (PR-2B) ³⁾	574528 R	
	M 35 45° (PR-2B) ³⁾	574530 R	
	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522 R	
	M 18 45° (PR-2B) ³⁾	574524 R	
	M 22 45° (PR-2B) ³⁾	574526 R	
	M 28 45° (PR-2B) ³⁾	574528 R	
POLYSAN- Edelstahl Press-System Wasser	M 35 45° (PR-2B) ³⁾	574530 R	
	TH 14	578348	
	TH 16	578352	
	TH 17	578354	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
POLYSAN- Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	TH 14	578348	
	TH 16	578352	
	TH 17	578354	
	TH 18	578356	
POLYSAN-Henco- Press-System	TH 20	578358	
	TH 26	578362	
	U 16	578374	
	U 18	578376	
	U 20	578378	
POLYSAN (España) Rainbow	U 25	578380	
	U 32	578382	
	U 40	578386	
	H 14	578398	
	H 16	578400	
	H 18	578404	
	H 20	578406	
Prandelli Multyrama Pf	H 26	578410	
	H 32	578412	
	H 40	578386	
	H 16	578400	
	H 18	578404	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	H 40	578386	
	Prandelli Multyrama Pfim	H 16	578400
		H 18	578404
		H 20	578406
H 26		578410	
H 32		578412	
TH 16		578352	
TH 18		578356	
TH 20		578358	
TH 26		578362	
TH 32		578364	
TH 40		578624	
R		U 16	578374
	U 18	578376	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	U 40	578386	
	Raccorderie Metalliche aesPRES ¹⁾	M 15	578312
		M 18	578314
		M 22	578316
		M 28	578318
	Raccorderie Metalliche inoxPRES ¹⁾	M 15	578312
		M 18	578314
		M 22	578316
M 28		578318	
Raccorderie Metalliche steelPRES ¹⁾	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
RBM Tita-gas	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 146.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2018. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue.

Pressing tongs for additional pressfitting systems on request.

System	Pressing contour	Art.-No.	
RBM Tita-fix	B 14	578466	
	B 16	578468	
	B 18	578470	
	B 20	578472	
	B 26	578474	
	F 16	578456	
	F 18	578458	
	F 20	578460	
	F 16 45° (PR-2B) ³⁾	574550 R	
	F 20 45° (PR-2B) ³⁾	574552 R	
	H 14	578398	
	H 16	578400	
	H 18	578404	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	U 14	578372	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	Redi Nicoll Fluxo	TH 14	578348
		TH 16	578352
		TH 18	578356
		TH 20	578358
		TH 26	578362
Redi Nicoll Fluxo Gas	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 26	578362	
RIFENG LD PRESS FITTING (F8)	LD 16	578652	
	LD 20	578654	
	LD 25	578656	
RIFENG U PRESS FITTING (F5)	U 14	578372	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
RIFENG TH PRESS FITTING (F9)	TH 16	578352	
	TH 20	578358	
	TH 25	578360	
	TH 32	578364	
RIQUIER A SERTIR	RFz 12	578490	
	RFz 16	578492	
	RFz 20	578494	
	RFz 25	578496	
	RFz 25	578496	
Roth PressCheck	RN 14	578434	
	RN 16	578454	
	RN 17	578436	
	RN 20	578438	
	RN 25/26	578440	
	RN 32	578442	
	RN 32	578442	
Roth España - Global Plastic Rothapress	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 25	578360	
	TH 32	578364	
Rubinetteria Bresciane Bonomi TURBO PRESS	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
Rubinetteria Bresciane Bonomi TURBO PRESS GAS	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
S			
SA.MI plastic	TH 14	578348	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
SA.MI plastic Multistrato Gas	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 32	578364	

System	Pressing contour	Art.-No.	
SANHA 3fit-Press Pb-free Serie 25000	B 16	578468	
	B 20	578472	
	B 26	578474	
	B 32	578476	
	F 16	578456	
	F 20	578460	
	F 26	578462	
	F 32	578464	
	Fz 40	578478	
	F 16 45° (PR-2B) ³⁾	574550 R	
	F 20 45° (PR-2B) ³⁾	574552 R	
	F 26 45° (PR-2B) ³⁾	574554 R	
	F 32 45° (PR-2B) ³⁾	574556 R	
	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	U 16	578374	
	U 20	578378	
	C 26	578392	
	U 32	578382	
	U 40	578386	
	SANHA 3fit-Press PPSU Serie 35000	B 16	578468
		B 20	578472
		B 26	578474
		B 32	578476
		F 16	578456
F 20		578460	
F 26		578462	
F 32		578464	
F 16 45° (PR-2B) ³⁾		574550 R	
F 20 45° (PR-2B) ³⁾		574552 R	
F 26 45° (PR-2B) ³⁾		574554 R	
F 32 45° (PR-2B) ³⁾		574556 R	
SANHA-NiroSan Gas Presssystem Serie 17000	SA 15	578514	
	SA 18	578518	
	SA 22	578520	
	SA 28	578522	
	M 15 ¹⁾	578312	
	M 18 ¹⁾	578314	
	M 22 ¹⁾	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522 R	
	M 18 45° (PR-2B) ³⁾	574524 R	
	M 22 45° (PR-2B) ³⁾	574526 R	
SANHA-NiroSan Industry Presssystem Serie 18000	SA 15	578514	
	SA 18	578518	
	SA 22	578520	
	SA 28	578522	
	M 15 ¹⁾	578312	
	M 18 ¹⁾	578314	
	M 22 ¹⁾	578316	
	M 28	578318	
	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522 R	
	M 18 45° (PR-2B) ³⁾	574524 R	
	M 22 45° (PR-2B) ³⁾	574526 R	

System	Pressing contour	Art.-No.
SANHA-NiroSan-Presssystem Serie 9000	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522 R
	M 18 45° (PR-2B) ³⁾	574524 R
	M 22 45° (PR-2B) ³⁾	574526 R
	M 28 45° (PR-2B) ³⁾	574528 R
	M 35 45° (PR-2B) ³⁾	574530 R
	V 15 ¹⁾	578328
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
	SANHA-NiroSan SF Presssystem Serie 19000 (silicone free)	SA 15
SA 18		578518
SA 22		578520
SA 28		578522
M 15 ¹⁾		578312
M 18 ¹⁾		578314
M 22 ¹⁾		578316
M 28		578318
M 35		578390
M 15 45° (PR-2B) ³⁾		574522 R
M 18 45° (PR-2B) ³⁾		574524 R
M 22 45° (PR-2B) ³⁾		574526 R
SANHA-NiroSan NiroTherm Serie 91000	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522 R
	M 18 45° (PR-2B) ³⁾	574524 R
	M 22 45° (PR-2B) ³⁾	574526 R
SANHA-NiroSan Industry Presssystem Serie 98000	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522 R
	M 18 45° (PR-2B) ³⁾	574524 R
	M 22 45° (PR-2B) ³⁾	574526 R

REMS pressing tongs Mini

REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22V ACC and REMS Mini-Press S 22V ACC

System	Pressing contour	Art.-No.
SANHA-Press Chrom Serie 16000	SA 12	578510
	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12	578310
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 12 45° (PR-2B) ³⁾	574520 R
	M 15 45° (PR-2B) ³⁾	574522 R
	M 18 45° (PR-2B) ³⁾	574524 R
	M 22 45° (PR-2B) ³⁾	574526 R
	M 28 45° (PR-2B) ³⁾	574528 R
	V 12	578324
	V 15 ¹⁾	578328
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 12 45° (PR-2B) ³⁾	574502 R
	V 15 45° (PR-2B) ³⁾	574504 R
	V 18 45° (PR-2B) ³⁾	574506 R
	V 22 45° (PR-2B) ³⁾	574508 R
	V 28 45° (PR-2B) ³⁾	574510 R
	SANHA-Press GAS Pressfittings Serie 10000/ Serie 11000	SA 12
SA 14	578512	
SA 15	578514	
SA 16	578516	
SA 18	578518	
SA 22	578520	
SA 28	578522	
M 12	578310	
M 15 ¹⁾	578312	
M 18 ¹⁾	578314	
M 22 ¹⁾	578316	
M 28	578318	
M 35	578390	
M 12 45° (PR-2B) ³⁾	574520 R	
M 15 45° (PR-2B) ³⁾	574522 R	
M 18 45° (PR-2B) ³⁾	574524 R	
M 22 45° (PR-2B) ³⁾	574526 R	
M 28 45° (PR-2B) ³⁾	574528 R	
M 35 45° (PR-2B) ³⁾	574530 R	
V 12	578324	
V 14	578326	
VG 16	578340	
V 15 ¹⁾	578328	
V 16	578330	
VG 16	578340	
V 18 ¹⁾	578332	
V 22 ¹⁾	578334	
V 28	578336	
V 35	578604	
V 12 45° (PR-2B) ³⁾	574502 R	
VG 14 45° (PR-2B) ³⁾	574536 R	
V 15 45° (PR-2B) ³⁾	574504 R	
VG 16 45° (PR-2B) ³⁾	574538 R	
V 18 45° (PR-2B) ³⁾	574506 R	
V 22 45° (PR-2B) ³⁾	574508 R	
V 28 45° (PR-2B) ³⁾	574510 R	
V 35 45° (PR-2B) ³⁾	574512 R	
SANHA-Press Pressfittings Serie 6000	SA 12	578510
SA 14	578512	
SA 15	578514	
SA 16	578516	
SA 18	578518	
SA 22	578520	
SA 28	578522	
M 12	578310	
M 15 ¹⁾	578312	
M 18 ¹⁾	578314	
M 22 ¹⁾	578316	
M 28	578318	
M 35	578390	
M 12 45° (PR-2B) ³⁾	574520 R	
M 15 45° (PR-2B) ³⁾	574522 R	
M 18 45° (PR-2B) ³⁾	574524 R	
M 22 45° (PR-2B) ³⁾	574526 R	
M 28 45° (PR-2B) ³⁾	574528 R	
M 35 45° (PR-2B) ³⁾	574530 R	
V 12	578324	
V 14	578326	
VG 14	578338	
V 15 ¹⁾	578328	
V 16	578330	
VG 16	578340	
V 18 ¹⁾	578332	
V 22 ¹⁾	578334	
V 28	578336	
V 35	578604	
V 12 45° (PR-2B) ³⁾	574502 R	
VG 14 45° (PR-2B) ³⁾	574536 R	
V 15 45° (PR-2B) ³⁾	574504 R	
VG 16 45° (PR-2B) ³⁾	574538 R	
V 18 45° (PR-2B) ³⁾	574506 R	
V 22 45° (PR-2B) ³⁾	574508 R	
V 28 45° (PR-2B) ³⁾	574510 R	
V 35 45° (PR-2B) ³⁾	574512 R	

System	Pressing contour	Art.-No.	
SANHA-Press SOLAR Pressfittings Serie 12000/ Serie 13000	SA 12	578510	
	SA 15	578514	
	SA 18	578518	
	SA 22	578520	
	SA 28	578522	
	M 12	578310	
	M 15 ¹⁾	578312	
	M 18 ¹⁾	578314	
	M 22 ¹⁾	578316	
	M 28	578318	
	M 35	578390	
	M 12 45° (PR-2B) ³⁾	574520 R	
	M 15 45° (PR-2B) ³⁾	574522 R	
	M 18 45° (PR-2B) ³⁾	574524 R	
	M 22 45° (PR-2B) ³⁾	574526 R	
	M 28 45° (PR-2B) ³⁾	574528 R	
	M 35 45° (PR-2B) ³⁾	574530 R	
	V 12	578324	
	V 15 ¹⁾	578328	
	V 18 ¹⁾	578332	
	V 22 ¹⁾	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) ³⁾	574502 R	
	V 15 45° (PR-2B) ³⁾	574504 R	
	V 18 45° (PR-2B) ³⁾	574506 R	
	V 22 45° (PR-2B) ³⁾	574508 R	
	V 28 45° (PR-2B) ³⁾	574510 R	
	V 35 45° (PR-2B) ³⁾	574512 R	
	SANHA PURAPRESS Serie 8000	SA 12	578510
	SA 14	578512	
SA 15	578514		
SA 16	578516		
SA 18	578518		
SA 22	578520		
SA 28	578522		
M 12 ¹⁾	578310		
M 15 ¹⁾	578312		
M 18 ¹⁾	578314		
M 22 ¹⁾	578316		
M 28 ¹⁾	578318		
M 35 ¹⁾	578390		
M 12 45° (PR-2B) ³⁾	574520 R		
M 15 45° (PR-2B) ³⁾	574522 R		
M 18 45° (PR-2B) ³⁾	574524 R		
M 22 45° (PR-2B) ³⁾	574526 R		
M 28 45° (PR-2B) ³⁾	574528 R		
M 35 45° (PR-2B) ³⁾	574530 R		
V 12	578324		
V 14	578326		
VG 14	578338		
V 15 ¹⁾	578328		
V 16	578330		
VG 16	578340		
V 18 ¹⁾	578332		
V 22 ¹⁾	578334		
V 28	578336		
V 35	578604		
V 12 45° (PR-2B) ³⁾	574502 R		
VG 14 45° (PR-2B) ³⁾	574536 R		
V 15 45° (PR-2B) ³⁾	574504 R		
VG 16 45° (PR-2B) ³⁾	574538 R		
V 18 45° (PR-2B) ³⁾	574506 R		
V 22 45° (PR-2B) ³⁾	574508 R		
V 28 45° (PR-2B) ³⁾	574510 R		
V 35 45° (PR-2B) ³⁾	574512 R		
SANHA-Therm Serie 24000	SA 12	578510	
SA 15	578514		
SA 18	578518		
SA 22	578520		
SA 28	578522		
M 12	578310		
M 15 ¹⁾	578312		
M 18 ¹⁾	578314		
M 22 ¹⁾	578316		
M 28	578318		
M 35	578390		
M 12 45° (PR-2B) ³⁾	574520 R		
M 15 45° (PR-2B) ³⁾	574522 R		
M 18 45° (PR-2B) ³⁾	574524 R		
M 22 45° (PR-2B) ³⁾	574526 R		
M 28 45° (PR-2B) ³⁾	574528 R		
M 35 45° (PR-2B) ³⁾	574530 R		
V 12	578324		
V 12 45° (PR-2B) ³⁾	574502 R		
V 15 ¹⁾	578328		
V 18 ¹⁾	578332		
V 22 ¹⁾	578334		
V 28	578336		
V 35	578604		
V 12 45° (PR-2B) ³⁾	574502 R		
V 15 45° (PR-2B) ³⁾	574504 R		
V 18 45° (PR-2B) ³⁾	574506 R		
V 22 45° (PR-2B) ³⁾	574508 R		
V 28 45° (PR-2B) ³⁾	574510 R		
V 35 45° (PR-2B) ³⁾	574512 R		

System	Pressing contour	Art.-No.
SANHA-Therm Industry Serie 28000	SA 12	578510
	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522
	M 12	578310
	M 15 ¹⁾	578312
	M 18 ¹⁾	578314
	M 22 ¹⁾	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520 R
	M 15 45° (PR-2B) ³⁾	574522 R
	M 18 45° (PR-2B) ³⁾	574524 R
	M 22 45° (PR-2B) ³⁾	574526 R
	M 28 45° (PR-2B) ³⁾	574528 R
	M 35 45° (PR-2B) ³⁾	574530 R
	V 12	578324
	V 15 ¹⁾	578328
	V 18 ¹⁾	578332
	V 22 ¹⁾	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502 R
	V 15 45° (PR-2B) ³⁾	574504 R
	V 18 45° (PR-2B) ³⁾	574506 R
V 22 45° (PR-2B) ³⁾	574508 R	
V 28 45° (PR-2B) ³⁾	574510 R	
V 35 45° (PR-2B) ³⁾	574512 R	
SANPRO THPRESS	TH 16	578352
TH 20	578358	
TH 26	578362	
TH 32	578366	
SATEC SK VITerm	TH 16	578352
TH 18	578356	
TH 20	578358	
TH 26	578362	
TH 32	578366	
U 40	578386	
Schütz duo-flex	TH 14	578348
TH 16	578352	
tri-o-flex	TH 17	578354
TH 20	578358	
TH 25	578360	
Schwer Fittings AQUApress	M 12	578310
M 15	578312	
M 18	578314	
M 22	578316	
M 28	578318	
M 35	578390	
M 12 45° (PR-2B) ³⁾	574520 R	
M 15 45° (PR-2B) ³⁾	574522 R	
M 18 45° (PR-2B) ³⁾	574524 R	
M 22 45° (PR-2B) ³⁾	574526 R	
M 28 45° (PR-2B) ³⁾	574528 R	
M 35 45° (PR-2B) ³⁾	574530 R	
V 12	578324	
V 15	578328	
V 18	578332	
V 22	578336	
V 28	578340	
V 35	578604	
V 12 45° (PR-2B) ³⁾	574502 R	
V 15 45° (PR-2B) ³⁾	574504 R	
V 18 45° (PR-2B) ³⁾	574506 R	
V 22 45° (PR-2B) ³⁾	574508 R	
V 28 45° (PR-2B) ³⁾	574510 R	
V 35 45° (PR-2B) ³⁾	574512 R	
Seppelfricke	V 12	578324
VSH SudoPress	V 15	578328
C-Stahl	V 18	578332
Visu-Control	V 22	578336
V 28	578340	
V 35	578604	
V 12 45° (PR-2B) ³⁾	574502 R	
V 15 45° (PR-2B) ³⁾	574504 R	
V 18 45° (PR-2B) ³⁾	574506 R	
V 22 45° (PR-2B) ³⁾	574508 R	
V 28 45° (PR-2B) ³⁾	574510 R	
V 35 45° (PR-2B) ³⁾	574512 R	
Seppelfricke	V 12	578324
Seppelfricke	V 15	578328
VSH SudoPress	V 18	578332
Edelstahl	V 22	578336
Visu-Control	V 28	578340
V 35	578604	
V 12 45° (PR-2B) ³⁾	574502 R	
V 15 45° (PR-2B) ³⁾	574504 R	
V 18 45° (PR-2B) ³⁾	574506 R	
V 22 45° (PR-2B) ³⁾	574508 R	
V 28 45° (PR-2B) ³⁾	574510 R	
V 35 45° (PR-2B) ³⁾	574512 R	
Seppelfricke	V 12	578324
VSH SudoPress	V 15	578328
Kupfer	V 18	578332
Visu-Control	V 22	578336
V 28	578340	
V 35	578604	
V 12 45° (PR-2B) ³⁾	574502 R	
V 15 45° (PR-2B) ³⁾	574504 R	
V 18 45° (PR-2B) ³⁾	574506 R	
V 22 45° (PR-2B) ³⁾	574508 R	
V 28 45° (PR-2B) ³⁾	574510 R	
V 35 45° (PR-2B) ³⁾	574512 R	

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow.

Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 146.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2018. For the updated situation regarding suitability status check our website:

www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue.

Pressing tongs for additional pressfitting systems on request.

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22 V ACC and REMS Mini-Press S 22 V ACC

System	Pressing contour	Art.-No.
Seppelfricke	V 12	578324
VSH SudoPress	V 15	578328
Kupfer Gas	V 18	578332
Visu-Control	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502 R
	V 15 45° (PR-2B) ³⁾	574504 R
	V 18 45° (PR-2B) ³⁾	574506 R
	V 22 45° (PR-2B) ³⁾	574508 R
	V 28 45° (PR-2B) ³⁾	574510 R
	V 35 45° (PR-2B) ³⁾	574512 R
Seppelfricke	V 15	578328
VSH SudoPress	V 18	578332
Kupfer Solar	V 22	578334
Visu-Control	V 15 45° (PR-2B) ³⁾	574504 R
	V 18 45° (PR-2B) ³⁾	574506 R
	V 22 45° (PR-2B) ³⁾	574508 R
Seppelfricke	M 12	578310
VSH XPress	M 15	578312
C-Stahl	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520 R
	M 15 45° (PR-2B) ³⁾	574522 R
	M 18 45° (PR-2B) ³⁾	574524 R
	M 22 45° (PR-2B) ³⁾	574526 R
	M 28 45° (PR-2B) ³⁾	574528 R
	M 35 45° (PR-2B) ³⁾	574530 R
Seppelfricke	M 15	578312
VSH XPress	M 18 ¹⁾	578314
Edelstahl	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 15 45° (PR-2B) ³⁾	574522 R
	M 18 45° (PR-2B) ³⁾	574524 R
	M 22 45° (PR-2B) ³⁾	574526 R
	M 28 45° (PR-2B) ³⁾	574528 R
	M 35 45° (PR-2B) ³⁾	574530 R
Seppelfricke	M 15	578312
VSH XPress	M 18 ¹⁾	578314
Edelstahl gas	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
Seppelfricke	M 12	578310
VSH XPress	M 15	578312
Kupfer	M 18 ¹⁾	578314
	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520 R
	M 15 45° (PR-2B) ³⁾	574522 R
	M 18 45° (PR-2B) ³⁾	574524 R
	M 22 45° (PR-2B) ³⁾	574526 R
	M 28 45° (PR-2B) ³⁾	574528 R
	M 35 45° (PR-2B) ³⁾	574530 R
Seppelfricke	M 15	578312
VSH XPress	M 18 ¹⁾	578314
Kupfer gas	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
SESTA	TH 14	578348
SESTA GAS	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
SESTA	H 16	578400
sistema	H 20	578406
multistrato	TH 14	578348
	TH 16	578352
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	U 16	578374
	U 20	578378
SLOWARM	U 16	578374
PEX-THERM	U 20	578378
	H 26	578410
	U 32	578382
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
SOMATHERM	H 16	578400
MULTI'X	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	U 32	578382
SOMATHERM	H 12	578396
SomaPRESS	H 16	578400
	H 20	578406
	H 25	578408
	RFz 12	578490
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	U 16	578374
	U 20	578378
	U 25	578380

System	Pressing contour	Art.-No.	
STANDARD	U 16	578374	
HIDRAULICA	U 18	578376	
MultiStandard	U 20	578378	
	U 25	578380	
	U 32	578382	
	U 40	578386	
STELBI	H 16	578400	
Polikraft	H 20	578406	
	H 26	578410	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	U 16	578374	
	U 20	578378	
STELBI	TH 16	578352	
Stelgas	TH 20	578358	
	TH 26	578362	
STPC STPEX	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
System Ewoprex	H 16	578400	
	H 20	578406	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	U 16	578374	
	U 20	578378	
	U 32	578382	
System	H 16 A	578420	
WELCO-Gas	H 20 A	578426	
	H 26 A	578430	
	H 32 A	578432	
System	H 14 A	578418	
WOPREX	H 16 A	578420	
	H 17 A	578422	
	H 20 A	578426	
	H 26 A	578430	
	H 32 A	578432	
TDM BRASS	H 16	578400	
Serie 1600	H 18	578404	
	H 20	578406	
	H 25	578408	
	H 26	578410	
	H 32	578412	
	TH 16	578352	
	TH 18	578356	
	TH 20	578358	
	TH 25	578360	
	TH 26	578362	
	THL 32	578368	
	TH 40	578624	
	U 16	578374	
	U 18	578376	
	U 20	578378	
	U 25	578380	
	C 26	578392	
	U 32	578382	
TDM BRASS	TH 16	578352	
Serie 1700 gas	TH 20	578358	
	TH 26	578362	
	THL 32	578368	
TermoConcept	Basic E01 ²⁾	578618	
TC-PRESS	THERMOLUTZ	H 14	578398
	H 16	578400	
	TH 20	578358	
TE-SA	TH 14	578348	
TE-SA press	TH 16	578352	
serie 800	TH 18	578356	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
TIEMME	TH 14	578348	
AL-COBRAPEX	TH 16	578352	
Serie 1650	TH 18	578356	
	TH 20	578358	
	TH 25	578360	
	TH 26	578362	
	THL 32	578368	
	TH 40	578624	
TIEMME	RFz 12	578490	
Serie 1700 PE-X	RFz 16	578492	
a pressare	RFz 20	578494	
	RFz 25	578496	
	RFz 32	578498	
TIEMME	TH 16	578352	
TIEMME Gas	TH 20	578358	
	TH 26	578362	
	THL 32	578368	
TIGRE	TH 16	578352	
ALPEX GAS	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
TKM	TH 14	578348	
Systemtechnik	TH 16	578352	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	

System	Pressing contour	Art.-No.
TRA	U 16	578374
MULTITRAPRESS	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
TRA TRAPRESS	H 12	578396
	H 16	578400
	H 20	578406
	H 25	578408
	H 32	578412
	RFz 12	578490
	RFz 16	578492
	RFz 20	578494
	RFz 25	578496
	RFz 32	578498
TWEETOP	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
U		
UNICAL AG	U 16	578374
MAX-MULTIPEX	U 20	578378
	H 26	578410
	C 26	578392
	U 32	578382
UNIDELTA	TH 16	578352
DeltAll	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	U 16	578374
	U 20	578378
	U 32	578382
	U 40	578386
UNIDELTA	TH 16	578352
DeltAll GAS	TH 20	578358
	TH 26	578362
	TH 32	578364
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	U 16	578374
	U 20	578378
	U 32	578382
Uponor MLC	UP 14	578576
	UP 16	578578
	UP 18	578580
	UP 20	578582
	UP 25	578584
	UP 32	578586
	U 40	578386
Uponor MLC-D	UP 16	578578
	UP 20	578582
	UP 25	578584
	UP 32	578586
Uponor MLC-G	UP 20	578582
	UP 25	578584
	UP 32	578586
Uponor	UP 16	578578
Uni Pipe PLUS	UP 20	578582
	UP 25	578584
	UP 32	578586
V		
Valsir Bravopress	B 16	578468
	B 20	578472
	B 26	578474
	B 32	578476
	F 16	578456
	F 20	578460
	F 26	578462
	F 16 45° (PR-2B) ³⁾	574550 R
	F 20 45° (PR-2B) ³⁾	574552 R
	F 26 45° (PR-2B) ³⁾	574554 R
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	H 32 V	578602
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	C 26	578392
	U 32	578382
Valsir PEXAL	H 14	578398
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	H 32 V	578602
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
	C 26	578392
	U 32	578382

REMS pressing tongs Mini REMS pressing rings

Accessories for REMS Mini-Press ACC, REMS Mini-Press 22V ACC and REMS Mini-Press S 22V ACC

System	Pressing contour	Art.-No.	
Van Marcke Log. Tubipex	TH 16	578352	
	TH 17	578354	
	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
Van Marcke Log. Tubipress	M 12	578310	
	M 15	578312	
	M 18	578314	
	M 22	578316	
	M 28	578318	
	M 35	578390	
	M 12 45° (PR-2B) ³⁾	574520 R	
	M 15 45° (PR-2B) ³⁾	574522 R	
	M 18 45° (PR-2B) ³⁾	574524 R	
	M 22 45° (PR-2B) ³⁾	574526 R	
	M 28 45° (PR-2B) ³⁾	574528 R	
M 35 45° (PR-2B) ³⁾	574530 R		
Variotherm System TH	TH 11,6	578344	
	TH 16	578352	
	TH 20	578358	
Viega Fonterra	VX 12	578550	
	VP 14/15	578480	
	VP 16/17	578482	
	VP 20	578484	
	VP 25	578486	
Viega Pexfit	VX 16	578552	
	VX 20	578554	
	VX 25	578556	
Viega Pexfit Fosta G	VX 16	578552	
	VX 20	578554	
	VX 25	578556	
Viega Prestabo	V 12	578324	
	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 12 45° (PR-2B) ³⁾	574502 R	
	V 15 45° (PR-2B) ³⁾	574504 R	
	V 18 45° (PR-2B) ³⁾	574506 R	
	V 22 45° (PR-2B) ³⁾	574508 R	
	V 28 45° (PR-2B) ³⁾	574510 R	
	Viega Profipress	V 12	578324
		VG 14	578338
		V 15	578328
		VG 16	578340
		V 18	578332
V 22		578334	
V 28		578336	
V 35		578604	
V 12 45° (PR-2B) ³⁾		574502 R	
VG 14 45° (PR-2B) ³⁾		574536 R	
V 15 45° (PR-2B) ³⁾		574504 R	
VG 16 45° (PR-2B) ³⁾		574538 R	
V 18 45° (PR-2B) ³⁾		574506 R	
V 22 45° (PR-2B) ³⁾		574508 R	
V 28 45° (PR-2B) ³⁾		574510 R	
V 35 45° (PR-2B) ³⁾		574512 R	
Viega Profipress G		V 12	578324
		V 15	578328
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) ³⁾	574502 R	
	V 15 45° (PR-2B) ³⁾	574504 R	
	V 18 45° (PR-2B) ³⁾	574506 R	
	V 22 45° (PR-2B) ³⁾	574508 R	
	V 28 45° (PR-2B) ³⁾	574510 R	
	V 35 45° (PR-2B) ³⁾	574512 R	
	Viega Profipress S	V 12	578324
		V 15	578328
		V 18	578332
V 22		578334	
V 28		578336	
V 35		578604	
V 12 45° (PR-2B) ³⁾		574502 R	
V 15 45° (PR-2B) ³⁾		574504 R	
V 18 45° (PR-2B) ³⁾		574506 R	
V 22 45° (PR-2B) ³⁾		574508 R	
V 28 45° (PR-2B) ³⁾		574510 R	
V 35 45° (PR-2B) ³⁾	574512 R		

System	Pressing contour	Art.-No.	
Viega	V 12	578324	
	Profipress Therm	V 15	578328
Viega ProPress System USA	V 18	578332	
	V 22	578334	
	V 12 45° (PR-2B) ³⁾	574502 R	
	V 15 45° (PR-2B) ³⁾	574504 R	
	V 18 45° (PR-2B) ³⁾	574506 R	
	V 22 45° (PR-2B) ³⁾	574508 R	
	VUS ½" (OD 15,9 mm)	578566	
Viega ProPress WATER System AUS	VUS ¾" (OD 22,2 mm)	578568	
	VUS 1" (OD 28,6 mm)	578570	
Viega ProPress GAS System AUS	VUS 1¼" (OD 34,9 mm)	578606	
	VAU 15 (OD 12,7 mm)	578630	
Viega ProPress GAS System AUS	VAU 20 (OD 19,1 mm)	578632	
	VAU 25 (OD 25,4 mm)	578634	
Viega ProPress GAS System AUS	VAU 32 (OD 31,8 mm)	578636	
	VAU 15 (OD 12,7 mm)	578630	
Viega ProPress GAS System AUS	VAU 20 (OD 19,1 mm)	578632	
	VAU 25 (OD 25,4 mm)	578634	
Viega ProPress GAS System AUS	VAU 32 (OD 31,8 mm)	578636	
	VRX 16	578640	
Viega Raxinox	VRX 20	578642	
	VRX 16	578640	
Viega Raxofix	VRX 20	578642	
	VRX 25	578644	
Viega Raxofix	VRX 32	578646	
	VP 16/17	578482	
Viega Sanfix	VP 20	578484	
	VP 25	578486	
	VP 32	578488	
	V 12	578324	
Viega Sanpress	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 12 45° (PR-2B) ³⁾	574502 R	
	V 15 45° (PR-2B) ³⁾	574504 R	
	V 18 45° (PR-2B) ³⁾	574506 R	
	V 22 45° (PR-2B) ³⁾	574508 R	
	V 28 45° (PR-2B) ³⁾	574510 R	
	V 35 45° (PR-2B) ³⁾	574512 R	
	Viega Sanpress Inox	V 15	578328
		V 18	578332
	Viega Sanpress Inox G	V 22	578334
		V 28	578336
V 35		578604	
V 15 45° (PR-2B) ³⁾		574504 R	
V 18 45° (PR-2B) ³⁾		574506 R	
V 22 45° (PR-2B) ³⁾		574508 R	
V 28 45° (PR-2B) ³⁾		574510 R	
V 35 45° (PR-2B) ³⁾		574512 R	
Viessmann		TH 14	578348
		TH 16	578352
		TH 20	578358
		TH 26	578362
		TH 32	578364
		TH 16	578352
VINSAR PEX-AL-PEX		TH 20	578358
	TH 26	578362	
	TH 32	578364	
	TH 16	578352	
Vogel & Noot EASYTEC	TH 20	578358	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	

System	Pressing contour	Art.-No.	
VSH MultiPress	U 14	578372	
	U 16	578374	
	U 20	578378	
	U 25	578380	
	U 32	578382	
	U 40	578386	
	TH 14	578348	
	TH 16	578352	
	TH 20	578358	
	TH 25	578360	
	TH 26	578362	
	TH 32	578364	
	TH 40	578624	
	VSH SudoPress Carbon	V 12	578324
V 15		578328	
V 18		578332	
VSH SudoPress Carbon	V 22	578334	
	V 28	578336	
	V 35	578604	
	V 12	578324	
	V 15	578328	
VSH SudoPress Copper	V 18	578332	
	V 22	578334	
	V 28	578336	
	V 35	578604	
VSH SudoPress Copper	V 12	578324	
	V 15	578328	
	V 18	578332	
	V 22	578334	
	V 28	578336	
VSH SudoPress Copper	V 35	578604	
	V 12	578324	
	V 15	578328	
	V 18	578332	
	V 22	578334	
VSH SudoPress Copper	V 28	578336	
	V 35	578604	
	V 15	578328	
	V 18	578332	
	V 22	578334	
VSH SudoPress Copper	V 28	578336	
	V 35	578604	
	M 12	578310	
	M 15	578312	
	M 18 ¹⁾	578314	
VSH XPress Carbon	M 22	578316	
	M 28 ¹⁾	578318	
	M 35	578390	
	M 12 45° (PR-2B) ³⁾	574520 R	
	M 15 45° (PR-2B) ³⁾	574522 R	
	M 18 45° (PR-2B) ³⁾	574524 R	
	M 22 45° (PR-2B) ³⁾	574526 R	
	M 28 45° (PR-2B) ³⁾	574528 R	
	M 35 45° (PR-2B) ³⁾	574530 R	
	VSH XPress Carbon	M 12	578310
		M 15	578312
M 18 ¹⁾		578314	
M 22		578316	
M 28 ¹⁾		578318	
M 35		578390	
M 12 45° (PR-2B) ³⁾		574520 R	
M 15 45° (PR-2B) ³⁾		574522 R	
M 18 45° (PR-2B) ³⁾		574524 R	
M 22 45° (PR-2B) ³⁾		574526 R	
M 28 45° (PR-2B) ³⁾		574528 R	
M 35 45° (PR-2B) ³⁾	574530 R		
VSH XPress Copper	M 15	578312	
	M 18 ¹⁾	578314	
	M 22	578316	
	M 28 ¹⁾	578318	
	M 35	578390	
VSH XPress Copper	M 12 45° (PR-2B) ³⁾	574520 R	
	M 15 45° (PR-2B) ³⁾	574522 R	
	M 18 45° (PR-2B) ³⁾	574524 R	
	M 22 45° (PR-2B) ³⁾	574526 R	
	M 28 45° (PR-2B) ³⁾	574528 R	
VSH XPress Copper	M 35 45° (PR-2B) ³⁾	574530 R	
	M 15	578312	
	M 18 ¹⁾	578314	
	M 22	578316	
	M 28 ¹⁾	578318	
VSH XPress Copper	M 35	578390	
	M 15	578312	
	M 18 ¹⁾	578314	
	M 22	578316	
	M 28 ¹⁾	578318	
VSH XPress Copper	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522 R	
	M 18 45° (PR-2B) ³⁾	574524 R	
	M 22 45° (PR-2B) ³⁾	574526 R	
	M 28 45° (PR-2B) ³⁾	574528 R	
VSH XPress Copper	M 35 45° (PR-2B) ³⁾	574530 R	
	M 15	578312	
	M 18 ¹⁾	578314	
	M 22	578316	
	M 28 ¹⁾	578318	
VSH XPress Copper	M 35	578390	
	M 15 45° (PR-2B) ³⁾	574522 R	
	M 18 45° (PR-2B) ³⁾	574524 R	
	M 22 45° (PR-2B) ³⁾	574526 R	
	M 28 45° (PR-2B) ³⁾	574528 R	
VSH XPress Copper	M 35 45° (PR-2B) ³⁾	574530 R	

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow. Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
 - 2) For taking suitable pressing inserts.
 - 3) Adapter tongs are required for driving pressing rings (PR), see page 146.
 - 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.
- The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2018. For the updated situation regarding suitability status check our website: www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue. Pressing tongs for additional pressfitting systems on request.

System	Pressing contour	Art.-No.
VSH	M 15	578312
XPress Stainless	M 18 ¹⁾	578314
Gas	M 22	578316
	M 28 ¹⁾	578318
	M 35	578390
W		
Meier Tobler	U 16	578374
Metalplast - Stramax	U 18	578376
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
Watts MTR	TH 16	578352
Art press	TH 20	578358
	TH 26	578362
	TH 32	578364
WATTS	US ¾"	578534
RADIANT	US ½"	578536
Watts WaterPEX	US ¾"	578538
	US 1"	578540
WATTS	US ¾"	578534
RADIANT	US ½"	578536
Watts	US ¾"	578538
RadiantPEX	US 1"	578540
WATTS	U 16 (½")	578374
RADIANT	U 20 (¾")	578378
Watts	U 25 (¾")	578380
RadiantPEX-AL	U 32 (1")	578382
Wavin	U 14	578372
Tigris K1/K5	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
Wavin	U 14	578372
Tigris M1/M5	U 16	578374
	U 20	578378
	U 25	578380
	U 32	578382
	U 40	578386
WeeConPress Alu	M 12	578310
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520 R
	M 15 45° (PR-2B) ³⁾	574522 R
	M 18 45° (PR-2B) ³⁾	574524 R
	M 22 45° (PR-2B) ³⁾	574526 R
	M 28 45° (PR-2B) ³⁾	574528 R
	M 35 45° (PR-2B) ³⁾	574530 R
	V 12	578324
	V 15	578328
	V 18	578332
	V 22	578334
	V 28	578336
	V 35	578604
	V 12 45° (PR-2B) ³⁾	574502 R
	V 15 45° (PR-2B) ³⁾	574504 R
	V 18 45° (PR-2B) ³⁾	574506 R
	V 22 45° (PR-2B) ³⁾	574508 R
	V 28 45° (PR-2B) ³⁾	574510 R
	V 35 45° (PR-2B) ³⁾	574512 R
	SA 12	578510
	SA 15	578514
	SA 18	578518
	SA 22	578520
	SA 28	578522

System	Pressing contour	Art.-No.
WeeConPress	M 12	578310
C-Stahl	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520 R
	M 15 45° (PR-2B) ³⁾	574522 R
	M 18 45° (PR-2B) ³⁾	574524 R
	M 22 45° (PR-2B) ³⁾	574526 R
	M 28 45° (PR-2B) ³⁾	574528 R
	M 35 45° (PR-2B) ³⁾	574530 R
WeeConPress Inox	M 12	578310
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520 R
	M 15 45° (PR-2B) ³⁾	574522 R
	M 18 45° (PR-2B) ³⁾	574524 R
	M 22 45° (PR-2B) ³⁾	574526 R
	M 28 45° (PR-2B) ³⁾	574528 R
	M 35 45° (PR-2B) ³⁾	574530 R
WeeConPress Kupfer	M 12	578310
	M 15	578312
	M 18	578314
	M 22	578316
	M 28	578318
	M 35	578390
	M 12 45° (PR-2B) ³⁾	574520 R
	M 15 45° (PR-2B) ³⁾	574522 R
	M 18 45° (PR-2B) ³⁾	574524 R
	M 22 45° (PR-2B) ³⁾	574526 R
	M 28 45° (PR-2B) ³⁾	574528 R
	M 35 45° (PR-2B) ³⁾	574530 R
WeeConFlex MVR	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	U 40	578386
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
WEM	U 16	578374
WIELAND cuprotherm	TH 14	578348
	TH 16	578352
CTX	TH 18	578356
	TH 20	578358
	TH 26	578362
WKS-Press	TH 14	578348
	TH 16	578352
	TH 17	578354
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
WÜRTH	TH 16	578352
Würth	TH 20	578358
	TH 26	578362
	HE 32	578370

System	Pressing contour	Art.-No.
X		
XtraConnect	F 16	578456
	F 20	578460
	F 26	578462
	F 32	578464
	F 16 45° (PR-2B) ³⁾	574550 R
	F 20 45° (PR-2B) ³⁾	574552 R
	F 26 45° (PR-2B) ³⁾	574554 R
	F 32 45° (PR-2B) ³⁾	574556 R
	H 16	578400
	H 20	578406
	H 26	578410
	H 32	578412
	TH 16	578352
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 16	578374
	U 20	578378
(DN 26)	U 25	578380
	U 32	578382
	VP 16	578482
	VP 20	578484
	VP 32	578488
Z		
Zetaesse	TH 14	578348
Multistrato	TH 16	578352
EUROPEX	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
Zetaesse	TH 14	578348
Multistrato	TH 16	578352
ISOPEX	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	U 14	578372
	U 16	578374
	U 18	578376
	U 20	578378
ZEWOTHERM	TH 12	578346
Zewo Press Premium	TH 16	578352
	TH 17	578354
	TH 18	578356
	TH 20	578358
	TH 26	578362
	TH 32	578364
	TH 40	578624
ZEWOTHERM	TH 16	578352
Zewo Press PPSU	TH 20	578358
	TH 26	578362
	TH 32	578364
ZURN	US ¾"	578534
INDUSTRIES	US ½"	578536
ZURN PEX	US ¾"	578538
	US 1"	578540

Pressfitting systems for gas installations must only be pressed with REMS pressing tongs Mini/pressing rings which are highlighted in yellow.

Observe the national regulations.

- 1) Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.
- 2) For taking suitable pressing inserts.
- 3) Adapter tongs are required for driving pressing rings (PR), see page 146.
- 4) Only pressing tongs from designation "117" (1st quarter of 2017), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

The suitability of REMS pressing tools for pressfitting systems: Date 15.10.2018. For the updated situation regarding suitability status check our website:

www.rems.de → Downloads → Product catalogues, brochures → REMS Catalogue.

Pressing tongs for additional pressfitting systems on request.

Accessories

Description	Art.-No.
Adapter tongs Mini Z1 for driving REMS pressing rings 45° (PR-2B)	578558RX
Steel case with insert for adapter tongs Mini Z1 and adapter tongs Z1 and 6 REMS pressing rings V 12–35 45° (PR-2B) or M 12–35 45° (PR-2B)	574516R
Steel case with insert for 8 pressing tongs Mini/cropping tongs Mini and compartment for pipe cutter up to 42 mm	578295R

