

Handy quality tools for simple and fast external chamfering (15°) of pipes.

Plastic pipes  $\varnothing$  16–250 mm,  $\varnothing$  ¾–10"

Wall thickness  $\leq$  PN 16

### REMS RAG – chamfering at 15°.

Chamfering at 15° on commonly used plastic pipes.

Also suited for deburring plastic pipes. Ensures easy joining of sleeves to be welded.

Easily adjusted for pipe diameter and wall thickness.

Very easy and fast chamfering thanks to efficient blade geometry.

**Patent DE 44 09 983, patent US 5,641,253.** Easy-to-slide V-block with two different bevel angles for good guidance of small pipe sizes. In high-grade, glass-fibre reinforced polyamide.

Replaceable blades.



German Quality Product

Patent DE 44 09 983  
Patent US 5,641,253



### Supply format

**REMS RAG.** Pipe chamfering tool for plastic pipes. With blades. In a carton.

Description	Pipes $\leq$ $\varnothing$ mm/inch	Art.-No.
<b>P 16–110</b>	16–110 / ¾–4"	292110
<b>P 32–250</b>	32–250 / 1¼–10"	292210

### Accessories

Description	Art.-No.
<b>Chamfering blades (pack of 2)</b> for REMS RAG P 16–250	292011

